

# UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, DC 20460

APR - 6 2010

OFFICE OF
PREVENTION, PESTICIDES
AND TOXIC SUBSTANCES

Peko Rasic **Troy Corporation** 8 Vreeland Road P.O. Box 955 Florham Park, NJ 07932-0955

Subject:

Troysan Polyphase® 588

EPA Registration No.: 5383-88 Application Date: January19, 2010 Receipt Date: March 8, 2010

Dear Mr. Rasic:

This acknowledges receipt of your notification, submitted under the provision of PR Notice 98-10, FIFRA section 3(c) 9.

### **Proposed Notification:**

Update Container Disposal per PRN 2007-4

#### **General Comment:**

Based on a review of the material submitted, the following comment applies:

A copy of this accepted notification has been inserted in your file for future reference.

Should you have any questions or comments concerning this letter, you may contact me by telephone at (703) 308-6416 or by e-mail at <a href="mailto:campbell-mcfarlane.jacqueline@epa.gov">campbell-mcfarlane.jacqueline@epa.gov</a> or Stacey Grigsby by telephone at (703) 305-6440 or by e-mail at <a href="mailto:grigsby.stacey@epa.gov">grigsby.stacey@epa.gov</a> during the hours of 8:00am to 4:00pm EST. When submitting information or data in response to this letter, a copy of this letter should accompany the submission to facilitate processing.

Sincerely.

acqueline McFarlane

(Acting) Product Manager (34)

Regulatory Management Branch II

CONCURRENTIAL CODIALS DIVISION (7510P)							
SYMBOL						• • • • • • • • • • • • • • • • • • • •	
SURNAME							
DATE					***********		
APPLICATION OF CORV							

EPA Form 1320-1A (1/90)

Printed on Recycled Paper

OFFICIAL FILE COPY

39					7		
ا کا Please read instru <u>ctions on</u> reverse befo	ore con ing form.		Form Approv	)MB No. 2070-0	) 060, Approval expires 05-31-98		
	United State	es	☐ Registi	. ———	OPP Identifier Number		
EPA Env	rironmental Prote	ction Agency	•		296875		
	Washington, DC	20460	⊠ Other:		200070		
Application for Pesticide - Section I							
1. Company/Product Number			Product Manager		Proposed Classification		
5383-88		ShaRon Carlisle					
4. Company/Product (Name)  Troysan Polyphase® 5	88	PM# 34		None Restricted			
5. Name and Address of Applicant (I	nclude ZIP Code)	6. Exp	edited Review. In	accordance wi	th FIFRA Section 3(c)(3)		
Troy Chemical Corporati	on	1 2 7 7 7	ny product is simila	ar or identical in	composition and labeling		
8 Vreeland Road Florham Park, NJ 07932		to: EPA Reg. No.					
PLEASE SEND ALL CORI	RESPONDENCE T	1	og. 110.	, <u></u>			
"CONTACT POINT" I		Produc	t Name		<del> </del>		
Check if this is a new a	ddress						
		Section	on – II				
Amendment – Explain below.			Final printed lab	els in response to	Agency letter dated		
Resubmission in response to A	gency letter dated	<del></del>	"Me Too" Applica				
Notification - Explain below.  Explanation: Use additional	nage(s) if necessa	ny (For Section	Other - Explain				
•	,	•		•	otice 2007-4 and the requirements		
of EPA's regulations at 40 CFR §§ 156.10, 156.140, 156.144, 156.146, and 156.156. No other changes have been made to the labeling or the Confidential Statement of Formula for this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if the amended label is not consistent with the requirements of 40 CFR §§ 156.10, 156.140, 156.144, 156.146, and 156.156, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.							
		Section	n – III				
Material This Product Will Be Pa							
Child-Resistant Packaging  Yes*	Unit Packaging Yes		Water Soluble Pac	kaging	Type of Container     Metal		
☐ No	No No		No No		Plastic		
<del>_</del>	If "Yes"	No. per	If "Yes"	No. per	Glass		
*Certification must	Unit Packaging wg	container	Package wgt.	container	Paper		
be submitted 3. Location of Net Contents Information	ation 1 4 Size	(s) Retail Contair	200	5 Location of	Other (Specifiy) Label Directions		
,I	tainer 4. 3ize	On Label		Label Directions			
				On labelin	ng accompanying product		
6. Manner in Which Label is Affixed to Product							
		Sectio	n – IV				
1. Contact Point (Complete items di	rectly below for identific	ation of individual	to be contacted, if nec	essary, to process	this applieation), c		
Name		Title	i Ci-V-4		elephone No. (Include Area Code) (973) 443-4200 ext 2285		
Peko Rasic		Product Regist	tration Specialist		, , ,		
I certify that the statements I have r acknowledge that any knowingly fal- under applicable law.		Il attachments the ent may be punis			6. Date Application Received (Stamped)		
2. Signature	_	3. Title Product R	egistration Speci	alist	,,,,,,,		
4. Typed Name Peko Rasic	5. Date 01/19/2010						

30



### TROY CORPORATION

### Via FedEx Courier

January 19, 2010

Document Processing Desk (NOTIF)
Office of Pesticide Programs (7504P)
U.S. Environmental Protection Agency
Room S-4900, One Potomac Yard
2777 South Crystal Drive
Arlington, VA 22202-4501

Attention:

Ms. ShaRon Carlisle

PM Team 34

Subject:

Troysan Polyphase® 588

EPA Reg. No.: 5383-88

Submission of Labeling Revisions per PR Notice 2007-4

### Dear Ms. Carlisle:

Enclosed, please find the revised labeling for the subject product in accordance with the provisions of PR notice 2007-4. Please note that no other labeling changes have been made outside the scope of this PR Notice. Included under this cover please find:

- application form 3570-1 (OPP Identifier No.: 296875);
- one copy of product label with revisions underlined.

Please contact me at either 973-443-4200, ext. 2285 or at <u>rasicp@troycorp.com</u> should you have any questions or require any additional information.

With kind regards,

Peko Rasic

**Product Registration Specialist** 

Enclosure

# PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

### **DANGER**

Corrosive. Causes irreversible eye damage or skin burns. May be fatal if inhaled. Harmful if swallowed or absorbed through skin. Do not get in eyes, on skin or on clothing. Do not breathe spray mist. Wear goggles or face shield. For handling activities during airblast mistpower pressure greater than 40 psi with line droplets, smoke, mist, fog, aerosol, or direct overhead exposures, wear either a respirator with an organic vapor-removing cartridge with a prefilter approved for pesticides (MSHA/NIOSH approval number prefix 14G). For all other exposures, wear a dust/mist filtering respirator (MSHA/NIOSH approval number prefix 1C-21C). Wear protective clothing and rubber gloves. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

	FIRST AID
IF IN EYES:	<ul> <li>Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after 5 minutes, then continue rinsing.</li> <li>Call a poison control center or doctor for treatment advice.</li> </ul>
IF ON SKIN OR CLOTHING:	<ul> <li>Take off contaminated clothing.</li> <li>Rinse skin immediately with plenty of water for 15-20 minutes.</li> <li>Call a poison control center or doctor for treatment advice.</li> </ul>
IF SWALLOWED:	<ul> <li>Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person.</li> </ul>
IF INHALED:	<ul> <li>Move person to fresh air.</li> <li>If person is not breathing call 911 or an ambulance, then give artificial respiration preferably mouth-to-mouth if possible.</li> <li>Call a poison control center or doctor for further treatment advice.</li> </ul>
ļ	i deather advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

#### **NOTE TO PHYSICIAN:**

Probable mucosal damage may contraindicate the use of gastric lavage. Contains petroleum distillate – vomiting may cause aspiration pneumonia.

# TROYSAN POLYPHASE®:

A Fungicide/Algicide For Exterior Paints. Masonry Coatings, Protective Stains, Adhesiveട്ട്, Cajulys and Sealants

EPA Reg. No.	5383-88
EPA Establishment Number	5383-NJ
ACTIVE INGREDIENT:	
N-Cyclopropyl-N'-(1,1-Dimethylethyl)- 6-(Methylthio)-1,3,5-Triazine-2,4-Diamii	
INERT INGREDIENTS	
TOTAL	11

Date Reviewed: 3/30 / 10 Reviewed By: 5/6-4-4

## **DANGER**

SOLD FOR INDUSTRIAL USE ONLY
See Side Panel for Additional Precautionary Statements

**KEEP OUT OF REACH OF CHILDREN** 

IN CASE OF EMERGENCY: CALL 1-800-424-9300

Net Weight:

Troy Chemical Corporation
One Avenue L, Newark, N.J. 07105

POLYPHASE® and TROYSAN® are registered trademarks

# AUTIONARY STATEMENTS HUMANS AND DOMESTIC ANIMALS

## **DANGER**

rreversible eye damage or skin burns. May Harmful if swallowed or absorbed through eyes, on skin or on clothing. Do not breathe eygles or face shield. For handling activities ower pressure greater than 40 psi with line mist, fog, aerosol, or direct overhead ither a respirator with an organic vaporwith a prefilter approved for pesticides roval number prefix 14G). For all other dust/mist filtering respirator (MSHA/NIOSH efix 1C-21C). Wear protective clothing and ash thoroughly with soap and wash before

#### FIRST AID

- Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after 5 minutes, then continue rinsing.
- Call a poison control center or doctor for treatment advice.
- · Take off contaminated clothing.
- Rinse skin immediately with plenty of water for 15-20 minutes.
- Call a poison control center or doctor for treatment advice.
- Immediately call a poison control center or doctor.
   Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person.
- · Move person to fresh air.
- If person is not breathing call 911 or an ambulance, then give artificial respiration preferably mouth-tomouth if possible.
- Call a poison control center or doctor for further treatment advice.

ainer or label with you when calling a poison control ng for treatment.

#### NOTE TO PHYSICIAN:

age may contraindicate the use of gastric lavage. tillate – vomiting may cause aspiration pneumonia.

# **TROYSAN POLYPHASE ® 588**

A Fungicide/Algicide For Exterior Paints. Masonry Coatings, Wood Protective Stains, Adhesives, Caulis and Sealants

EPA Reg. No.		e. c	<u>. c</u>	5383-88
EPA Establishment Number				5383-NJ-1

ACTIVE INGREDIENT:	.% Weight
3-lodo-2-Propynyl Butyl Carbamate	20.0%
N-Cyclopropyl-N'-(1,1-Dimethylethyl)-	
6-(Methylthio)-1,3,5-Triazine-2,4-Diamine	10.0%
INERT INGREDIENTS	70.0%
TOTAL	100.0%

NOTIFICATION Date Reviewed: 5/3/1/2

## DANGER

SOLD FOR INDUSTRIAL USE ONLY
See Side Panel for Additional Precautionary Statements

**KEEP OUT OF REACH OF CHILDREN** 

IN CASE OF EMERGENCY: CALL 1-800-424-9300

**Net Weight:** 

**Troy Chemical Corporation** 

One Avenue L, Newark, N.J. 07105

POLYPHASE® and TROYSAN® are registered trademarks

This product is streams, pond requirements of the permitting a effluent contain sewage treatm Regional office disposal of was

It is a violation labeling.

Troysan Polyp based on labo Suggested use Exterior Paint. Wood Protectin Adhesives, Ca Joint Cements Roof Coatings Stucco......

Combustible.

Do not con
PESTICIDI
temperatur
(0°C) are s
PESTICIDI
disposal o
federal law
instructions
the hazarc
guidance.

container.
Empty the the contain on its sid revolution, forth sever and forth s tank or st more time puncture a state and I

# SAN POLYPHASE<sup>®</sup> 588

5383-88

'Algicide For Exterior Paints. Masonry Coatings, Wood extive Stains, Adhesives, Caules and Sealants

	1 3333 33
ishment Number	5383-NJ-1
REDIEÑT:	% Weight
opynyl Butyl Carbamate pyl-N'-(1,1-Dimethylethyl)-	

NOTIFIC ate Reviewed	ATJC	N	IV.	
eviewed By:_	ايک	my	<u> </u>	

No.

## **DANGER**

LD FOR INDUSTRIAL USE ONLY
⇒ Panel for Additional Precautionary Statements

OUT OF REACH OF CHILDREN

IN CASE OF EMERGENCY: CALL 1-800-424-9300

**Net Weight:** 

roy Chemical Corporation

One Avenue L, Newark, N.J. 07105

PHASE® and TROYSAN® are registered trademarks

#### **ENVIRONMENTAL HAZARDS**

This product is toxic to fish. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional office of the EPA. Do not contaminate water by cleaning of equipment or disposal of wastes.

#### **DIRECTIONS FOR USE**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

#### **APPLICATION**

Troysan Polyphase®588 is sold for industrial use only. Suggested application levels are based on laboratory and field evaluations and are typical for the use areas indicated. Suggested use levels are reported as percentage weight/weight in the final use product.

Exterior Paint	0.3-1.0%
Wood Protective Stain	0.3-1.0%
Adhesives, Caulks & Sealants	0.2-1.0%
Joint Cements	0.3-0.7%
Roof Coatings	0.5-2.0%
Stucco	0.3-1.0%

#### PHYSICAL AND CHEMICAL HAZARDS

Combustible. Do not use, pour, or store near heat or open flame.

#### STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

**PESTICIDE STORAGE:** This material has a tendency to crystallize at low temperatures. Storage temperatures below 90°F (32° C) and above 32°F (0°C) are suggested.

**PESTICIDE DISPOSAL:** Pesticide wastes are acutely hazardous. Improper disposal of excess pesticides, spray mixture, or rinsate is a violation of federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State pesticide or environmental control agency or the hazardous waste representative at the nearest EPA regional office for guidance.

CONTAINER DISPOSAL: Nonrefillable container. Do not reuse or refill this container. Clean container promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container ¼ full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times. Then offer for recycling or reconditioning if available, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

6/0