

5383-91

4/6/2010

6/1



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, DC 20460

OFFICE OF
PREVENTION,
PESTICIDES
AND TOXIC SUBSTANCES

APR - 6 2010

Peko Rasic
Product Registration Specialist
Troy Corporation
8 Vreeland Road
Florham Park, NJ 07932-0955

Subject: **Troy Polyphase® 604**
EPA Registration Number: 5383-91
Notification Date: January 19, 2010
EPA Receipt Date: March 8, 2010

Dear Mr. Rasic

This will acknowledge receipt of your notification, submitted under the provisions of PR Notice 2007-4.

Proposed Notification:

- Updating Container Disposal statement

General Comment:

Based on a review of the submitted materials, your notification for updating the Container Disposal statement is acceptable and a part of the records on file.

Should you have any questions concerning this letter, please contact Heather Garvie at (703) 308-0034 or by email address at garvie.heather@epa.gov.

Sincerely,

Jacqueline McFarlane
(Acting) Product Manager (34)
Regulatory Management Branch II
Antimicrobials Division (7510P)



EPA

United States
Environmental Protection Agency
 Washington, DC 20460

- Registration
 Amendment
 Other:

OPP Identifier Number
289758

Application for Pesticide - Section I

1. Company/Product Number 5383-91	2. EPA Product Manager ShaRon Carlisle	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) Troy Polyphase® 604	PM# 34	
5. Name and Address of Applicant (Include ZIP Code) Troy Chemical Corporation 8 Vreeland Road Florham Park, NJ 07932 <u>PLEASE SEND ALL CORRESPONDENCE TO "CONTACT POINT" LISTED BELOW</u> <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(I), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

Section - II

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below

Explanation: Use additional page(s) if necessary. (For Section I and Section II.)

Notification of label change per PR Notice 2007-4. This notification is consistent with the guidance in PR Notice 2007-4 and the requirements of EPA's regulations at 40 CFR §§ 156.10, 156.140, 156.144, 156.146, and 156.156. No other changes have been made to the labeling or the Confidential Statement of Formula for this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if the amended label is not consistent with the requirements of 40 CFR §§ 156.10, 156.140, 156.144, 156.146, and 156.156, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Section - III

1. Material This Product Will Be Packaged In:			
Child-Resistant Packaging <input type="checkbox"/> Yes* <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No If "Yes" Unit Packaging wgt. No. per container	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No If "Yes" Package wgt. No. per container	2. Type of Container <input type="checkbox"/> Metal <input type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify)
* Certification must be submitted			
3. Location of Net Contents Information <input type="checkbox"/> Label <input type="checkbox"/> Container	4. Size(s) Retail Container	5. Location of Label Directions <input type="checkbox"/> On Label <input type="checkbox"/> On labeling accompanying product	
6. Manner in Which Label is Affixed to Product <input type="checkbox"/> Lithograph <input type="checkbox"/> Other _____ <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled			

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application)		
Name Peko Rasic	Title Product Registration Specialist	Telephone No. (Include Area Code) (973) 443-4200 ext 2285
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete, I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		6. Date Application Received (Stamped)
2. Signature 	3. Title Product Registration Specialist	
4. Typed Name Peko Rasic	5. Date 01/19/2010	



3/6

TROY CORPORATION

Via FedEx Courier

January 19, 2010

Document Processing Desk (NOTIF)
Office of Pesticide Programs (7504P)
U.S. Environmental Protection Agency
Room S-4900, One Potomac Yard
2777 South Crystal Drive
Arlington, VA 22202-4501

Attention: Ms. ShaRon Carlisle
PM Team 34

Subject: Troy Polyphase® 604
EPA Reg. No.: 5383-91
Submission of Labeling Revisions per PR Notice 2007-4

Dear Ms. Carlisle:

Enclosed, please find the revised labeling for the subject product in accordance with the provisions of PR notice 2007-4. Please note that no other labeling changes have been made outside the scope of this PR Notice. Included under this cover please find:

- application form 3570-1 (OPP Identifier No.: 289758);
- one copy of product label with revisions underlined.

Please contact me at either 973-443-4200, ext. 2285 or at rasicp@troycorp.com should you have any questions or require any additional information.

With kind regards,

Peko Rasic
Product Registration Specialist

Enclosure

```

      c c c c c
     c c c c c
    c c c c c
   c c c c c
  c c c c c
 c c c c c
c c c c c

```

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS**

CAUTION

Harmful if swallowed or absorbed through skin. Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash clothing before reuse

PERSONAL PROTECTIVE EQUIPMENT (PPE):

Applicators and other handlers must wear:

- Long-sleeve shirt and long pants,
- Chemical-resistant gloves (such as barrier laminate, nitrile, rubber, neoprene rubber and viton),
- Shoes plus socks.

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions exist for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

USER SAFETY RECOMMENDATIONS

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove personal protective equipment immediately after handling this product. Wash the outside of gloves before removing. As soon as possible wash thoroughly.

FIRST AID

IF IN EYES:	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after 5 minutes, then continue rinsing. • Call a poison control center or doctor for treatment advice.
ON SKIN OR CLOTHING:	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.
IF SWALLOWED:	<ul style="list-style-type: none"> • Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person.
IF INHALED:	<ul style="list-style-type: none"> • Move person to fresh air. • If person is not breathing call 911 or an ambulance, then give artificial respiration preferably mouth-to-mouth if possible. • Call a poison control center or doctor for further treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

NOTE TO PHYSICIAN:

Probable mucosal damage may contraindicate the use of gastric lavage. Contains petroleum distillate - vomiting may cause aspiration pneumonia.

TROY POLYPHASE® 60

A Fungicide for Use in Aqueous Systems such as Oleo-Resin and Latex Paints, Wood Products, Cutting Oils, Textiles, Text Processing Chemicals (Lubricants, Sizing and Coating Compounds), Paper Coatings, Inks, Plastics, Adhesives, Car and Cordage, Liquid Detergents, Soft Soaps, Household Cleaners, Room Deodorizers and Air Fresheners

EPA Reg. No.	5383-9
EPA Establishment Number	5383-NJ

INDUSTRIAL FUNGICIDE

Contents: LIQUID

ACTIVE INGREDIENT:% 1
 3-Iodo-2-Propynyl Butyl Carbamate.....
 INERT INGREDIENTS
 TOTAL

NOTIFICATION
 Date Reviewed: 3/31/00
 Reviewed By: J. Bygones

CAUTION

SOLD FOR INDUSTRIAL USE ONLY

See Side Panel for Additional Precautionary Statements

KEEP OUT OF REACH OF CHILDREN

IN CASE OF EMERGENCY:

CALL 1-800-424-9300

Net Weight:

Troy Chemical Corporation

One Avenue L, Newark, N.J. 07105

POLYPHASE® and TROYSAN® are registered trademarks

**STATEMENTS
HUMANS**

ION

kin. Causes moderate eye irritation. Wash thoroughly with soap and water and wash clothing before reuse

NT (PPE):

barrier laminate, nitrile, rubber,

aning/maintaining PPE. If no such gent and hot water. Keep and wash

MMENDATIONS

, chewing gum, using tobacco or sticide gets inside. Then wash

ent immediately after handling this es before removing. As soon as

ID

and rinse slowly and gently with minutes. Remove contact lenses, 5 minutes, then continue rinsing. onrol center or doctor for treatment

minated clothing. ediatey with plenty of water for 15-

ontrol center or doctor for treatment

all a poison control center or doctor. vomiting unless told to do so by a center or doctor. Do not give any rson. Do not give anything by nconscious person.

to fresh air. t breathing call 911 or an ambulance, icial respiration preferably mouth-to-ble.

ontrol center or doctor for further ice.

th you when calling a poison control

PHYSICIAN:

icate the use of gastric lavage. may cause aspiration pneumonia.

TROY POLYPHASE® 604

A Fungicide for Use in Aqueous Systems such as Oleo-Resinous and Latex Paints, Wood Products, Cutting Oils, Textiles, Textile Processing Chemicals (Lubricants, Sizing and Coating Compounds), Paper Coatings, Inks, Plastics, Adhesives, Canvas and Cordage, Liquid Detergents, Soft Soaps, Household Cleaning Products, Room Deodorizers and Air Fresheners

EPA Reg. No.	5383-91
EPA Establishment Number	5383-NJ-1

INDUSTRIAL FUNGICIDE

Contents: LIQUID

ACTIVE INGREDIENT:	% Weight
3-Iodo-2-Propynyl Butyl Carbamate.....	6.0%
INERT INGREDIENTS	94.0%
TOTAL	100%

NOTIFICATION
Date Reviewed: 2/3/10
Reviewed By: J. [Signature]

CAUTION

SOLD FOR INDUSTRIAL USE ONLY

See Side Panel for Additional Precautionary Statements

KEEP OUT OF REACH OF CHILDREN

IN CASE OF EMERGENCY:

CALL 1-800-424-9300

Net Weight:

Troy Chemical Corporation

One Avenue L, Newark, N.J. 07105

POLYPHASE® and TROYSAN® are registered trademarks

ENVIR

This product is toxic to fish. Do not surface water is present or to into contaminate water when disposal discharge effluent containing this or other waters unless in accordance with Discharge Elimination System (DES) notified in writing prior to discharge without previously notifying the local contact your State Water Board or

DI

It is a violation of Federal Law labeling.

Do not apply this product in a v Polyphase@604 is sold for industrial paper coatings or adhesives that [This product is not cleared by the contact paper and adhesives. If you not use them as components in m Suggested application levels are typical for the use areas indicated weight/weight in the final use pro

Exterior Paint	5-12%
Interior Paint	2.0-2.5%
Wood Protective Stain	5-15%
Wood Preservation	5-30%
Sapstain Control	0.3-0.7%
Millwork	5-30%
Metalworking Fluids	0.5-8.7%
Textiles	1.0-20%
Paper Coatings	1.75-10%

PHYSIC/

Combustible. Do not use, spill o [bracketed text denotes alternati

Do not contaminate water, f **PESTICIDE STORAGE:** Ti below 32°F (0°C). Drums tightly closed. **PESTICIDE DISPOSAL:** disposal of excess pesticide. If these wastes cannot be c your state pesticide or er Representative at the near **CONTAINER DISPOSAL:** container. Clean containe the remaining contents into full with water. Replace and forth, ensuring at lea container on its end and ti onto its other end and tip application equipment or a this procedure two more fir or puncture and dispose of and local authorities, by bl

This product is cover

6/6

TROY POLYPHASE® 604

Use in Aqueous Systems such as Oleo-Resinous Paints, Wood Products, Cutting Oils, Textiles, Textile Finishing Chemicals (Lubricants, Sizing and Coating Agents), Paper Coatings, Inks, Plastics, Adhesives, Canvas, Liquid Detergents, Soft Soaps, Household Cleaning Products, Room Deodorizers and Air Fresheners

No.	5383-91
Registration Number	5383-NJ-1

INDUSTRIAL FUNGICIDE

Contents: LIQUID

INGREDIENT:	% Weight
Propyl Butyl Carbamate.....	6.0%
INGREDIENTS	94.0%
.....	100%

NOTIFICATION
 Date Reviewed: 2/3/10
 Reviewed By: J. Kelly

CAUTION

READ LABEL FOR INDUSTRIAL USE ONLY

See Panel for Additional Precautionary Statements

KEEP OUT OF REACH OF CHILDREN

IN CASE OF EMERGENCY:

CALL 1-800-424-9300

Net Weight:

Troy Chemical Corporation

One Avenue L, Newark, N.J. 07105

POLYPHASE® and TROYSAN® are registered trademarks

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to any body of water or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters or rinsate. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional office of the EPA.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Do not apply this product in a way that will contact workers or other persons. Troy Polyphase®604 is sold for industrial use only. This product is not to be used in paper, paper coatings or adhesives that will come into contact with food and food surfaces. [This product is not cleared by the Federal Food, Drug and Cosmetic Act for use on food-contact paper and adhesives. If articles have been treated with Troy Polyphase®604 do not use them as components in materials used in food packaging and food-holding.] Suggested application levels are based on laboratory and field evaluations and are typical for the use areas indicated. Suggested use levels are reported as percentage weight/weight in the final use product.

Exterior Paint	5-12%	Canvas and Cordage	5-20%
Interior Paint	2.0-2.5%	Inks	1.75-10%
Wood Protective Stain	5-15%	Adhesives	0.45-10%
Wood Preservation	5-30%	Household Cleaning Products	0.03-1.0%
Sapstain Control	0.3-0.75%	Detergents and Soft Soaps	0.03-1.0%
Millwork	5-30%	Room Deodorizers and Air Fresheners	0.03-1.0%
Metalworking Fluids	0.5-8.75%		
Textiles	1.0-20%		
Paper Coatings	1.75-10%		

PHYSICAL OR CHEMICAL HAZARDS

Combustible. Do not use, spill or store near heat or open flame.

[bracketed text denotes alternative language]

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: Troy Polyphase®604 should not be stored at temperatures below 32°F (0°C). Drums should be stored in an upright position with all bungs tightly closed.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticides, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your state pesticide or environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional office for guidance.

CONTAINER DISPOSAL: Nonrefillable container. Do not reuse or refill this container. Clean container promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container 1/4 full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times. Then offer for recycling or reconditioning if available, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

This product is covered under the following patent:: US 5,906,981