

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
CAUTION**

Causes moderate eye irritation. Avoid contact with eyes, skin, or clothing. Harmful if swallowed. Wash thoroughly with soap and water after handling.

PERSONAL PROTECTIVE EQUIPMENT:

Applicators and other handlers must wear:

- Long-sleeve shirt and long pants,
- Chemical-resistant gloves (such as barrier laminate, nitrile, rubber, neoprene rubber and viton),
- Shoes plus socks.

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions exist for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

USER SAFETY RECOMMENDATIONS

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove personnel protective equipment immediately after handling this product. Wash the outside of gloves before removing. As soon as possible wash thoroughly.

FIRST AID

IF IN EYES:	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after 5 minutes, then continue rinsing. • Call a poison control center or doctor for treatment advice.
IF ON SKIN OR CLOTHING:	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.
IF SWALLOWED:	<ul style="list-style-type: none"> • Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. Emergency Phone Number: 800-424-9300

NOTE TO PHYSICIAN:

Probable mucosal damage may contraindicate the use of gastric lavage

POLYPHASE® 662

A Broad Spectrum Biocide for use in Exterior Paint and Stains, Masonry Coatings, Adhesives, Caulks and Sealants, Roof Coatings, Stucco and Joint Cements

EPA Reg. No. 5383-108

EPA Est. No. 5383-NJ-1

ACTIVE INGREDIENT:

Methyl 2-benzimidazolecarbamate..... 12.0%
3-Iodo-2-propynyl butyl carbamate.....4.0%
Cyclopropyl-N'-(1,1-dimethylethyl)-6-(methylthio)-1,3,5-triazine-2,4-diamine.....4.0%


INERT INGREDIENTS..... 80.0%
TOTAL..... 100.0%

KEEP OUT OF REACH OF CHILDREN

CAUTION

SOLD FOR INDUSTRIAL USE

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS



IN CASE OF EMERGENCY CALL 1-800-424-9300

**TROY CHEMICAL CORPORATION
ONE AVENUE L
NEWARK, N.J. 07105**

Net Weight: _____

©TROYSAN AND POLYPHA RE REGISTERED TRADEMARKS

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional office of the EPA

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

APPLICATION INSTRUCTIONS

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Do not apply this product in a way that will contact workers or other persons. Polyphase® 662 is a water dispersion of biocides effective against a wide variety of fungal and algal organisms. Its primary application is in water-based products where VOC is a major concern.

Suggested application levels are based on laboratory and field evaluations and are typical for the use areas indicated. Suggested use levels are reported as percentage weight/weight in the final use product.

Polyphase® 662 should be added to paints and coatings at the end of the manufacturing cycle, after the final pH adjustment has been made at rates of 0.5-4.0% (exterior paint), 0.3-4.0% (wood protective stains), 0.15-4.0% (masonry coatings) and 0.7-4.0% (roof coatings).

Polyphase® 662 may be added to exterior caulks and sealants at the end of the production cycle with good agitation at 0.5-4.0%.

Polyphase® 662 may be added to stucco at a rate of 0.5-4.0% and to joint cements at a rate of 0.5-4.0%.

Polyphase® 662 is **NOT** to be used in formulations intended for food contact paper coatings or food contact adhesive uses.

PHYSICAL AND CHEMICAL HAZARDS

Do not use or store near heat or open flame.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: Do not store below 44.6°F (7° C). The container should be tightly closed and stored in an upright position.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticides, spray mixture, or rinsate is a violation of federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State pesticide or environmental control agency or the hazardous waste representative at the nearest EPA regional office for guidance.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

This product is covered under the following patents:: US 5,707,929; US 6,197,805

5383-108

12/20/2005

Page 181