

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF PREVENTION, PESTICIDES AND **TOXIC SUBSTANCES**

MAR 3 1 2010

Peko Rasic Product Registration Specialist for, Troy Chemical Corporation c/o **Troy Corporation** 8 Vreeland Road Florham Park, NJ 07932

Subject: Polyphase® 662

EPA Registration Number 5383-108

Your Notification Dated January 20th, 2010 EPA Received Date March 8th, 2010

The notification referred to above, submitted in connection with registration under the Federal Inseciticide, Fungicide, and Rodenticide Act, FIFRA, as amended, to update and revise product labeling as per PR Notice 2007-4, is acceptable.

This notification has been made part of the permanent record of this file.

If you have any questions concerning this letter, please contact Karen M. Leavy-Munk at (703)-308-6237.

Product Manager 33

Regulatory Management Branch I Antimicrobial Division(7510P)

20f4

Please read instructions on reverse before completing form.	Form Approved, OMB No. 2070-00		
United States	☐ Registration	OPP Identifier Number	
EPA Environmental Protection	Agency Amendment	296877	
Washington, DC 2046	—		
Application for Pesticide - Section I			
1. Company/Product Number 5383-108	EPA Product Manager M. Swindell	3. Proposed Classification	
4. Company/Product (Name)	PM#	None Restricted	
Polyphase® 662	33		
5. Name and Address of Applicant (Include ZIP Code)	6. Expedited Review. In accordance with		
Troy Chemical Corporation 8 Vreeland Road	(b)(I), my product is similar or identical in to:	composition and labeling	
8 Vreeland Road Florham Park, NJ 07932	EPA Reg. No		
PLEASE SEND ALL CORRESPONDENCE TO	LI A Nog. No.		
"CONTACT POINT" LISTED BELOW	Product Name	······································	
Check if this is a new address			
	Section – II		
Amendment Explain below.	Final printed labels in response to A	Agency letter dated	
Resubmission in response to Agency letter dated			
Notification - Explain below.	Other - Explain below		
Explanation: Use additional page(s) if necessary. (Fig. 1)	or Section I and Section II.)	*	
Notification of label change per PR Notice 2007-4. This r	notification is consistent with the guidance in PR Not	tice 2007-4 and the requirements	
of EPA's regulations at 40 CFR §§ 156.10, 156.140, 156.	144, 156.146, and 156.156. No other changes have be	een made to the labeling or the	
Confidential Statement of Formula for this product. I und			
statement to EPA. I further understand that if the amended 156.144, 156.146, and 156.156, this product may be in vi			
sections 12 and 14 of FIFRA.	olation of the ica and t may be subject to emoreomen	ili action and penames under	
5500000 12 Wile 1 : 222 222 22			
Section – III			
Material This Product Will Be Packaged In:	Occion – III		
Child-Resistant Packaging Unit Packaging	Water Soluble Packaging 2	2. Type of Container	
☐ Yes* ☐ Yes	Yes [Metal	
□ No	□ No [Plastic	
	lo. per If "Yes" No. per	Glass	
*Certification must Unit Packaging wgt. ca	ontainer Package wgt. container	Paper	
be submitted			
Location of Net Contents Information 4. Size(s) Re	1-1-0	Other (Specifiy)	
	(Other (Specifiy) abel Directions	
Label Container	On Label	abel Directions	
Label Container	On Label On labeling		
	On Label On labeling	abel Directions	
Label Container 6. Manner in Which Label is Affixed to Product Lithograp	On Label On labeling On labeling On labeling	abel Directions	
6. Manner in Which Label is Affixed to Product Lithograp Paper glu Stenciled	On Label On labeling On labeling On Section — IV	abel Directions gaccompanying product	
6. Manner in Which Label is Affixed to Product Lithograp Paper glu Stenciled 1. Contact Point (Complete items directly below for identification of	On Label On labeling	abel Directions gaccompanying product his application)	
6. Manner in Which Label is Affixed to Product Lithograp Paper glu Stenciled 1. Contact Point (Complete items directly below for identification of Name	On Label On labeling	abel Directions accompanying product his application) elephone No. (Include Area	
6. Manner in Which Label is Affixed to Product Lithograp Paper glu Stenciled 1. Contact Point (Complete items directly below for identification of Name	On Label On labeling	abel Directions gaccompanying product his application)	
6. Manner in Which Label is Affixed to Product Paper glus Stenciled 1. Contact Point (Complete items directly below for identification of Name Peko Rasic Title Pro Certification	Section – IV f individual to be contacted, if necessary, to process the oduct Registration Specialist Co	his application) elephone No. (Include Area ode) (973) 443-4200 ext 2285 6. Date Application	
6. Manner in Which Label is Affixed to Product Lithograp Paper glu Stenciled 1. Contact Point (Complete items directly below for identification of Name Peko Rasic Title Pro Certification I certify that the statements I have made on this form and all attact	Section – IV findividual to be contacted, if necessary, to process the contact of the contact o	his application) elephone No. (Include Area ode) (973) 443-4200 ext 2285 6. Date Application Received	
6. Manner in Which Label is Affixed to Product Paper glus Stenciled 1. Contact Point (Complete items directly below for identification of Name Peko Rasic Title Pro Certification	Section – IV findividual to be contacted, if necessary, to process the contact of the contact o	his application) elephone No. (Include Area ode) (973) 443-4200 ext 2285 6. Date Application	
6. Manner in Which Label is Affixed to Product 1. Contact Point (Complete items directly below for identification of Name Peko Rasic Certification I certify that the statements I have made on this form and all attact acknowledge that any knowingly false or misleading statement maunder applicable law. 2. Signature 3.	Section – IV findividual to be contacted, if necessary, to process the duct Registration Specialist Telephanents thereto are true, accurate and complete. If y be punishable by fine or imprisonment or both	his application) elephone No. (Include Area ode) (973) 443-4200 ext 2285 6. Date Application Received	
6. Manner in Which Label is Affixed to Product Lithograp Paper glu Stenciled 1. Contact Point (Complete items directly below for identification of Name Peko Rasic Certification I certify that the statements I have made on this form and all attact acknowledge that any knowingly false or misleading statement maunder applicable law. 2. Signature 3.	Section – IV findividual to be contacted, if necessary, to process the duct Registration Specialist Telephanents thereto are true, accurate and complete. If y be punishable by fine or imprisonment or both	his application) elephone No. (Include Area ode) (973) 443-4200 ext 2285 6. Date Application Received	
Container 6. Manner in Which Label is Affixed to Product 1. Contact Point (Complete items directly below for identification of Name Peko Rasic Certification I certify that the statements I have made on this form and all attact acknowledge that any knowingly false or misleading statement maunder applicable law. 2. Signature 3. Product Product Lithograp Paper glu Stenciled	Section – IV findividual to be contacted, if necessary, to process the duct Registration Specialist Telephanents thereto are true, accurate and complete. If y be punishable by fine or imprisonment or both	his application) elephone No. (Include Area ode) (973) 443-4200 ext 2285 6. Date Application Received	



TROY CORPORATION

Via FedEx Courier

January 20, 2010

Document Processing Desk (NOTIF)
Office of Pesticide Programs (7504P)
U.S. Environmental Protection Agency
Room S-4900, One Potomac Yard
2777 South Crystal Drive
Arlington, VA 22202-4501

Attention:

Mr. Marshall Swindell

PM Team 33

Subject:

Polyphase® 662

EPA Reg. No.: 5383-108

Submission of Labeling Revisions per PR Notice 2007-4

Dear Mr. Swindell:

Enclosed, please find the revised labeling for the subject product in accordance with the provisions of PR notice 2007-4. Please note that no other labeling changes have been made outside the scope of this PR Notice. Included under this cover please find:

- application form 3570-1 (OPP Identifier No.: 296877);
- one copy of product label with revisions underlined.

Please contact me at either 973-443-4200, ext. 2285 or at <u>rasicp@troycorp.com</u> should you have any questions or require any additional information.

With kind regards,

Peko Rasic

Product Registration Specialist

Enclosure

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Causes moderate eye irritation. Avoid contact with eyes, skin, or clothing. Harmful if swallowed. Wash thoroughly with soap and water after handling.

PERSONAL PROTECTIVE EQUIPMENT (PPE):

Applicators and other handlers must wear:

- Long-sleeve shirt and long pants,
- Chemical-resistant gloves (such as barrier laminate, nitrile, rubber, neoprene rubber and viton),
- · Shoes plus socks.

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions exist for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

USER SAFETY RECOMMENDATIONS

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove personal protective equipment immediately after handling this
 product. Wash the outside of gloves before removing. As soon as
 possible wash thoroughly.

	FIRST AID
IF IN EYES:	 Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice.
IF ON SKIN OR CLOTHING:	 Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
IF SWALLOWED:	 Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person.
House the product o	antainer er lebel with west suben colling a naisen control

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. Emergency Phone Number: 800-424-9300

NOTE TO PHYSICIAN:

Probable mucosal damage may contraindicate the use of gastric lavage.

POLYPHASE® 662

A Broad Spectrum Biocide for use in Paint and Stains, Masonry Coatings, Caulks and Scalants, Roc. Coatings, Studeo and Joint Cements

5383-108

EPA Reg. No.

EPA Establishment Number	5383-NJ-1
ACTIVE INGRÉDIENT:	% Weight
Methyl 2-benzimidazolecarbamate	12.0%
3-lodo-2-propynyl butyl carbamate	4.0%
Cyclopropyl-N'-(1,1-dimethylethyl)-6-	
(methylthio)-1,3,5-triazine-2,4-diamine	4.0%
INERT INGREDIENTS	80.0%

CAUTION

SOLD FOR INDUSTRIAL USE

See Side Panel for Additional Precautionary Statements

KEEP OUT OF REACH OF CHILDREN

IN CASE OF EMERGENCY: CALL 1-800-424-9300

Net Weight:

Troy Chemical Corporation

One Avenue L, Newark, N.J. 07105

TROYSAN and POLYPHASE are registered trademark

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional office of the EPA

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its tabeling.

Do not apply this product in a way that will contact workers or other persons.

Polyphase⁶ 662 is a water dispersion of biocides effective against a wide variety of fungal and algal organisms. Its primary application is in water-based products where VOC is a major concern.

Suggested application levels are based on laboratory and field evaluations and are typical for the use areas indicated. Suggested use levels are reported as percentage weight/weight in the final use product.

Polyphase⁶ 662 should be added to paints and coatings at the end of the manufacturing cycle, after the final pH adjustment has been made at rates of 0.5-1.5% (paint), 0.3-1.5% (wood protective stains), 0.15-0.6% (masonry coatings) and 0.7-3.0% (roof coatings).

Polyphase⁶ 662 may be added to caulks and sealants at the end of the production cycle with good agitation at 0.5-1.2%.

Polyphase 6 662 may be added to stucco at a rate of 0.5-1.5% and to joint cements at a rate of 0.5-1.2%

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: Do not store below 44.6°F (7° C). The container should be tightly closed and stored in an upright position.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticides, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State pesticide or environmental control agency or the hazardous waste representative at the nearest EPA regional office for guidance.

CONTAINER DISPOSAL: Nonrefillable container. Do not reuse or refill this container. Clean container promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container ½ full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times. Then offer for recycling or reconditioning if available, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

This product is covered under the following patents:: US 5,707,929; US 6,197,805