# PRECAUTIONARY STATEMENTS Hazards To Humans And Domestic Animals CAUTION

Causes moderate eye irritation. Harmful if swallowed. Avoid contact with eyes, skin, or clothing. Wash thoroughly with soap and water after handling.

#### PERSONAL PROTECTIVE EQUIPMENT

Applicators and other handlers must wear:

- · long sleeve shirt and long pants,
- chemical-resistant gloves (such as barrier laminate, nitrile rubber, neoprene rubber and viton) and
- shoes plus socks.

#### USER SAFETY RECOMMENDATIONS

Users should:

- wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- remove personal protective equipment immediately after handling this product.

  Wash the outside of gloves before removing. As soon as possible wash thoroughly Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions exist for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

FIRST AID		
If in eyes:	<ul> <li>Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5 minutes then continue rinsing the eye.</li> <li>Call a poison control center or doctor for treatment advice.</li> </ul>	
If on skin or Clothing:	<ul> <li>Take off contaminated clothing.</li> <li>Rinse skin immediately with plenty of water for 15-20 minutes.</li> <li>Call a poison control center or doctor for treatment advice.</li> </ul>	
lf Swallowed:	<ul> <li>Call a poison control center or doctor immediately for treatment advice.</li> <li>Have person sip a glass of water if able to swallow.</li> <li>Do not induce vomiting unless told to do so by the poison control center or doctor.</li> <li>Do-not give anything by mouth to an unconscious person.</li> </ul>	
Have the pr	duct container laber with you when calling a poison control center or doctor, or going for treatment.  Emergency Phone Number: 800-424-9300	
Note to Physician:	Probable mucosal damage may contraindicate the use of gastric	

## POLYPHASE® 53

A BROAD SPECTRUM BIOCIDE FOR USE IN EXTERIOR PAINT AND STAINS, MASONRY COATINGS, ADHESIVES, CAULKS AND SEALANTS, ROOF COATINGS, STUCCO AND JOINT CEMENTS


> EPA Reg. No. 5383-109 EPA Est. No. 5383-NJ-01

#### **ACTIVE INGREDIENTS:**

Methyl 2-benzimidazolecarbamate	9.0%
3-Iodo-2-propynyl butyl carbamate	
Diuron [3-(3,4-dichlorophenyl)-1,1-	
dimethylurea)	15.0%
Inert Ingredients	73.0%
TOTAL	100.0%

### KEEP OUT OF REACH OF CHILDREN CAUTION

SOLD FOR INDUSTRIAL USE ONLY SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS



TROY CHEMICAL CORPORATION ONE AVENUE L, NEWARK, NJ 07105

Net Contents:

#### ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when cleaning equipment or disposing of equipment washwaters. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the EPA.

#### **DIRECTIONS FOR USE**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Do not apply this product in a way that will contact workers or other persons.

Polyphase 663 is a water dispersion of biocides effective against a wide variety of fungal and algal organisms. Its primary application is in water-based products where VOC is a major concern. Suggested application levels are based on laboratory and field evaluations and are typical for the use areas indicated. Suggested use levels are reported as percentage weight/weight of Polyphase 663, based on the weight of the final use product. Polyphase 663 should be added to paints and coatings at the end of the manufacturing cycle, after the final pH adjustment has been made, at the following rate:

Exterior paint 0.7 - 2.0%Wood protective stains: 0.5 - 2.0%Masonry coatings: 0.2 - 0.6%Roof coatings: 0.7 - 3.0%

Polyphase 663 may be added to exterior caulks and sealants at the end of the production cycle with good agitation at 0.5-1.5%. Polyphase 663 may be added to stucco at a rate of 0.5-1.5% and to joint cements at a rate of 0.5-1.2%.

Polyphase 663 is NOT to be used in formulations intended for food contact paper coatings or food contact adhesive uses.

#### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. PESTICIDE STORAGE: Do not store below 44.6°F (7°C). The container should be tightly closed and stored in an upright position. PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label directions, contact your State Pesticide or Environmental Control Agency or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance. CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

