8/25/2009

page 175



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, DC 20460

AUG 25 2009

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

Adrian Kyrgsman
Director, Product Registration
Troy Chemical Corporation c/o
Troy Corporation
8 Vreeland Road
Florham Park, NJ 07932

Subject:

Notification in Accordance with PR Notice 98-10

Polyphase® 663

EPA Registration Number: 5383-109

Application: July 27, 2009 Receipt Date: July 28, 2009

Dear Mr. Kyrgsman:

This will acknowledge receipt of your notification, submitted under the provisions of PR Notice 98-10, FIFRA section 3 (c) 9.

Proposed Notification:

Minor label changes per PR Notice 2007-4

The notification application is acceptable.

Should you have any questions concerning this letter, please contact Lisa McKelvin at (703) 308-7496 or by email at mckelvin.lisa@epa.gov.

Sincerely,

ShaRon Carlisle

(Acting) Product Manager 34
Regulatory Management Branch II
Antimicrobials Division (7510P)

275

| Please read instructions on reverse bet | fore completing form. | | Form Approved. | , OMB No. 2070-0 | 060, Approval expires 05-31-98 |
|--|-------------------------------------|--|----------------------------|---------------------|------------------------------------|
| O EDA | United States | | ☐ Registra | ation | OPP Identifier Number |
| EPA En | vironmental Protection | n Agency | ☐ Amendr | | 304024 |
| | Washington, DC 2046 | - • | ⊠ Other: | | 007027 |
| | Application | n for Pest | ticide - Section | - <u>-</u> - | |
| Company/Product Number | | | oduct Manager | · | Proposed Classification |
| 5383-109 | | Ms. Tracy L | | | |
| Company/Product (Name) Polyphase 663 | | PM# 34 | | | None Restricted |
| Name and Address of Applicant (| | | | | th FIFRA Section 3(c)(3) |
| Troy Chemical Corporation | 1 C/O | (b)(I), my product is similar or identical in composition and labeling | | | |
| Troy Corporation 8 Vreeland Road | | to: EPA Reg. No | | | |
| Florham Park, N.J. 07932 | | EFA Neg. No | | | |
| PLEASE SEND ALL COR | RESPONDENCE TO | Product Name | | | |
| "CONTACT POINT" | | | | | |
| Check if this is a new a | | | | | |
| | | Section | ı - II | | |
| Amendment – Explain below. | | | | ls in response to A | Agency letter dated |
| l = | Agency letter dated | | Me Too" Applicati | | igorio, ionor datos |
| Notification - Explain below. | | | Other - Explain be | | |
| Explanation: Use additiona | | | | | |
| Notification of label change per I | | | | | |
| requirements of EPA's regulation the labeling or the Confidential S | is at 40 CFK §§130.10, 130 | 5.140, 150.14 is product. I | 14, 156,146 and 150 | 5.156. No otner | changes have been made to |
| willfully make any false statemer | | | | | |
| CFR §§156.10, 156.140, 156.144 | | | | | |
| action and penalties under section | | | | | |
| | | Section | - 111 | | |
| Material This Product Will Be Page | ackaged In: | | | | |
| Child-Resistant Packaging | Unit Packaging | | Water Soluble Packa | aging | 2. Type of Container |
| Yes* | Yes | | Yes | | Metal |
| ∐ No | lf "Yes" | No. per | ☐ No If "Yes" | No. per | Plastic |
| +O-Miliophian must | 1 | container | Package wgt. | container | Glass |
| *Certification must | | | | | Paper (Specific) |
| be submitted 3. Location of Net Contents Inform | lation 4. Size(s) R | etail Container | · · | 5 Location of | Other (Specifiy) Label Directions |
| | ntainer | Juli 55 | | On Label | Eddol Billogiasilo |
| | | | | On labelin | g accompanying product |
| 6. Manner in Which Label is Affixed | | • | Other | | |
| | ☐ Paper gl ☐ Stencile | | | | |
| | | Section | - IV | | |
| Contact Point (Complete items of the contact Point) | lirectly below for identification (| of individual to | be contacted, if neces | sary, to process ti | his application) |
| Name | Title | | ataz Bradust Pagistratia | | elephone No. (iriciude Area |
| Adrian Krygsman | | Dilec | ctor, Product Registration | n C | Code) 973-443 4200, X2249 |
| | Certificatio | | | | 6. Date Application |
| I certify that the statements I have a acknowledge that any knowingly fa under applicable law. | alse or misleading statement ma | ay be punishab | | | Received (∺tamped) |
| 2. Signature | Night 3. | . Title Directo | or, Product Regis | stration | |
| 4. Typed Name 5 Adrian Krygsman | | . Date | 7/27/09 | | , |



TROY CORPORATION

July 27, 2009

Via FEDEX

Document Processing Desk (NOTIF) Office of Pesticide Programs (7504P) U.S. EPA Room S-4900, One Potomac Yard 2777 South Crystal Drive Arlington, VA. 22202-4501

RE:

Polyphase 663

EPA Reg. No. 5383-109

Submission of Label Revisions to Address PR Notice 2007-4

Attention:

Ms. Tracy Lantz

PM Team 34

Dear Ms. Lantz:

Enclosed please find documents to address label revisions which address the requirements of PR Notice 2007-4. Please note that no other changes have been made to this label aside from those specified PR Notice 2007-4 with regards to the Storage and Disposal Section. Revisions have been highlighted to address label changes. We enclose the following documents as per PR Notice 2007-4:


- EPA application form 3570-1 (OPP Identifier No. 304024)
- One copy of product label with revisions highlighted

Please contact me directly via phone or email should you require any additional information on this action.

Sincerely,

Adrian Krygsman

Director, Product Registration



PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Causes moderate eye irritation. Avoid contact with eyes, skin, or clothing. Harmful if swallowed. Wash thoroughly with soap and water after handling.

PERSONAL PROTECTIVE EQUIPMENT (PPE):

Applicators and other handlers must wear:

- . Long-sleeve shirt and long pants.
- Chemical-resistant gloves (such as barrier laminate, nitrile, rubber, neoprene rubber and viton),
- Shoes plus socks.

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions exist for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

USER SAFETY RECOMMENDATIONS

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove personal protective equipment immediately after handling this product. Wash the outside of gloves before removing. As soon as possible wash thoroughly.

| | FIRST AID |
|----------------------------|---|
| IF IN EYES: | Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice. |
| IF ON SKIN OR CLOTHING: | Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. |
| IF SWALLOWED: | Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person. |
| IF INHALED: | Move person to fresh air. If person is not breathing call 911 or an ambulance, then give artificial respiration preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice. |

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

NOTE TO PHYSICIAN:

Probable mucosal damage may contraindicate the use of gastric lavage. Contains petroleum distillate – vomiting may cause aspiration pneumonia.

POLYPHASE® 663

A Broad Spectrum Biocide for use in Paint and Stains, Masonry Coatings, Caulks and Sealants, Roof Coatings, Stucco and Joint Cements

| | EPA Reg. No. | 5383-109 |
|---|--------------------------|-----------|
| į | EPA Establishment Number | 5383-NJ-1 |

| ACTIVE INGREDIENT: | % Weight |
|---|----------|
| Methyl 2-benzimidazolecarbamate | 9.0% |
| 3-lodo-2-propynyl butyl carbamate | 3.0% |
| Diuron [3-(3,4-dichlorphenyl)-1,1-dimethylurea) | 15.0% |
| INERT INGREDIENTS | 73.0% |
| TOTAL | 100.0% |

CAUTION

SOLD FOR INDUSTRIAL USE
See Side Panel for Additional Precautionary
Statements

KEEP OUT OF REACH OF CHILDREN

IN CASE OF EMERGENCY: CALL 1-800-424-9300

Net Weight:

[Produced for/Manufactured for]

Troy Chemical Corporation
One Avenue L, Newark, N.J. 07105

®TROYSAN AND POLYPHASE are registered trademarks

ENVIRON

This product is toxic to fish. Do not a streams, ponds, estuaries, oceans requirements of a National Pollutant I the permitting authority has been not effluent containing this product to se sewage treatment plant authority. I Regional office of the EPA

DIREC

It is a violation of Federal Law to use I labeling.

Do not apply this product in a way that will or Polyphase[®] 663 is a water dispersion of b organisms. Its primary application is in Suggested application levels are based on areas indicated. Suggested use levels are based on the weight of the final use product.

Polyphase® 663 should be added to p cycle, after the final pH adjustment ha

| Paint | 0.7 - 2.0% |
|------------------------|------------|
| Wood protective stains | 0.5 - 2.0% |
| Masonry coatings | 0.2 - 0.6% |
| Roof coatings | 0.7 - 3.0% |

Polyphase® 663 may be added to cau with good agitation at 0.5-1.5%.

Polyphase® 663 may be added to sturate of 0.5-1.2%.

STORAC

Do not contaminate water

PESTICIDE STORAGE: Do not stordosed and stored in an upright position.

PESTICIDE DISPOSAL: Pesticide excess pesticides, spray mixture, or rinsal disposed of by use according to label inscontrol agency or the hazardous waste quidance.

CONTAINER HANDLING: Nonrefila

Triple rinse (or equivalent). Then offer for dispose of in a sanitary landfill, or incinerating burned, stay out of smoke.





ENTS STIC ANIMALS

in, or clothing. Harmful if

nitrile, rubber, neoprene

no such instructions exist for ately from other laundry.

ım, using tobacco or

ien wash thoroughly and

ely after handling this noving. As soon as

rly and gently with nove contact lenses, en continue rinsing. r doctor for treatment

plenty of water for 15-

r doctor for treatment

ntrol center or doctor. s told to do so by a or. Do not give any give anything by son.

911 or an ambulance, preferably mouth-to-

r doctor for further _ o

illing a poison control

f gastric lavage. ation pneumonia

POLYPHASE® 663

A Broad Spectrum Biocide for use in Paint and Stains, Masonry Coatings, Caulks and Sealants, Roof Coatings, Stucco and Joint Cements

| EPA Reg. No. | 5383-109 |
|--------------------------|-----------|
| EPA Establishment Number | 5383-NJ-1 |

| ACTIVE INGREDIENT: | % Weight |
|---|----------|
| Methyl 2-benzimidazolecarbamate | 9.0% |
| 3-lodo-2-propynyl butyl carbamate | 3.0% |
| Diuron [3-(3,4-dichlorphenyl)-1,1-dimethylurea) | 15.0% |
| INERT INGREDIENTS | 73.0% |
| TOTAL | 100.0% |

CAUTION

SOLD FOR INDUSTRIAL USE
See Side Panel for Additional Precautionary
Statements

KEEP OUT OF REACH OF CHILDREN

IN CASE OF EMERGENCY: CALL 1-800-424-9300

Net Weight:

[Produced for/Manufactured for]

Troy Chemical Corporation

One Avenue L, Newark, N.J. 07105

®TROYSAN AND POLYPHASE are registered trademarks

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional office of the EPA

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Do not apply this product in a way that will contact workers or other persons.

Polyphase 663 is a water dispersion of biocides effective against a wide variety of fungal and algal organisms. Its primary application is in water-based products where VOC is a major concerning Suggested application levels are based on laboratory and field evaluations and are typical for the upareas indicated. Suggested use levels are reported as percentage weight/weight of Polyphase 663, based on the weight of the final use product.

Polyphase[®] 663 should be added to paints and coatings at the end of the manufacturing cycle, after the final pH adjustment has been made, at the following rate:

Paint 0.7 – 2.0% Wood protective stains 0.5 – 2.0% Masonry coatings 0.2 – 0.6% Roof coatings 0.7 - 3.0%

Polyphase® 663 may be added to caulks and sealants at the end of the production cycle with good agitation at 0.5-1.5%.

Polyphase[®] 663 may be added to stucco at a rate of 0.5-1.5% and to joint cements at a rate of 0.5-1.2%.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: Do not store below 44.6°F (7° C). The container should be tightly closed and stored in an upright position.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticides, spray mixture, or rinsate is a violation of federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State pesticide or environmental control agency or the hazardous waste representative at the nearest EPA regional office for guidance.

CONTAINER HANDLING: Nonrefillable container. Do not reuse or refill this container.

Triple rinse (or equivalent). Then offer for recycling or reconditioning if available, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

