### HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION. Causes moderate eye irritation. Harmful if swallowed or absorbed through skin. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling.

#### PERSONAL PROTECTIVE EQUIPMENT

Applicators and other handlers must wear:

- long-sleeve shirt and long pants.
- chemical-resistant gloves (such as barrier laminate, nitrile rubber, neoprene rubber and viton), and,
- · shoes plus socks.

### **USER SAFETY RECOMMENDATIONS**

Users should:

- wash hands before eating, drinking, chewing gurn, using tobacco, or using the toilet.
- remove clothing immediately if pesticide gets inside.
   Then wash thoroughly and put on clean clothing.
- remove personnel protective equipment immediately after handling this product. Wash the outside of gloves before removing. As soon as possible wash thoroughly.

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions exist for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

	FIRST AID
if in eyes:	<ul> <li>Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5 minutes then continue rinsing the eye.</li> <li>Call a poison control center or doctor for treatment advice</li> </ul>
lf on skin	<ul> <li>Take off contaminated clothing.</li> </ul>
or on clothin	g: Rinse skin immediately with plenty of water for 15-20 minutes.
	Call a poison control center or doctor for
16	treatment advice
if swallowed:	Call poison control center or doctor immediately for treatment advice.
	Have person sip a glass of water if able to swallow.
	<ul> <li>Do not induce vamiting unless told to do so by</li> </ul>
	the poison control center or doctor.
	Do not give anything by mouth to an unconscious person.
Have the p	product container or label with you when calling a
	control center or doctor, or going for treatment.
En	nergency Phone Number: 800-424-9300
Note to	Probable mucosal damage may contraindicate
Physician:	the use of gastric lavage.

## Polyphase 67 ਤ

A BROAD SPECTRUM FUNGISTAT FOR USE IN EXTERIOR PAINT AND STAINS, MASONRY COATINGS, ADHESIVES, CAULKS AND SEALANTS, ROOF COATINGS, STUCCO, INKS, TEXTILES AND JOINT CEMENTS

EPA Reg. No. 5383-110 EPA Est. No. 5383-NJ-01


### **ACTIVE INGREDIENTS:**

Methylbenzimidazole-2-yl Carl 3-lodo-2-propynyl butyl	bamate15.0 %
carbamate	5.0 %
INERT INGREDIENTS	80.0 %
TOTAL	100.0%

# CAUTION

### **SOLD FOR INDUSTRIAL USE ONLY**

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS



Net Weight:

### DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Do not apply this product in a way that will contact workers or other persons.

The following are suggested use levels for Polyphase 678. Typical use lavels given for the various applications indicate the approximate levels for the particular application. All <u>suggested</u> rates recommendations are in percentage by weight and refer to the product Polyphase 678. In order to determine the most effective use level for Polyphase 678 in a given use, field trials are suggested.

Interior and Exterior Pairts and Stains:	0.5 - <u>2.3%</u>
Wood protective stain use:	0.3 - 1.5%
Adhesives, caulks, grouts and sealants:	0.3 - 1.5%
Joint cements:	0.5 - 1.5%
Roof coatings	0.7 - 3.0%
Stucco and EIFS coatings:	0.5 - 1.5%
Inks:	0.3 - 1.5%
Textiles:	0.3 - 2.0%

### **ENVIRONMENTAL HAZARDS**

This chemical is toxic to terrestrial and aquatic plants, fish and aquatic invertebrates. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when cleaning equipment or disposing of equipment washwaters. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sever systems without previously notifying the local sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the EPA.

### STORAGE AND DISPOSAL

PESTICIDE STORAGE: Storage between 32°F (0°C) and 90°F (32°C) is recommended.

PESTICIDE DISPOSAL: Do not contaminate water, food or feed by storage and disposal. Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to the label directions, contact your State Pesticide or Environmental Control Agency or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance. Open dumping is prohibited.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.