

5383-111

04-06-2010

1/6



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, DC 20460

APR - 6 2010

OFFICE OF
PREVENTION, PESTICIDES
AND TOXIC SUBSTANCES

Peko Rasic
Troy Chemical Corporation
8 Vreeland Road
Florham Park, NJ 07932

Subject: Notification per PR Notice 2007-4
Troysan® 680
EPA Registration Number: 5383-111
Application Date: March 4, 2010
Receipt Date: March 8, 2010

Dear Mr. Rasic:

This letter acknowledges receipt of your notification submitted under the provisions of PR Notice 2007-4 and FIFRA section 3(c) 9.

Proposed Notification:

Label revisions per PR Notice 2007-4.

General Comments:

Based on a review of the submitted materials, your notification to update the container disposal statements per PR Notice 2007-4 is acceptable and apart of the records on file.

Should you have further questions concerning this letter, please contact me by telephone at (703) 308-6416 or by e-mail at Campbell-mcfarlane.jacqueline@epa.gov or Killian Swift by telephone at (703) 308-6346 email address at: swift.killian@epa.gov. When submitting information or data in response to this letter, a copy of this letter should accompany the submission to facilitate processing.

Sincerely yours,

Jacqueline McFarlane
(Acting) Product Manager 34
Regulatory Management Branch II
CONCURRENCES
Microbiological Division (7510P)

SYMBOL							
SURNAME							
DATE							

Please read instructions on reverse before completing form.

Form Approved, OMB No. 2070-0060, Approval expires 05-31-98



EPA

United States
Environmental Protection Agency
Washington, DC 20460

- Registration
- Amendment
- Other:

OPP Identifier Number
289757

Application for Pesticide - Section I

1. Company/Product Number 5383-111	2. EPA Product Manager ShaRon Carlisle	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) Troysan® 680	PM# 34	
5. Name and Address of Applicant (Include ZIP Code) Troy Chemical Corporation 8 Vreeland Road Florham Park, NJ 07932 <u>PLEASE SEND ALL CORRESPONDENCE TO</u> <u>"CONTACT POINT" LISTED BELOW</u> <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(I), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

Section - II

- Amendment -- Explain below.
- Resubmission in response to Agency letter dated _____
- Notification - Explain below.
- Final printed labels in response to Agency letter dated _____
- "Me Too" Application
- Other - Explain below

Explanation: Use additional page(s) if necessary. (For Section I and Section II.)

Notification of label change per PR Notice 2007-4. This notification is consistent with the guidance in PR Notice 2007-4 and the requirements of EPA's regulations at 40 CFR §§ 156.10, 156.140, 156.144, 156.146, and 156.156. No other changes have been made to the labeling or the Confidential Statement of Formula for this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if the amended label is not consistent with the requirements of 40 CFR §§ 156.10, 156.140, 156.144, 156.146, and 156.156, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Section - III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes* <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	If "Yes" Unit Packaging wgt. No. per container		<input type="checkbox"/> Metal <input type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify)
*Certification must be submitted		If "Yes" Package wgt. No. per container			
3. Location of Net Contents Information <input type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container		5. Location of Label Directions <input type="checkbox"/> On Label <input type="checkbox"/> On labeling accompanying product	
6. Manner in Which Label is Affixed to Product <input type="checkbox"/> Lithograph <input type="checkbox"/> Other _____ <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled					

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application)		
Name Peko Rasic	Title Product Registration Specialist	Telephone No. (Include Area Code) (973) 443-4200 ext 2285
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		6. Date Application Received (Stamped)
2. Signature 	3. Title Product Registration Specialist	
4. Typed Name Peko Rasic	5. Date 03/04/2010	



TROY CORPORATION**Via FedEx Courier**

March 4, 2010

Document Processing Desk (NOTIF)
Office of Pesticide Programs (7504P)
U.S. Environmental Protection Agency
Room S-4900, One Potomac Yard
2777 South Crystal Drive
Arlington, VA 22202-4501

Attention: Ms. ShaRon Carlisle
PM Team 34

Subject: Troysan® 680
EPA Reg. No.: 5383-111
Submission of Labeling Revisions per PR Notice 2007-4

Dear Ms. Carlisle:

Enclosed, please find the revised labeling for the subject product in accordance with the provisions of PR notice 2007-4. Please note that no other labeling changes have been made outside the scope of said PR Notice. Included under this cover please find:

- application form 3570-1 (OPP Identifier No.: 289757);
- one copy of product label with revisions underlined.

Please contact me at either 973-443-4200, ext. 2285 or at rasicp@troycorp.com should you have any questions or require any additional information.

With kind regards,



Peko Rasic
Product Registration Specialist

Enclosure

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
DANGER**

Corrosive. Cause irreversible eye damage. Do not get in eyes or on clothing. Harmful if swallowed or inhaled. Avoid breathing vapor or spray mist. Wear protective eyewear (goggles, face shield), protective clothing and waterproof gloves. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

PERSONAL PROTECTIVE EQUIPMENT (PPE):

Applicators and other handlers must wear:

- Coveralls over long-sleeved shirt and long pants,
- Goggles or face shield,
- Chemical-resistant gloves (such as barrier laminate, nitrile, rubber, neoprene rubber, polyvinyl chloride, or viton at ≥ 4 mils),
- Socks and chemical-resistant footwear

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions exist for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

USER SAFETY RECOMMENDATIONS

Users must:

- Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove personal protective equipment immediately after handling this product. Wash the outside of gloves before removing. As soon as possible wash thoroughly and change into clean clothing.

FIRST AID

IF IN EYES:	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after 5 minutes, then continue rinsing. • Call a poison control center or doctor for treatment advice.
ON SKIN OR CLOTHING:	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.
IF SWALLOWED:	<ul style="list-style-type: none"> • Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person.
IF INHALED:	<ul style="list-style-type: none"> • Move person to fresh air. • If person is not breathing call 911 or an ambulance, then give artificial respiration preferably mouth-to-mouth if possible. • Call a poison control center or doctor for further treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

NOTE TO PHYSICIAN:

Probable mucosal damage may contraindicate the use of gastric lavage.

TROYSAN® 680

Industrial Preservative to Prevent Deterioration and Degradation caused by Bacteria, Yeast, Mold and Fungi in Aqueous compositions such as Oil in Water Emulsions, Emulsion Paints, Water Based Adhesives, Casein and Rosin Dispersions, Stain Solutions, Textile Coatings, Caulks, Sealants, Adhesives, Thickeners, Joint Cements, Metal Working Fluids, Mineral Pigment Slurries, and Inks

EPA Reg. No.	5383-11
EPA Establishment Number	5383-NJ

ACTIVE INGREDIENT: % 1
1,2-Benzisothiazolin-3-one.....
1,3-Bis(hydroxymethyl)-5,5 dimethylhydantoin.....
Hydroxymethyl-5,5-dimethylhydantoin.....
INERT INGREDIENTS
TOTAL 1

NOTIFICATION
Date Reviewed: 3/1/10
Reviewed By: K. Swift

DANGER

SOLD FOR INDUSTRIAL USE
See Side Panel for Additional Precautionary Statements

KEEP OUT OF REACH OF CHILDREN

**IN CASE OF EMERGENCY:
CALL 1-800-424-9300 (CHEMTREC)**

Net Weight:

Troy Chemical Corporation
One Avenue L, Newark, N.J. 07105

©TROYSAN and POLYPHASE are registered trademarks

6/6

ENVIRONMENTAL HAZARDS

TROYSAN® 680

Industrial Preservative to Prevent Deterioration and Degradation caused by Bacteria, Yeast, Mold and Fungi in Aqueous Positions such as Oil in Water Emulsions, Emulsion Paints, Water Based Adhesives, Casein and Rosin Dispersions, Starch Solutions, Textile Coatings, Caulks, Sealants, Adhesives, Sealers, Joint Cement, Metal Working Fluids, Mineral and Pigment Slurries, and Inks

This product is toxic to fish. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional office of the EPA. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not apply in marine or estuarine oil fields.

Reg. No.	5383-111
Establishment Number	5383-NJ-1

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

INGREDIENT:	% Weight
2-isothiazolin-3-one	10.9%
(hydroxymethyl)-5,5 dimethylhydantoin	12.5%
2-methyl-5,5-dimethylhydantoin	2.9%
INGREDIENTS	73.7%
	100.0%

Troysan®680, with its FDA Clearance (176.170), can be used for preservation of aqueous systems in a wide variety of applications, including adhesives, sealants, polymer emulsions, mineral and pigment slurries, and waterborne paint and ink systems. Troysan®680 is compatible in a wide range of pH from 3 to 10.

Use Troysan®680 at rates from 0.05 to 0.50% (0.5-5.0 lbs./1000 lbs.). The level required to protect any particular system depends on a variety of factors: initial level of microbiological contamination, the components of the system, the likelihood of exposure to repeat microbiological intrusions, residual reducing and oxidizing agents, temperature and pH of the system.

NOTIFICATION

Date Reviewed: 3/1/10
Reviewed By: K. Swift

DANGER

SOLD FOR INDUSTRIAL USE

See Side Panel for Additional Precautionary Statements

KEEP OUT OF REACH OF CHILDREN

IN CASE OF EMERGENCY:

CALL 1-800-424-9300 (CHEMTREC)

Net Weight:

Troy Chemical Corporation

One Avenue L, Newark, N.J. 07105

®TROYSAN and POLYPHASE are registered trademarks

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: Troysan®680 should not be stored at temperatures below 32°F (0°C). Drums should be stored in an upright position with all bungs tightly closed.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticides, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State pesticide or environmental Control Agency or the Hazardous Waste Representative at the nearest EPA regional office for guidance.

CONTAINER DISPOSAL: Nonrefillable container. Do not reuse or refill this container. Clean container promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container 1/4 full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times. Then offer for recycling or reconditioning if available, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.