

5383-113

8/18/2011

10/4



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, DC 20460

AUG 18 2011

OFFICE OF
PREVENTION, PESTICIDES
AND TOXIC SUBSTANCES

Peko Rasic
Product Registration Specialist
Troy Chemical Corporation
8 Vreeland Road
Florham Park, NJ 07932

Subject:

EPA Registration No. 5383-113
Application Date: July 21, 2011
Receipt Date: July 22, 2011

Dear Mr. Rasic:

This acknowledges receipt of your Notification submitted under the provision of PR Notice 98-10, PR and FIFRA section 3(c) 9.

Proposed Notification:

Registrant is updating storage and disposal statement per PR Notice 2007-4.

General Comment:

Based upon a review of the material submitted, the notification is acceptable and apart of the records on file.

Should you have any questions or comments concerning this letter, you may contact me by telephone at (703) 308-6416 or by e-mail at Campbell-McFarlane.Jacqueline@epa.gov or Glen McLeod by telephone at (703) 347-0181 or by e-mail at mcleod.glen@epa.gov. When submitting information or data in response to this letter, a copy of this letter should accompany the submission to facilitate processing.

Sincerely,

Jacqueline Campbell-McFarlane
/s/ Jacqueline Campbell-McFarlane
Product Manager (34)
Regulatory Management Branch II
Antimicrobials Division (7510P)

2014

Please read instructions on reverse before completing form.

Form Approved MB No. 2070-0060, Approval expires 05-31-98



United States
Environmental Protection Agency
Washington, DC 20460

- Registration
- Amendment
- Other:

OPP Identifier Number

Application for Pesticide - Section I

1. Company/Product Number 5383-113	2. EPA Product Manager Jacqueline McFarlane	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) Polyphase CST1	PM# 34	
5. Name and Address of Applicant (Include ZIP Code) Troy Chemical Corporation 8 Vreeland Road Florham Park, NJ 07932 <u>PLEASE SEND ALL CORRESPONDENCE TO</u> <u>"CONTACT POINT" LISTED BELOW</u> <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(I), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

Section - II

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below

Explanation: Use additional page(s) if necessary. (For Section I and Section II.)

Notification of label change per PR Notice 2007-4. This notification is consistent with the guidance in PR Notice 2007-4 and the requirements of EPA's regulations at 40 CFR §§ 156.10, 156.140, 156.144, 156.146, and 156.156. No other changes have been made to the labeling or the Confidential Statement of Formula for this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if the amended label is not consistent with the requirements of 40 CFR §§ 156.10, 156.140, 156.144, 156.146, and 156.156, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Section - III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes* <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No		<input type="checkbox"/> Metal	<input type="checkbox"/> Plastic
* Certification must be submitted		If "Yes" Unit Packaging wgt. No. per container	If "Yes" Package wgt. No. per container	<input type="checkbox"/> Glass	<input type="checkbox"/> Paper
3. Location of Net Contents Information <input type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container		5. Location of Label Directions <input type="checkbox"/> On Label <input type="checkbox"/> On labeling accompanying product	
6. Manner in Which Label is Affixed to Product <input type="checkbox"/> Lithograph <input type="checkbox"/> Other _____ <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled					

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application)		
Name Peko Rasic	Title Product Registration Specialist	Telephone No. (Include Area Code) (973) 443-4200 ext 2235
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		6. Date Application Received (Stamped)
2. Signature 	3. Title Product Registration Specialist	
4. Typed Name Peko Rasic	5. Date 07/21/2011	



Via FedEx Courier

TROY CORPORATION

July 21, 2011

Document Processing Desk (NOTIF)
Office of Pesticide Programs (7504P)
U.S. Environmental Protection Agency
Room S-4900, One Potomac Yard
2777 South Crystal Drive
Arlington, VA 22202-4501

Attention: Ms. Jacqueline McFarlane
PM Team 34

Subject: Submission of Labeling Revisions per PR Notice 2007-4 for:

Micropel 5 DIDP,	EPA Reg. No. 5383-125
Micropel 5 PVC,	EPA Reg. No.: 5383-126
Micropel 2 DIDP,	EPA Reg. No.: 5383-129
Micropel 5 PVC-F,	EPA Reg. No.: 5383-130
Polyphase CST1,	EPA Reg. No.: 5383-113 ✓
Polyphase Bionyl A285,	EPA Reg. No.: 5383-116
Polyphase LA33,	EPA Reg. No.: 5383-118

Dear Ms. McFarlane:

Enclosed, please find the revised labeling in accordance with the provisions of PR Notice 2007-4 for the subject-referenced products. Please note that no other labeling changes have been made outside the scope of this PR Notice. Included hereunder for each product please find:

- application form 3570-1;
- one copy of product label with revisions underlined.

Please contact me at either 973-443-4200, ext. 2285 or at rasicp@troycorp.com should you have any questions or require any additional information.

With kind regards,

Peko Rasic
Product Registration Specialist

Enclosures

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

WARNING

Corrosive. Causes moderate eye irritation. May be fatal if inhaled. Do not breathe the vapor or spray mist. Harmful if swallowed or absorbed through skin. Do not get in eyes, on skin, or on clothing. Wear coveralls worn over short sleeved shirt and short pants, rubber gloves, chemical-resistant footwear, socks, a respirator with an organic-vapor removing cartridge with a prefilter approved for pesticides (MSHA/NIOSH approval number prefix TC-23C) or a canister approved for pesticides (MSHA/NIOSH approval number prefix TC-14G) or an NIOSH approved respirator with an organic vapor (OV) cartridge or canister with any N, R, P, or HE prefilter. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco or using the restroom. Remove and wash contaminated clothing before reuse.

PERSONAL PROTECTIVE EQUIPMENT (PPE):

USER SAFETY REQUIREMENTS

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions exist for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

USER SAFETY RECOMMENDATIONS

- Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- Remove PPE immediately after handling this product. As soon as possible, wash thoroughly and change into clean clothing.
- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

FIRST AID

- IF IN EYES:**
 - Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after 5 minutes, then continue rinsing.
 - Call a poison control center or doctor for treatment advice.
- IF ON SKIN OR CLOTHING:**
 - Take off contaminated clothing.
 - Rinse skin immediately with plenty of water for 15-20 minutes.
 - Call a poison control center or doctor for treatment advice.
- IF SWALLOWED:**
 - Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person.
- IF INHALED:**
 - Move person to fresh air.
 - If person is not breathing call 911 or an ambulance, then give artificial respiration preferably mouth-to-mouth if possible.
 - Call a poison control center or doctor for further treatment advice.

NOTE TO PHYSICIAN:

Contains petroleum distillate - vomiting may cause aspiration pneumonia.

POLYPHASE® CST1

A Fungicide for Use in Aqueous and Solvent Systems such as Oleo-Resinous and Latex Paints, Wood Products, Cutting Oils, Textiles, Paper Coatings, Inks, Plastics, Adhesives, Canvases and Cordage

EPA Reg. No.	5383-113
EPA Establishment Number	5383-NJ-1

INDUSTRIAL FUNGICIDE

ACTIVE INGREDIENT:	3-Iodo-2-Propynyl Butyl Carbamate	% Weight
		20.0%
INERT INGREDIENTS		80.0%
TOTAL		100.0%

NOTIFICATION
Date Reviewed: 5/1/84
Reviewed By: [Signature]

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

APPLICATION INSTRUCTIONS

The following are suggested use levels for Polyphase® CST1. Typical use levels given for the various applications indicate the approximate levels for the particular application. All suggestions are in percentage by weight and refer to the product Polyphase® CST1. In order to determine the most cost effective use level for Polyphase® CST1 in a given use, field trials are suggested.

PAINTS AND STAINS: Generally use 0.5-1.5%. For hot, humid areas use up to 2.5%. For interior paints use 0.2-0.6%. Wood preservative stains will use 1.0-1.5%.

PLASTICS: For use in PVC plastics such as shower curtains, tarpaulins, umbrellas at a level of 0.25-3.0%.

CUTTING OILS: Use 0.15-0.5%.

WOOD: For above ground use only at rates of 2.5-6.0% depending on protection desired. For millwork use rates of 1.5-2.5%. Do not use on wood surfaces that come in contact with food. Surfaces which may be in continuous contact with skin should be coated with a varnish, or lacquer after treatment with Polyphase® CST1.

TEXTILES: Use for coatings or dyes at 0.25-2.0%. Not for use in fabrics for human wear.

PAPER COATINGS: Use in aqueous and solvent based coatings applied to paper at 0.25-1.0%.

ADHESIVES: Use 0.125-0.5%

INKS: Use 0.25-2.5%

PHYSICAL AND CHEMICAL HAZARDS

Do not use or store near heat or open flame.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: This material has a tendency to crystallize at low temperatures. Storage temperatures below 90°F (32° C) and above 32°F (0°C) are suggested.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticides, spray mixture, or residue is a violation of federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State pesticide or environmental control agency or the hazardous waste representative at the nearest EPA regional office for guidance.

CONTAINER DISPOSAL: Nonrefillable container. Do not reuse or refill this container. Clean container promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container 1/4 full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinse into application equipment or a mix tank or store rinse for later use or disposal. Repeat this procedure two more times. Then offer for recycling or reconditioning, if available, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

WARNING

SOLD FOR INDUSTRIAL USE

See Side Panel for Additional Precautionary Statements

KEEP OUT OF REACH OF CHILDREN

IN CASE OF EMERGENCY:

CALL 1-800-424-9300 (CHEMTREC)

Net Weight:

Troy Chemical Corporation

One Avenue L, Newark, N.J. 07105

POLYPHASE® and TROYSAN® are registered trademarks