

5383-114

04-06-2010

1/5



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, DC 20460

APR - 6 2010

OFFICE OF
PREVENTION, PESTICIDES
AND TOXIC SUBSTANCES

Peko Rasic
Troy Chemical Corporation
8 Vreeland Road
Florham Park, NJ 07932

Subject: Notification per PR Notice 2007-4
Polyphase® HS32
EPA Registration Number: 5383-114
Application Date: January 20, 2010
Receipt Date: March 8, 2010

Dear Mr. Rasic:

This letter acknowledges receipt of your notification submitted under the provisions of PR Notice 2007-4 and FIFRA section 3(c) 9.

Proposed Notification

Label revisions per PR Notice 2007-4.

General Comments

Based on a review of the submitted materials, your notification to update the container disposal statements per PR Notice 2007-4 is acceptable and apart of the records on file.

Should you have further questions concerning this letter, please contact me by telephone at (703) 308-6416 or by e-mail at Campbell-mcfarlane.jacqueline@epa.gov or Killian Swift by telephone at (703) 308-6346 email address at: swift.killian@epa.gov. When submitting information or data in response to this letter, a copy of this letter should accompany the submission to facilitate processing.

Sincerely yours,

Jacqueline McFarlane
Jacqueline McFarlane
(Acting) Product Manager 34

Regulatory Management Branch II
Antimicrobials Division (7510P)

CONCURRENCES							
SYMBOL							
SURNAME							
DATE							



EPA

United States
Environmental Protection Agency
 Washington, DC 20460

- Registration
 Amendment
 Other:

OPP Identifier Number
296876

Application for Pesticide - Section I

1. Company/Product Number 5383-114	2. EPA Product Manager ShaRon Carlisle	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) Polyphase® HS32	PM# 34	
5. Name and Address of Applicant (Include ZIP Code) Troy Chemical Corporation 8 Vreeland Road Florham Park, NJ 07932 <u>PLEASE SEND ALL CORRESPONDENCE TO</u> <u>"CONTACT POINT" LISTED BELOW</u> <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(I), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

Section - II

- | | |
|--|--|
| <input type="checkbox"/> Amendment -- Explain below. | <input type="checkbox"/> Final printed labels in response to Agency letter dated _____ |
| <input type="checkbox"/> Resubmission in response to Agency letter dated _____ | <input type="checkbox"/> "Me Too" Application |
| <input checked="" type="checkbox"/> Notification - Explain below. | <input type="checkbox"/> Other - Explain below |

Explanation: Use additional page(s) if necessary. (For Section I and Section II.)

Notification of label change per PR Notice 2007-4. This notification is consistent with the guidance in PR Notice 2007-4 and the requirements of EPA's regulations at 40 CFR §§ 156.10, 156.140, 156.144, 156.146, and 156.156. No other changes have been made to the labeling or the Confidential Statement of Formula for this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if the amended label is not consistent with the requirements of 40 CFR §§ 156.10, 156.140, 156.144, 156.146, and 156.156, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Section - III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes* <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No		<input type="checkbox"/> Metal	<input type="checkbox"/> Plastic
*Certification must be submitted		If "Yes" Unit Packaging wgt.	No. per container	If "Yes" Package wgt.	No. per container
				<input type="checkbox"/> Glass	<input type="checkbox"/> Paper
				<input type="checkbox"/> Other (Specify)	
3. Location of Net Contents Information <input type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container		5. Location of Label Directions <input type="checkbox"/> On Label <input type="checkbox"/> On labeling accompanying product	
6. Manner in Which Label is Affixed to Product		<input type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled		<input type="checkbox"/> Other _____	

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application)		
Name Peko Rasic	Title Product Registration Specialist	Telephone No. (Include Area Code) (973) 443-4200 ext 2285
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		6. Date Application Received (Stamped)
2. Signature 	3. Title Product Registration Specialist	
4. Typed Name Peko Rasic	5. Date 01/20/2010	



TROY CORPORATION

Via FedEx Courier

January 20, 2010

Document Processing Desk (NOTIF)
Office of Pesticide Programs (7504P)
U.S. Environmental Protection Agency
Room S-4900, One Potomac Yard
2777 South Crystal Drive
Arlington, VA 22202-4501

Attention: Ms. ShaRon Carlisle
PM Team 34

Subject: Polyphase® HS32
EPA Reg. No.: 5383-114
Submission of Labeling Revisions per PR Notice 2007-4


Dear Ms. Carlisle:

Enclosed, please find the revised labeling for the subject product in accordance with the provisions of PR notice 2007-4. Please note that no other labeling changes have been made outside the scope of this PR Notice. Included under this cover please find:

- application form 3570-1 (OPP Identifier No.: 296876);
- one copy of product label with revisions underlined.

Please contact me at either 973-443-4200, ext. 2285 or at rasicp@troycorp.com should you have any questions or require any additional information.

With kind regards,


Peko Rasic
Product Registration Specialist

Enclosure

POLYPHASE[®] HS32

A Broad Spectrum Fungistat for use in Paint, Stains, and Wood Products, Masonry Coatings, Adhesives, Inks, Textiles, Paper Coatings, Canvas and Cordage, Roof Coatings, Joint Cements, Stucco and EIFS Coatings

EPA Reg. No.	5383-114
EPA Establishment Number	5383-NJ-1

ACTIVE INGREDIENT:% Weight
3-Iodo-2-propynyl butyl carbamate 21.6%
Propiconazole 7.0%
INERT INGREDIENTS 71.4%
TOTAL 100.0%

NOTIFICATION
Date Reviewed: 3/1/10
Reviewed By: K. S. J.

CAUTION

SOLD FOR INDUSTRIAL USE

See Side Panel for Additional Precautionary Statements

KEEP OUT OF REACH OF CHILDREN

IN CASE OF EMERGENCY:

CALL 1-800-424-9300

Net Weight:

Troy Chemical Corporation

One Avenue L, Newark, N.J. 07105

POLYPHASE[®] and TROYSAN are registered trademarks

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional office of the EPA

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

APPLICATION INSTRUCTIONS

Do not apply this product in a way that will contact workers or other persons.

The following are suggested use levels for Polyphase[®]HS32. Typical use levels given for the various applications indicate the approximate levels for the particular application. All suggestions are in percentage by weight and refer to the product Polyphase[®]HS32. In order to determine the most effective use level for Polyphase[®]HS32 in a given use, field trials are suggested.

PAINTS AND STAINS: Generally use 1.5-5%. For interior paints use 0.5-1.6%. For wood protective stains use 1-3%.

WOOD PRESERVATION: Generally use 1.7-5% depending on protection desired. For millwork use rates of 1.7-5%. Do not use on wood surfaces that come in contact with food. Surfaces which may be in continuous contact with skin should be coated with a varnish, or lacquer after treatment with Polyphase[®]HS32. For sapstain protection use 0.5-1.5%.

TEXTILES: Use for coatings or dyes at 0.5-2.5%. Not for use in fabrics for human wear.

PAPER COATINGS: Use in aqueous and solvent based coatings applied to paper at 0.125-0.25%

CANVAS AND CORDAGE: Generally use 1-4%

ADHESIVES: Use 0.125-2.5%

INKS: Use 0.25-2.5%

JOINT CEMENTS: Generally use 0.125-0.5%

ROOF COATINGS: Generally use 1.5-5%

STUCCO AND EIFS COATINGS: Generally use 0.5-1.5%

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: Storage between 32°F (0°C) and 90°F (32°C) is recommended.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticides, spray mixture, or rinsate is a violation of federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State pesticide or environmental control agency or the hazardous waste representative at the nearest EPA regional office for guidance.

CONTAINER DISPOSAL: Nonrefillable container. Do not reuse or refill this container. Clean container promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container ¼ full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times. Then offer for recycling or reconditioning if available, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

5/14

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

CAUTION

Harmful if swallowed or inhaled. Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Avoid breathing vapor or spray mist. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Remove and wash contaminated clothing before reuse. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals

PERSONAL PROTECTIVE EQUIPMENT (PPE):

Applicators and other handlers must wear:

- Long-sleeve shirt and long pants,
- Chemical-resistant gloves (such as barrier laminate, nitrile, rubber, neoprene rubber and viton),
- Shoes plus socks.

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions exist for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

FIRST AID	
IF IN EYES:	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after 5 minutes, then continue rinsing. • Call a poison control center or doctor for treatment advice.
IF ON SKIN OR CLOTHING:	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.
SWALLOWED:	<ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to so by a poison control center or doctor. • Do not give anything by mouth to an unconscious person.
IF INHALED:	<ul style="list-style-type: none"> • Move person to fresh air. • If person is not breathing call 911 or an ambulance, then give artificial respiration preferably mouth-to-mouth if possible. • Call a poison control center or doctor for further treatment advice.
<p>Have the product container or label with you when calling a poison control center or doctor, or going for treatment.</p>	
NOTE TO PHYSICIAN:	
<p>Probable mucosal damage may contraindicate the use of gastric lavage.</p>	

POLYPHASE® HS32

A Broad Spectrum Fungistat for use in Paint, Stains, and Wood Products, Mansory Coatings, Adhesives, Inks, Textiles, Paper Coatings, Canvas and Cordage, Road Coatings, Joint Cements, Stucco and EIFS Coatings

EPA Reg. No.	5383-114
EPA Establishment Number	5383-NJ-1

ACTIVE INGREDIENT:	% Weight
3-Iodo-2-propynyl butyl carbamate	21.6%
Propiconazole	7.0%
INERT INGREDIENTS	71.4%
TOTAL	100.0%

NOTIFICATION
Date Reviewed: 3/1/10
Reviewed By: KSF

CAUTION

SOLD FOR INDUSTRIAL USE

See Side Panel for Additional Precautionary Statements

KEEP OUT OF REACH OF CHILDREN

**IN CASE OF EMERGENCY:
CALL 1-800-424-9300**

Net Weight:

Troy Chemical Corporation

One Avenue L, Newark, N.J. 07105

POLYPHASE® and TROYSAN are registered trademarks

This product requires the presence of effluent from a sewage treatment plant.

It is a labelin

Do not

The fol applica percent effectiv

PAINT protecti

WOOL use rat

may be with Po

TEXTI

PAPEF

CANV

ADHE

INKS:

JOINT

ROOF

STUC

Do no

PEST

recom

PEST

of exc

waste:

pestici

nearest

CONI

contai

remain

water,

ensuri

and tir

it back

tank o

Then,

sanitari

burned

5/14