OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION



## UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

WASHINGTON, D.C. 20460

AUG Z 4 2011

Mr. Peko Rasic Troy Corporation 8 Vreeland Road PO Box 955 Florham Park, NJ 07932-0955

Subject:

Polyphase 612

EPA Registration No.: 5383-117 Notification Date: 08/02/2011 EPA Receipt Date: 08/03/2011

Dear Ms. Kate Ingram,

This letter acknowledges receipt of your notification submitted under the provision of FIFRA section 3(c)9 and PR Notice 98-10.

## **Proposed Notification**

Revised Storage and Disposal statements as per PR Notice 2007-4

#### **General Comments**

Based on a review of the submitted materials, your notification for the revised Storage and Disposal statements as per PR Notice 2007-4 is acceptable and has been a part of your file.

Should you have any questions or comments concerning this letter, you may contact me by telephone at (703) 308-6416 or by e-mail at <a href="mailto:campbell-mcfarlane.jacqueline@epa.gov">campbell-mcfarlane.jacqueline@epa.gov</a> or Jaclyn Carl by telephone at (703) 347-0213 or by e-mail at <a href="mailto:carl.jaclyn@epa.gov">carl.jaclyn@epa.gov</a>. When submitting information or data in response to this letter, a copy of this letter should accompany the submission to facilitate processing.

Sincerely,

Jacqueline Campbell-McFarlan

Product Manager (34)

Regulatory Management Branch II

SYMBOL SURNAME DATE

EPA Form 1320-1A (1/90)

Printed on Recycled Paper

OFFICIAL FILE COPY

Please read instructions on reverse before con,ng form.	MB No. 2070بر Form Approv	-0060, Approval expires 05-31-98			
United States	☐ Registration	OPP Identifier Number			
EPA Environmental Protection	<del>_</del>				
Washington, DC 20460					
	□ Other.				
	n for Pesticide - Section I				
1. Company/Product Number 5383-117	EPA Product Manager     Jacqueline McFarlane	Proposed Classification			
4. Company/Product (Name) Polyphase 612	PM# 34	None Restricted			
Name and Address of Applicant (Include ZIP Code)	6. Expedited Review. In accordance v	vith FIFRA Section 3(c)(3)			
Troy Chemical Corporation	(b)(l), my product is similar or identical	in composition and labeling			
8 Vreeland Road	to:				
Florham Park, NJ 07932	EPA Reg. No				
PLEASE SEND ALL CORRESPONDENCE TO	Product Name				
"CONTACT POINT" LISTED BELOW					
Check if this is a new address					
	Section – II				
Amendment – Explain below.	Final printed labels in response to	Agency letter dated			
Resubmission in response to Agency letter dated					
Notification - Explain below.	Other - Explain below				
<b>Explanation</b> : Use additional page(s) if necessary. (I	·				
Notification of label change per PR Notice 2007-4. This r					
of EPA's regulations at 40 CFR §§ 156.10, 156.140, 156.1					
Confidential Statement of Formula for this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if the amended label is not consistent with the requirements of 40 CFR §§ 156.10, 156.140,					
statement to EPA. I further understand that if the amended	156.144, 156.146, and 156.156, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under				
156.144, 156.146, and 156.156, this product may be in vio					
156.144, 156.146, and 156.156, this product may be in vio					
156.144, 156.146, and 156.156, this product may be in vio					
156.144, 156.146, and 156.156, this product may be in vio sections 12 and 14 of FIFRA.  1. Material This Product Will Be Packaged In:	olation of FIFRA and I may be subject to enforcen  Section – III	nent action and penalties under			
156.144, 156.146, and 156.156, this product may be in vious sections 12 and 14 of FIFRA.  1. Material This Product Will Be Packaged In: Child-Resistant Packaging Unit Packaging	Section – III  Water Soluble Packaging	nent action and penalties under  2. Type of Container			
156.144, 156.146, and 156.156, this product may be in vious sections 12 and 14 of FIFRA.  1. Material This Product Will Be Packaged In:  Child-Resistant Packaging  Yes*  Unit Packaging  Yes	Section – III  Water Soluble Packaging Yes	2. Type of Container  Metal			
1. Material This Product Will Be Packaged In:  Child-Resistant Packaging  Yes*  No  No	Section – III  Water Soluble Packaging Yes No	2. Type of Container  Metal Plastic			
1. Material This Product Will Be Packaged In:  Child-Resistant Packaging  Yes*  No  If "Yes"  No  Unit Packaging wat the packaged In:  Vest  No  If "Yes"  No  No  Holt Packaging wat the packag	Section – III  Water Soluble Packaging Yes	2. Type of Container  Metal Plastic Glass			
1. Material This Product Will Be Packaged In:  Child-Resistant Packaging  Yes*  No  *Certification must  1. Material This Product Will Be Packaged In:  Unit Packaging  Yes  Unit Packaging  Ves  Unit Packaging  Ves  Unit Packaging	Section – III  Water Soluble Packaging Yes No No. per If "Yes" No. per	2. Type of Container  Metal Plastic Glass Paper			
1. Material This Product Will Be Packaged In:  Child-Resistant Packaging  Yes*  No  If "Yes"  No  Unit Packaging wat the packaged In:  Vest  No  If "Yes"  No  No  Holt Packaging wat the packag	Section – III  Water Soluble Packaging Yes No lo. per ontainer Package wgt.  No. per container	2. Type of Container  Metal Plastic Glass			
1. Material This Product Will Be Packaged In:  Child-Resistant Packaging Yes* No  *Certification must be submitted	Section – III  Water Soluble Packaging Yes No lo. per ontainer Package wgt.  No. per container	2. Type of Container  Metal Plastic Glass Paper Other (Specifiy)			
1. Material This Product Will Be Packaged In:  Child-Resistant Packaging  Yes*  No  *Certification must be submitted  3. Location of Net Contents Information  156.144, 156.146, and 156.156, this product may be in vice serving to the product will be product may be in vice serving to the product may	Section – III  Water Soluble Packaging Yes No No. per If "Yes" No. per container Package wgt.  Stail Container  15. Location of FIFRA and I may be subject to enforcent enforcent package wgt.	2. Type of Container  Metal Plastic Glass Paper Other (Specifiy)			
1. Material This Product Will Be Packaged In:  Child-Resistant Packaging  Yes*  No  *Certification must be submitted  3. Location of Net Contents Information Label  Child-Resistant Packaging  Unit Packaging  Yes  No  If "Yes"  Unit Packaging wgt.  Void Packaging wgt.  A Size(s) Reference of Manner in Which Label is Affixed to Product  Lithograp	Section – III    Water Soluble Packaging   Yes   No. per container   Package wgt.   S. Location of Container   Container   On Label   On label   Other   Other   Container   C	2. Type of Container  Metal Plastic Glass Paper Other (Specifiy)  If Label Directions			
1. Material This Product Will Be Packaged In:  Child-Resistant Packaging  Yes*  No  *Certification must be submitted  3. Location of Net Contents Information Label  Label  1. Material This Product Will Be Packaged In:  Unit Packaging Yes No  If "Yes" Unit Packaging wgt.  Value of No  If "Yes" Unit Packaging wgt.  A. Size(s) Reference of Net Container	Section – III    Water Soluble Packaging	2. Type of Container  Metal Plastic Glass Paper Other (Specifiy)  If Label Directions			
1. Material This Product Will Be Packaged In:  Child-Resistant Packaging  Yes*  No  *Certification must be submitted  3. Location of Net Contents Information Label  Child-Resistant Packaging  Unit Packaging  Yes  No  If "Yes"  Unit Packaging wgt.  Void Packaging wgt.  A Size(s) Resistant Packaging  Container  Lithograp  Paper glu	Section – III    Water Soluble Packaging	2. Type of Container  Metal Plastic Glass Paper Other (Specifiy)  If Label Directions			
1. Material This Product Will Be Packaged In:  Child-Resistant Packaging  Yes*  No  *Certification must be submitted  3. Location of Net Contents Information Label  Child-Resistant Packaging  Unit Packaging  Yes  No  If "Yes"  Unit Packaging wgt.  Void Packaging wgt.  A Size(s) Resistant Packaging  Container  Lithograp  Paper glu	Section – III    Water Soluble Packaging   Yes   No. per container   Section on Labe   On Labe   On Labe	2. Type of Container  Metal Plastic Glass Paper Other (Specifiy) of Label Directions I ing accompanying product			
1. Material This Product Will Be Packaged In:  Child-Resistant Packaging  Yes*  No  *Certification must be submitted  3. Location of Net Contents Information  Label  Container  1. Material This Product Will Be Packaged In:  Child-Resistant Packaging  Yes*  No  If "Yes"  Unit Packaging wgt.  Onit Packaging wgt.  A. Size(s) Reference of the Size of Stenciled of Name  1. Contact Point (Complete items directly below for identification of Name  Title	Section – III    Water Soluble Packaging   Yes   No. per container   Section on Labe   On Labe	2. Type of Container  Metal Plastic Glass Paper Other (Specifiy)  If Label Directions I ing accompanying product  this application) Telephone Nose(Include Area			
1. Material This Product Will Be Packaged In:  Child-Resistant Packaging  Yes*  No  *Certification must be submitted  3. Location of Net Contents Information Label  Container  Child-Resistant Packaging  Yes*  No  If "Yes"  Unit Packaging wgt.  Yes  Unit Packaging wgt.  A Size(s) Resistant Packaging wgt.  Container  1. Contact Point (Complete items directly below for identification of Name  Title	Section – III    Water Soluble Packaging   Yes   No. per container   Section on Labe   On Labe	2. Type of Container  Metal Plastic Glass Paper Other (Specifiy)  If Label Directions Ing accompanying product			
1. Material This Product Will Be Packaged In:  Child-Resistant Packaging  Yes*  No  *Certification must be submitted  3. Location of Net Contents Information  Label  Container  1. Material This Product Will Be Packaged In:  Child-Resistant Packaging  Yes*  No  If "Yes"  Unit Packaging wgt.  Onit Packaging wgt.  A. Size(s) Reference of the Size of Stenciled of Name  1. Contact Point (Complete items directly below for identification of Name  Title	Section — III    Water Soluble Packaging   Yes   No. per container   Package wgt.   Section of Container   On Label on Container   Other   Oth	2. Type of Container  Metal Plastic Glass Paper Other (Specifiy)  If Label Directions I ing accompanying product  this application)  Telephone Nos(Include Area Code) (973) 443-4200 ext 2285			
1. Material This Product Will Be Packaged In:  Child-Resistant Packaging  Yes*  No  *Certification must be submitted  3. Location of Net Contents Information Label  Container  Contact Point (Complete items directly below for identification of Name Peko Rasic  Certification I certify that the statements I have made on this form and all attach	Section — III    Water Soluble Packaging   Yes   No   No   Package wgt.   Container	2. Type of Container  Metal Plastic Glass Paper Other (Specifiy)  If Label Directions I ing accompanying product  Telephone Nos (Include Area Code) (973) 443-4200 ext 2285  6. Date Application Received			
1. Material This Product Will Be Packaged In:  Child-Resistant Packaging Unit Packaging Yes* No No If "Yes" No Unit Packaging Wgt. or Stenciled  3. Location of Net Contents Information Label Container  6. Manner in Which Label is Affixed to Product Lithograp Paper glustenciled  1. Contact Point (Complete items directly below for identification of Name Peko Rasic  Certification I certify that the statements I have made on this form and all attach acknowledge that any knowingly false or misleading statement magents.	Section — III    Water Soluble Packaging   Yes   No   No   Package wgt.   Container	2. Type of Container    Metal   Plastic   Glass   Paper   Other (Specifiy)  If Label Directions Ing accompanying product    this application     Telephone Nos (Include Area Code) (973) 443-4200 ext 2285			
1. Material This Product Will Be Packaged In:  Child-Resistant Packaging Unit Packaging Yes* No No If "Yes" No Unit Packaging Winit Packaging	Section — III    Water Soluble Packaging   Yes   No   No   Package wgt.   Container	2. Type of Container  Metal Plastic Glass Paper Other (Specifiy)  If Label Directions I ing accompanying product  Telephone Nos (Include Area Code) (973) 443-4200 ext 2285  6. Date Application Received			
1. Material This Product Will Be Packaged In:  Child-Resistant Packaging Yes* No  *Certification must be submitted  3. Location of Net Contents Information Label  Container  6. Manner in Which Label is Affixed to Product  1. Contact Point (Complete items directly below for identification of Name Peko Rasic  Certification I certify that the statements I have made on this form and all attach acknowledge that any knowingly false or misleading statement may under applicable law.  2. Signature  3. Locations 12 and 14 of FIFRA.  Unit Packaging Yes No If "Yes" No Unit Packaging wgt. On If "Yes" No Unit Packaging wgt. On If "Yes" No If "Yes" No Unit Packaging wgt. On If "Yes" No If "Yes" N	Section — III    Water Soluble Packaging   Yes   No. per container   Package wgt.   Container	2. Type of Container    Metal   Plastic   Glass   Paper   Other (Specifiy)  If Label Directions   Interpretation of the place of the pl			
1. Material This Product Will Be Packaged In:  Child-Resistant Packaging Unit Packaging Yes* No No If "Yes" No Unit Packaging White Packaging White Packaging White Packaging White Packaging White Packaging Will Packa	Section — III    Water Soluble Packaging   Yes   No. per container   Package wgt.   Container	2. Type of Container  Metal Plastic Glass Paper Other (Specifiy)  If Label Directions I ing accompanying product  this application)  Telephone Noc(Include Area Code) (973) 443-4200 ext 2285  6. Date Application Received (Stamped)			



#### Via FedEx Courier

#### TROY CORPORATION

August 2, 2011

Document Processing Desk (NOTIF) Office of Pesticide Programs (7504P) U.S. Environmental Protection Agency Room S-4900, One Potomac Yard 2777 South Crystal Drive Arlington, VA 22202-4501

Attention:

Ms. Jacqueline McFarlane

PM Team 34

Subject:

Submission of Labeling Revisions per PR Notice 2007-4 for:

Polyphase 678,

EPA Reg. No.: 5383-110

Polyphase 3000,

EPA Reg. No.: 5383-115

Polyphase 612,

EPA Reg. No.: 5383-117

Polyphase Micro HS30,

EPA Reg. No.: 5383-120

#### Dear Ms. McFarlane:

Enclosed, please find the revised labeling in accordance with the provisions of PR Notice 2007-4 for the subject-referenced products. Please note that no other labeling changes have been made outside the scope of this PR Notice. Included hereunder for each product please find:

- application form 3570-1;
- one copy of product label with revisions underlined.

Please contact me at either 973-443-4200, ext. 2285 or at <u>rasicp@troycorp.com</u> should you have any questions or require any additional information.

With kind regards,

Peko Rasic

**Product Registration Specialist** 

**Enclosures** 

# PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Harmful if swallowed. Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking or using tobacco.

DYD CM 4 YD				
FIRST AID				
IF IN EYES:	<ul> <li>Hold eye open and rinse slowly</li> </ul>			
	and gently with water for 15-20			
	minutes. Remove contact lenses,			
<i>→</i>	if present, after 5 minutes, then			
	continue rinsing.			
	<ul> <li>Call a poison control center or</li> </ul>			
	doctor for treatment advice.			
IF ON SKIN:	• Take off clothing.			
	<ul> <li>Rinse skin immediately with</li> </ul>			
	plenty of water for 15-20 minutes.			
	Call a poison control center or			
	doctor for treatment advice.			
IF	Call a poison control center or			
SWALLOWED:	doctor immediately for treatment			
	advice.			
	• Have person sip a glass of water if			
	able to swallow.			
	• Do not induce vomiting unless told			
	to do by a poison control center or			
	doctor.			
	• Do not give anything by mouth to			
	an unconscious person.			
Have the product container or label with you when calling				
_	nter or doctor, or going for treatment.			
NOTE TO PHYSICIAN:				
Probable mucosal damage may contraindicate the use of				
gastric lavage.				

# POLYPHASE® 612

A Fungicide for Use in Wood Composite Products, Plastics, and Paints

EPA Reg. No. 5383-117 EPA Est. No. 5383-NJ-1

#### **ACTIVE INGREDIENT:**

3-Iodo-2-Propynyl Butyl Carbamate	12.0%
INERT INGREDIENTS	88.0%
TOTAL1	00.0%

KEEP OUT OF REACH OF CHILDREN

# **CAUTION**

SOLD FOR INDUSTRIAL USE ONLY SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS



IN CASE OF EMERGENCY CALL 1-800-424-9300
TROY CHEMICAL CORPORATION
ONE AVENUE L
NEWARK, N.J. 07105

Net Weight:

®TROYSAN AND POLYPHASE ARE REGISTERED TRADEMARKS

#### ENVIRÓ

This product is toxic to fish. Do not where surface water is present of the Do not contaminate water when discharge effluent containing this proor other waters unless in accordance Discharge Elimination System (NF notified in writing prior to discharge without previously notifying the locontact your State Water Board or

#### DIRI

It is a violation of Federal Law to labeling. Do not apply this produc Polyphase®612 is sold for industripaper coatings or adhesives that w [This product is not cleared by the food-contact paper and adhesives. do not use them as components in Suggested application levels are batypical for the use areas indicated. weight/weight in the final use prod

Wood Composites Plastics Paints

[bracketed text denotes alternative

#### STOR

Do not contaminate water, food, c PESTICIDE STORAGE: Polypha 0°C (32°F). PESTICIDE DISPOS Improper disposal of excess pestic Federal Law. If these wastes cann instructions, contact your state per Hazardous Waste Representative CONTAINER DISPOSAL: Nonre container. Clean container promp remaining contents into applicatio with water. Replace and tighten c forth, ensuring at least one comple its end and tip it back and forth se and tip it back and forth several tii a mix tank or store rinsate for later times. Then offer for recycling or of in a sanitary landfill, or incinera burning. If burned, stay out of sme

This product is covered under the t

Un:

# EMENTS IESTIC ANIMALS

te eye irritation. <sup>7</sup>ash thoroughly before eating,

and rinse slowly water for 15-20 ve contact lenses, 5 minutes, then 3. Ontrol center or nent advice.

ediately with for 15-20 minutes. ontrol center or nent advice.

tely for treatment

) a glass of water if

omiting unless told on control center or

rthing by mouth to person.

h you when calling ing for treatment.

N:

idicate the use of

# POLYPHASE® 612

A Fungicide for Use in Wood Composite Products, Plastics, and Paints

EPA Reg. No. 5383-117 EPA Est. No. 5383-NJ-1

#### **ACTIVE INGREDIENT:**

3-Iodo-2-Propynyl Butyl Carbamate	12.0%
INERT INGREDIENTS	88.0%
TOTAL 1	00.0%

#### KEEP OUT OF REACH OF CHILDREN

# **CAUTION**

SOLD FOR INDUSTRIAL USE ONLY
SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY
STATEMENTS



IN CASE OF EMERGENCY CALL 1-800-424-9300
TROY CHEMICAL CORPORATION
ONE AVENUE L
NEWARK, N.J. 07105

Net Weight:

®TROYSAN AND POLYPHASE ARE REGISTERED TRADEMARKS

#### ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to any body of water or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters or rinsate. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional office of the EPA.

#### **DIRECTIONS FOR USE**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Do not apply this product in a way that will contact workers or other persons. Polyphase®612 is sold for industrial use only. This product is not to be used in paper, paper coatings or adhesives that will come into contact with food and food surfaces. [This product is not cleared by the Federal Food, Drug and Cosmetic Act for use on food-contact paper and adhesives. If articles have been treated with Polyphase®612 do not use them as components in materials used in food packaging and food-holding.] Suggested application levels are based on laboratory and field evaluations and are typical for the use areas indicated. Suggested use levels are reported as percentage weight/weight in the final use product.

Wood Composites	0.67-5%
Plastics	0.67-5%
Paints	0.67-5%

[bracketed text denotes alternative !anguage]

#### STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal. PESTICIDE STORAGE: Polyphase®612 should not be stored at temperatures below 0°C (32°F). PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticides, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your state pesticide or environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional office for guidance. CONTAINER DISPOSAL: Nonrefillable container. Do not reuse or refill this container. Clean container promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill-the container 4 full with water. Replace and tighten closures. Tip container on its side and roll it backwards forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other and and tip it back and forth several times. Empty the rinsate into application equipment of a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times. Then offer for recycling or reconditioning if available, of puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

This product is covered under the following patent:: US 5,906,981