

5383-120

08/26/2011

1/4

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
WASHINGTON, DC 20460

AUG 26 2011

OFFICE OF  
CHEMICAL SAFETY  
AND POLLUTION PREVENTION

Peko Rasic  
Troy Corporation  
8 Vreeland Road  
P.O. Box 955  
Florham Park, NJ 07932-0955

Subject: **Polyphase Micro HS30**  
EPA Registration No.: 5383-120  
Application Date: August 2, 2011  
Receipt Date: August 3, 2011

Dear Mr. Rasic:

This acknowledges receipt of your notification, submitted under the provision of PR Notice 98-10, FIFRA section 3(c) 9.

**Proposed Notification:**

Update Container Disposal per PRN 2007-4

**General Comment:**

Based on a review of the material submitted, the following comment applies:

A copy of this accepted notification has been inserted in your file for future reference.

Should you have any questions or comments concerning this letter, you may contact me by telephone at (703) 308-6416 or by e-mail at [campbell-mcfarlane.jacqueline@epa.gov](mailto:campbell-mcfarlane.jacqueline@epa.gov) or Stacey Grigsby by telephone at (703) 305-6440 or by e-mail at [grigsby.stacey@epa.gov](mailto:grigsby.stacey@epa.gov) during the hours of 8:00am to 4:00pm EST. When submitting information or data in response to this letter, a copy of this letter should accompany the submission to facilitate processing.

Sincerely,

*Stacey Grigsby*  
Jacqueline McFarlane

CONCURRENT Subject Manager (34)

SYMBOL				Regulatory Management Branch II			
SURNAME				Antimicrobials Division (7510P)			
DATE							

2/4

Please read instructions on reverse before completing form.

Form Approved MB No. 2070-0060, Approval expires 05-31-98



United States  
Environmental Protection Agency  
Washington, DC 20460

- Registration
- Amendment
- Other:

OPP Identifier Number

### Application for Pesticide - Section I

1. Company/Product Number 5383-120	2. EPA Product Manager Jacqueline McFarlane	3. Proposed Classification  <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) <b>Polyphase Micro HS30</b>	PM# 34	
5. Name and Address of Applicant (Include ZIP Code) <b>Troy Chemical Corporation</b> <b>8 Vreeland Road</b> <b>Florham Park, NJ 07932</b> <b><u>PLEASE SEND ALL CORRESPONDENCE TO</u></b> <b><u>"CONTACT POINT" LISTED BELOW</u></b> <input type="checkbox"/> Check if this is a new address		6. <b>Expedited Review.</b> In accordance with FIFRA Section 3(c)(3) (b)(I), my product is similar or identical in composition and labeling to: EPA Reg. No. _____  Product Name _____

### Section - II

- Amendment - Explain below.
- Final printed labels in response to Agency letter dated \_\_\_\_\_
- Resubmission in response to Agency letter dated \_\_\_\_\_
- "Me Too" Application
- Notification - Explain below.
- Other - Explain below

**Explanation:** Use additional page(s) if necessary. (For Section I and Section II.)

Notification of label change per PR Notice 2007-4. This notification is consistent with the guidance in PR Notice 2007-4 and the requirements of EPA's regulations at 40 CFR §§ 156.10, 156.140, 156.144, 156.146, and 156.156. No other changes have been made to the labeling or the Confidential Statement of Formula for this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if the amended label is not consistent with the requirements of 40 CFR §§ 156.10, 156.140, 156.144, 156.146, and 156.156, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

### Section - III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes* <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No		<input type="checkbox"/> Metal	<input type="checkbox"/> Plastic
<b>*Certification must be submitted</b>		If "Yes" Unit Packaging wgt.    No. per container	If "Yes" Package wgt.    No. per container	<input type="checkbox"/> Glass	<input type="checkbox"/> Paper
3. Location of Net Contents Information <input type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container		5. Location of Label Directions <input type="checkbox"/> On Label <input type="checkbox"/> On labeling accompanying product	
6. Manner in Which Label is Affixed to Product			<input type="checkbox"/> Lithograph <input type="checkbox"/> Other _____ <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled		

### Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application)		
Name <b>Peko Rasic</b>	Title Product Registration Specialist	Telephone No. (Include Area Code) (972) 443-4200 ext 2285
<b>Certification</b> I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		6. Date Application Received (Stamped)
2. Signature 	3. Title <b>Product Registration Specialist</b>	<div style="border: 1px dashed black; width: 100px; height: 100px; margin: 0 auto;"></div>
4. Typed Name Peko Rasic	5. Date 08/02/2011	

**PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS AND DOMESTIC ANIMALS  
DANGER**

Corrosive. Causes irreversible eye damage. Harmful if swallowed, inhaled, or absorbed through skin. Avoid breathing vapor or spray mist. Do not get in eyes, on skin or on clothing. Wear protective eyewear (goggles, face shield, or safety glasses). Wash thoroughly with soap and water after handling, and before eating, drinking, chewing gum, or using tobacco. Remove contaminated clothing and wash clothing before reuse.

<b>FIRST AID</b>	
<b>IF IN EYES:</b>	<ul style="list-style-type: none"> <li>Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing.</li> <li>Call a poison control center or doctor for treatment advice.</li> </ul>
<b>IF ON SKIN OR CLOTHING:</b>	<ul style="list-style-type: none"> <li>Take off contaminated clothing.</li> <li>Rinse skin immediately with plenty of water for 15-20 minutes.</li> <li>Call a poison control center or doctor for treatment advice.</li> </ul>
<b>IF SWALLOWED:</b>	<ul style="list-style-type: none"> <li>Call a poison control center or doctor immediately for treatment advice.</li> <li>Have person sip a glass of water if able to swallow.</li> <li>Do not induce vomiting unless told to by a poison control center or doctor.</li> <li>Do not give anything to by mouth to an unconscious person.</li> </ul>
<b>IF INHALED:</b>	<ul style="list-style-type: none"> <li>Move person to fresh air.</li> <li>If person is not breathing call 911 or an ambulance, then give artificial respiration preferably mouth-to-mouth if possible.</li> <li>Call a poison control center or doctor for further treatment advice.</li> </ul>
Have the product container or label with you when calling a poison control center or doctor, or going for treatment.	
<b>NOTE TO PHYSICIAN:</b>	
Probable mucosal damage may contraindicate the use of gastric lavage.	

**POLYPHASE® MICRO HS30**

A Broad Spectrum Fungistat for use in  
Millwork, Sapstain Control, and Wood Protective Stains

EPA Reg. No. 5383-120

EPA Est. No. 5383-NJ-1

**ACTIVE INGREDIENT:**

3-Iodo-2-propynyl butyl carbamate.....18.0%

Propiconazole.....6.3%

**INERT INGREDIENTS..... 75.7%**

**TOTAL..... 100.0%**

**KEEP OUT OF REACH OF CHILDREN**

**DANGER**

SOLD FOR INDUSTRIAL USE

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

**NOTIFICATION**

Date Reviewed: 8/20/2011

Reviewed By: *[Signature]*

**IN CASE OF EMERGENCY CALL 1-800-424-9300**

TROY CHEMICAL CORPORATION

ONE AVENUE L

NEWARK, N.J. 07105

Net Weight: \_\_\_\_\_

©TROYSAN AND POLYPHASE ARE REGISTERED TRADEMARKS

**ENVIRO**

This product is toxic to fish. Do not apply to lakes, streams, ponds, estuaries, or other aquatic environments in accordance with the requirements of the National Pollutant Discharge Elimination System (NPDES) permit. Do not apply to sewer systems without the approval of the local sewer treatment plant authority. For more information, contact your Regional office of the EPA.

**DIRE**

It is a violation of Federal Law to use this product without its labeling.

**APPLICA**

It is a violation of Federal law to use this product in a way that would be inconsistent with the labeling. Do not apply this product in a way that would be inconsistent with the labeling. The following are suggested use levels for the various applications indicate the suggested use levels in percentage by weight. The suggested use levels are in order to determine the most effective application rate. Trials are suggested.

**MILLWORK:** Generally use 1.9-5% on wood surfaces. Surfaces which may be in contact with food. Surfaces which may be in contact with lacquer after treatment with Polyphase.

**SAPSTAIN CONTROL:** Generally use 1.9-5% on wood surfaces.

**WOOD PROTECTIVE STAINS:** Generally use 1.9-5% on wood surfaces.

**STORAGE**

Do not contaminate water, food, or feed. **PESTICIDE STORAGE:** Store in original container. **PESTICIDE DISPOSAL:** Pesticide wastes, sprays, or excess pesticides, spray mixture, or wastes cannot be disposed of by use alone. Contact your nearest EPA regional office for guidance. **CONTAINER DISPOSAL:** Nonrefillable container. Clean container promptly. Rinse the remaining contents into application equipment or a mix tank. Repeat this procedure two more times. Then recycle or puncture and dispose of in a sanitary landfill, or by burning, if local authorities permit.

EMENTS  
ESTIC ANIMALS

armful if swallowed,  
hing vapor or spray  
; Wear protective  
) Wash thoroughly  
eating, drinking,  
uninated clothing and

rinse slowly and  
or 15-20 minutes.  
noses, if present, after  
then continue rinsing.  
ol center or doctor for

ated clothing.  
ately with plenty of  
nutes.  
ol center or doctor for

ol center or doctor  
atment advice.  
glass of water if able to

iting unless told to by  
nter or doctor.  
ng to by mouth to an  
1.

sh air.  
athing call 911 or an  
ve artificial respiration  
o-mouth if possible.  
ol center or doctor for  
dvice.

hen calling a poison

he use of gastric

# POLYPHASE® MICRO HS30

A Broad Spectrum Fungistat for use in  
Millwork, Sapstain Control, and Wood Protective Stains

EPA Reg. No. 5383-120  
EPA Est. No. 5383-NJ-1

### ACTIVE INGREDIENT:

3-Iodo-2-propynyl butyl carbamate.....18.0%  
Propiconazole.....6.3%

INERT INGREDIENTS.....75.7%  
TOTAL.....100.0%

KEEP OUT OF REACH OF CHILDREN

## DANGER

SOLD FOR INDUSTRIAL USE  
SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY  
STATEMENTS

### NOTIFICATION

Date Reviewed: 8/20/2011  
Reviewed By: [Signature]

IN CASE OF EMERGENCY CALL 1-800-424-9300

TROY CHEMICAL CORPORATION  
ONE AVENUE L  
NEWARK, N.J. 07105

Net Weight: \_\_\_\_\_

®TROYSAN AND POLYPHASE ARE REGISTERED TRADEMARKS

### ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional office of the EPA

### DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

### APPLICATION INSTRUCTIONS

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not apply this product in a way that will contact workers or other persons.

The following are suggested use levels for Polyphase® Micro HS30. Typical use levels given for the various applications indicate the approximate levels for the particular application. All suggestions are in percentage by weight and refer to the product Polyphase® Micro HS30. In order to determine the most effective use level for Polyphase® Micro HS30 in a given use, field trials are suggested.

**MILLWORK:** Generally use 1.9-5%. Do not use on wood surfaces that come in contact with food. Surfaces which may be in continuous contact with skin should be coated with a varnish, or lacquer after treatment with Polyphase® Micro HS30.

**SAPSTAIN CONTROL:** Generally use 0.35-1.5%.

**WOOD PROTECTIVE STAINS:** Generally use 0.75-2.5%.

### STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.  
PESTICIDE STORAGE: Store in original container only and keep in upright position.  
PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticides, spray mixture, or rinsate is a violation of federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State pesticide or environmental control agency or the hazardous waste representative at the nearest EPA regional office for guidance.  
CONTAINER DISPOSAL: Nonrefillable container. Do not reuse or refill this container. Clean container promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container 1/4 full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times. Then offer for recycling or reconditioning if available, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

17