UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

INITED STATES

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

in and the second second			
and the second states and the	MAY	~ 5 2014	
A	an	1977 - 19	

Nancy R. Lentz **Troy Corporation** 8 Vreeland Road Florham Park, NJ 07932

SUBJECT:

MERGAL BIT 20W EPA Registration Number: 5383-144 Application Dated: February 27, 2014 Receipt Date: February 28, 2014

Dear Ms. Lentz:

The following amendment, submitted in connection with registration under the Federal Insecticide. Fungicide, and Rodenticide Act (FIFRA), as amended, is acceptable.

Minor revisions to label

Submit and/or cite all data required for registration/registration/registration review of your product when the Agency requires all registrants of similar products to submit such data. A stamped copy of your labeling is enclosed for your records.

This labeling supersedes all previously accepted labeling. The next label printing of this product must use this labeling unless subsequent changes have been approved. You must submit one (1) copy of the final printed labeling before you release the product for shipment with the new labeling. In accordance with 40 CFR 152.130(c), you may distribute or sell this product under the previously approved labeling for 18 months from the date of this letter. After 18 months, you may only distribute or sell this product if it bears this new revised labeling or subsequently approved labeling. "To distribute or sell" is defined under FIFRA section 2(gg) and it's implementing regulation at 40 CFR 152.3.

Should you have any questions concerning this letter, please contact Tracy Lantz at (703) 308-6415.

Sincerely,

John Hebert Branch Chief/Team Leader (33) Regulatory Management Branch I Antimicrobials Division (7510P)

Enclosure: Stamped Label CONCURRENCES								
SYMBOL		inped Edder						an a
SURNAME				*****************	*****	••••	*************	***************
DATE				**************	*******	••••	• • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • •
EPA Form	1320-1A (1/90)	· · · · · · · · · · · · · · · · · · ·		Printed on Recycled	l Paner	£	OFFICI	AL FILE COPY

Printed on Recycled Paper

MERGAL ® BIT20W

For Industrial Use As A Microbiostat Preservative Intended To Protect Adhesives, Building And Construction Compositions, Emulsion Paint And Coatings, Inks, Latices, Leather Processing Solutions, Metalworking Fluids, Mineral Slurries And Dispersions, Oil Recovery Systems, Paper Coatings, Pesticide Formulations, Polymer Emulsions, Textile Spin-Finish And Coatings, Car Care Products; Car Washes, Car Waxes, And Silicone Emulsions, Home Care Cleaning Products; Floor Cleaners, Floor Waxes, Floor Polishes And Surface Cleaners, Laundry Additives; Liquid Laundry Detergents, Fabric Softeners And Stain Removers.

ACTIVE INGREDIENT:	% Weight
1,2-Benzisothiazolin-3(2H)-one	19.18%
INERT INGREDIENTS	80.82%
TOTAL	100.00%

EPA	Reg. No.
EPA	Establishment Number

5383-144 5383-NJ-001

Under the Federal Insecticide, Fundicide, and Rodenticide Act as amended, for the pesticide, registered under EPA Reg. No. 383

KEEP OUT OF REACH OF CHILDREN DANGER FOR INDUSTRIAL USE

IN CASE OF EMERGENCY: CALL CHEMTREC 1-800-424-9300

Net Weight:

[Manufactured for: / Produced for: / Sold by:]

Troy Chemical Corporation

One Avenue L, Newark, N.J. 07105

TROYGUARD[®] and MERGAL[®] are registered trademarks

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER

Corrosive. Causes irreversible eye damage. Harmful if swallowed, inhaled or absorbed through skin. Do not get in eyes or on clothing. Avoid contact with skin. Avoid breathing spray mist. Wear protective eyewear (goggles, face shield or safety glasses). Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse. Wear long-sleeved shirt and long pants, socks, shoes and gloves.

Follow manufacturer's instructions for cleaning and maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry. Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them.

USER SAFETY RECOMMENDATIONS

Users should:

- Users should wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- User should remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Users should remove PPE immediately after handling this product. As soon as possible, wash thoroughly and change into clean clothing

	FIRST AID
IF IN EYES:	 Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice.
IF ON SKIN OR CLOTHING:	 Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
IF SWALLOWED:	 Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.
IF INHALED:	 Move person to fresh air. If person is not breathing call 911 or an ambulance, then give artificial respiration preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.
	t container or label with you when calling a poison control center or or treatment. Emergency Phone Number: 800-424-9300

NOTE TO PHYSICIAN:

Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression, and convulsion may be needed.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of EPA.

PHYSICAL OR CHEMICAL HAZARDS

This product is incompatible with other chemicals (oxidizing agents).

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: Protect from frost. If frozen, allow to thaw and stir well before use.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State pesticide or environmental control agency or the hazardous waste representative at the nearest EPA regional office for guidance. Open dumping is prohibited.

CONTAINER HANDLING: Non refillable container. Do not reuse or refill this container. Clean container promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container ¼ full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times. Then offer for recycling or reconditioning if available, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke. For Industrial Use As A Microbiostat Preservative Intended To Protect Adhesives, Building And Construction Compositions, Emulsion Paint And Coatings, Inks, Latices, Leather Processing Solutions, Metalworking Fluids, Mineral Slurries And Dispersions, Oil Recovery Systems, Paper Coatings, Pesticide Formulations, Polymer Emulsions, Textile Spin-Finish And Coatings.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

GENERAL INFORMATION

APPLICATION RATE: Mergal®BIT20W is an effective preservative for most aqueous applications. Mergal®BIT20W is for use in aqueous or water-containing products and systems to control growth of bacteria and fungi. Use rate is 0.05-0.25% wt/wt of Mergal®BIT20W in the finished product. For example, use 0.5-2.5 lbs. of Mergal®BIT20W per 1000 lbs. of finished product.

OIL RECOVERY SYSTEMS: Drilling fluids, packer fluids, completion fluids. Polysaccharide fluid loss control agents and thickeners such as starch, guar, and xanthan gum-0.05-0.15% on fluid weight or 1.5-4.5 on the dry polysaccharide weight. Subsurface injection waters such as polymer and micellar/polymer waterfloods: Thickeners such as xanthan gum and polysaccharides-0.015-0.15% on solution weight.

20140528.nrl

MASTER LABEL – Sub-label B

For Industrial Use As A Microbiostat Preservative Intended To Protect Car Care Products; Car Washes, Car Waxes, And Silicone Emulsions, Home Care Cleaning Products; Floor Cleaners, Floor Waxes, Floor Polishes And Surface Cleaners, Laundry Additives; Liquid Laundry Detergents, Fabric Softeners And Stain Removers.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

GENERAL INFORMATION

APPLICATION RATE: Mergal®BIT20W is an effective preservative for most aqueous applications. Mergal®BIT20W is for use in household aqueous or water-containing products and systems to control growth of bacteria and fungi. Use rate is 0.05-0.25% wt/wt of Mergal®BIT20W in the finished product. For example, use 0.5-2.5 lbs. of Mergal®BIT20W per 1000 lbs. of finished product.

20140528.nrl