UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460



United States Environmental Protection Office of Pesticide Programs Agency

Troy Chemical Corporation 8 Vreeland Road Florham Park, N. J. 07932 AUG 21 2013

Attention: Adrian Krygsman, Director

Product Registration

Subject: Troysan 19211

EPA Registration No. 5383-146 Notification Dated March 10, 2013 EPA Received Date August 1, 2013

This will acknowledge receipt of your notification, submitted under the provisions of FIFRA Section 3(c)(9).

Proposed Notification:

ADDITIONAL BRAND NAME: "TroyGuard SP40"

General Comments:

Based on a review of the submitted material, the following comments apply:

The Notification is in compliance with PR Notice 98-10 and is acceptable. This information has been added to your file.

If you have any questions concerning this letter, please contact Martha Terry at (703) 308-6217.

Sincerely,

Marshall Swindell Product Manager 33

Regulatory Management Branch 1
Antimicrobials Division (7510P)

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING

May be fatal if absorbed through skin or inhaled. Causes substantial but temporary eye injury. Harmful if swallowed. Do not get in eyes, on skin, or on clothing. Do not breathe spray mist. Remove contaminated clothing and wash clothing before reuse. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco.

PERSONAL PROTECTIVE EQUIPMENT (PPE):

Applicators and other handlers must wear: goggles or face shield, long-sleeved shirt and long pants, socks and shoes, chemical-resistant gloves (such as rubber or waterproof gioves).

USER SAFETY REQUIREMENTS: Follow manufacturers instructions for cleaning/maintaining PPE. If no such instructions exist for washables, use deterrent and hat water. Reen and wash PPE separation from other launder.

cleaning/maintaining PPE. If no such instructions exist for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

USER SAFETY RECOMMENDATIONS: Users should wash hands before eating, drinking, chewing gurn, using tobacco or using the toilet. Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Remove PPE immediately after handling this product. Wash the outside of gloves before removing.

		FIRST AID
IF IN EYES:	•	Hold eye open and rinse slowly and gently with
		water for 15-20 minutes. Remove contact
		lenses, if present, after the first 5 minutes, then
		continue rinsing.
	•	Call a Poison Control Center or doctor for
		treatment advice.
IF SWALLOWED:	•	Call a Poison Control Center or doctor
•	•	immediately for treatment advice.
	•	Have person sip a glass of water if able to
	<u>ار</u>	'swallow.
	•	Do not induce vomiting unless told to do so by a
		Poison Control Center or doctor.
	•	Do not give anything by mouth to an
	_	unconscious person.
IF ON SKIN or	•	Take off contaminated clothing.
CLOTHING:	•	Rinse skin immediately with plenty of water for
		15-20 minutes.
	•	Call a Poison Control Center or doctor for
		treatment advice.
IF INHALED	•	Move person to fresh air
	•	If person is not breathing, call 911 or an
		ambulance, then give artificial respiration,
		preferably mouth-to-mouth, if possible.
	•	Call a Poison Control Center or doctor for
, ,		treatment advice.
Hot Line Number: For in	nform	Hot Line Number: For information on this posticide product /including health

Hot Line Number: For information on this pesticide product (including health concerns, medical emergencies or pesticide incidents) call the National Telecommunications information Center at 1-800-858-7378. For chemical emergencies (spill, leak, fire or accident) call Chem Trec at 1-800-424-9300. Have the product container or label with you when calling a Poison Control Center or <u>doctor</u>, or going for treatment.

Convulsions, if persistent may be controlled by careful intravenous use of short-

NOTE TO PHYSICIAN

acting barbiturates. Probably mucosal damage may contraindicate the use of

gastric lavage.

TROYGUARD® SP40

EPA Reg. No. 5383-146 EPA Est. No. 5383-CHN-001

ACTIVE INGREDIENT:

TOTAL.....100.0%

KEEP OUT OF REACH OF CHILDREN WARNING

Date Heviewed Sy:

[MANUFACTURED FOR:]
TROY CHEMICAL CORPORATION
ONE AVENUE L
NEWARK, N.J. 07105

AK03052013

This pesticide is toxic to fish an containing this product into lake unless in accordance with the System (NPDES) permit and the discharge. Do not discharge elloscharge wou's ynotifying the local se your State Water Board on Reg agent and should not be used a

Do not store or mix with stron

It is a violation of Federal Law I labeling. Do not apply this prov Do not use for applications inve

cellulose derived building mate ndustrial paints and coatings (i royguard SP40 is used for th For control of bacterial and fun caulks, patching compounds, s and partitions. For the in-can p urethane foams, cellulosics, ca printing solutions, pigment slun detergents, carpet cleaners, su growth of bacteria and the form be used to inhibit the growth of Iroyguard SP40 can be used growth of bacteria and fungi in froyguard SP40 can be used carrageenan based gels used admixtures used in concrete. inishes).

Troyguard SP40 can be used t fluids such as metalworking, c. See accompanying product directions for use. Do not contaminate water, I PESTICIDE STORAGE: Dc closed when not in use. Dc CONTAINER DISPOSAL: Container. Triple finse contas follows: Empty the rem. Fill the container % full with its side and roll it back and seconds. Stand the container we or dispose of in local authorities, by burning use of this product may be

2/6

TEMENTS DMESTIC ANIMALS

. Causes substantial but not get in eyes, on skin, or on ontaminated clothing and wash ap and water after handling and obacco.

gles or face shield, long-sleeved I-resistant gloves (such as ufacturers instructions for se exist for washables, use separately from other laundry, is should wash hands before using the toilet. Remove en wash thoroughly and put on handling this product. Wash the

nd rinse slowly and gently with minutes. Remove contact t, after the first 5 minutes, then

ontrol Center or doctor for

ontrol Center or doctor treatment advice. a glass of water if able to omiting unless told to do so by a Senter or doctor. Hing by mouth to an

inated clothing. diately with plenty of water for

introl Center or doctor for

resh air reathing, call 911 or an give artificial respiration, -to-mouth, if possible. ntrol Center or doctor for ide product (including health lents) call the National -888-7378. For chemical imTree at 1-800-424-9300.

n calling a Poison Control

reful intravenous use of short-

lay contraindicate the use of

TROYGUARD® SP40

EPA Reg. No. 5383-146 EPA Est. No. 5383-CHN-001

ACTIVE INGREDIENT:

TOTAL.....100.0%

KEEP OUT OF REACH OF CHILDREN

WARNING



MANUFACTURED FOR:]

TROY CHEMICAL CORPORATION ONE AVENUE L NEWARK, N.J. 07105 AK03052013

use of this product may be disposed of on site or at an approved waste disposal

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and aquatic invertebrates. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, gogans or other waters unless in accordance with the requirements of a National-Pollutario Discharge Elimination System (NPDES) permit and the permitting authority has been netified in writing prior to discharge. Do not discharge efficient containing this product to sower systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional office of the EPA. This pesticide is a chelating agent and should not be used with other chelating agents or with chlorine.

CHEMICAL HAZARDS

Do not store or mix with strong oxidizing agents.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Do not apply this product in a way that will contact workers or other persons. Do not use for applications involving direct or indirect food/drinking water contact.

Troyguard SP40 can be used for the preservation of latex emulsions used in adhesives, caulks, patching compounds, sealants, pastes and grouts. It can be used to inhibit the growth of bacteria and fungi in dry wall and gypsum, plaster-like, mineral-based or cellulose derived building materials, used in the manufacture of cellings, celling tile, walls and partitions. For the in-can preservation of water-based chemical or mineral admixtures used in concrete.

Troyguard SP40 can be used for the dry film preservation of adhesives, latexes, urethane foams, cellulosics, caulks, patching compounds, sealants, architectural paints, industrial paints and coatings (including wood coatings), pastes and grouts. It can also be used to inhibit the growth of bacteria and fungi in inks such as aqueous based inks, printing solutions, pigment slurries or press cake.

Troyguard SP40 is used for the in-can preservation of laundry rinse additives, laundry detergents, carpet cleaners, surface cleaners, floor cleaners and the control of fungi in carrageenan based gels used in the production of solid air freshners.

For control of bacterial and fungal degradation of hides and skins and to inhibit the growth of bacteria and the formation of bacterial slime in synthetic fiber lubricants (spin finishes).

Troyguard SP40 can be used to inhibit bacterial and fungal growth in aqueous-based fluids such as metalworking, cutting, cooling and lubricating fluids.

See accompanying product information sheet for additional rates and directions for use.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: Do not store above 130 F (55 C). Keep container tightly closed when not in use. Do not store with strong oxidizing agents.

CONTAINER DISPOSAL: Non-refillable container: Do not reuse or refill this container. Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container ½ full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, senuring at least one complete revolution, for 30 seconds. Stand the container over on its other end and tip it back and forth several times. Empty insate into application equipment or a mix tank or store rinsate for later use or dispose of in a sanitary landfill or incinerate, of allowed by state and local authorities, by burning. If burned stay out of smoke. Wastes resulting from the

3/6



Product Information Sheet

TROYGUARD SP 40

EPA Reg No. 5383-146

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Do not apply this product in a way that will contact workers or other persons. Do not use for applications involving direct or indirect food/drinking water contact.

Troyguard SP 40 can be used for the preservation of latex emulsions used in adhesives, caulks, patching compounds, sealants, pastes and grouts. To inhibit bacterial growth in latex emulsions for a period of up to one year, a dosage of up to 1000 ppm of this product (1 lb. of this product per 1000 lbs. of emulsion) is recommended. Product may be added at any time during the formulation procedure by pouring from the container.

To inhibit the growth of bacteria and fungi in dry wall and gypsum, plaster-like, mineral-based or cellulose derived building materials used in the manufacture of Ceilings, Ceiling Tile, Walls and Partitions: Addition of up to 9600 ppm of this product (9.6 lbs. of product per 1000 lbs of the formulation, i.e. wet slurry) will inhibit the growth of bacteria and fungi. It can be added at any time during the formulation procedure. Alternatively, the product may be added to latex or other types of coating systems routinely applied to the surfaces of walls, ceiling tiles, partitions, etc. a the same dosage as above.

To control growth of fungi in gypsum wallboard add up to 9600 ppm of this product (9.6 lbs. of product per 1000 lbs. of the formulation) will inhibit the growth of fungi. It can be added at any time during the formulation process. For example, to control the growth of fungi in Gypsum and Dry Wall add a minimum of 1000 ppm of this product (1.0 lb. of product per 1000 lbs. of formulation).

For the in-can preservation of water-based chemical or mineral admixtures used in concrete: Add up to 1000 ppm of this product can inhibit microbial growth (bacteria and fungi) in admixtures. Admixtures can be preserved by addition of 1000 ppm of this product (1.0 lb. of this product per 1000 lbs. of admixture).

For the dry film preservation of adhesives, latexes, urethane foams, cellolosics, caulks, patching compounds, sealants, architectural paints, industrial paints and coatings (including wood coatings), pastes and grouts: Add up to 12500 ppm (12.5 lbs. of this product per 1000 lbs. of formulation). This dose can inhibit microbial growth (bacteria and fungi) in the dry film of these products. This product can be added at any time during the formulation procedure. As an example, sheet vinyl adhesives used in the installation of vinyl flooring can be preserved by the addition of 5200 ppm of this product (5.2 lbs. per 1000 lbs. of adhesive).

For aqueous based inks: To inhibit the growth of bacteria and fungi in inks such as aqueous based inks, printing solutions, pigment slurries or press cake, add up to 1250 ppm of this product. While the inks are use, a concentration of 0.125 % w/w of this product is necessary. The amount of this product to be added at the time of manufacture of the ink to obtain the above concentrations, at the time of use will vary with the shelf life of the ink. Use the table below to determine concentrations to add to the ink:

Shelf-Life (months)	% Troyguard SP40
36	1.25
24	0.65
18	0.475
. 12	0.3125
8	0.25

To inhibit the growth of bacteria in neutral or slightly acidic aqueous based jet-printer inks for periods of up to 4 weeks while the inks are in use, add 0.75% w/w of this product to the ink at the time of manufacture. To avoid decomposition of this product during shelf-life of the ink airtight packaging must be used. In all cases, this product may be added to the ink at any point in the manufacturing process by pouring or dispensing from the container.

For the in-can preservation of laundry rinse additives, laundry detergents, carpet cleaners, surface cleaners floor cleaners: To inhibit the growth of bacteria and fungi in these products for periods of up to one year add 0.16% w/w (1600 ppm or 1.6 lbs. of this product per 1000 lbs. of formulation). This product can be added at any time during the formlation process.

For the control of fungi in carrageenan based gels used in the production of solid air freshners add 0.03-0.1% of this product (0.03-0.1 lb./100 lbs. of formulation). Add this product into the gel formulation prior to cooling.

For leather use treatment rates of 0.02-1.0% based on the weight of the leather stock and prevent bacterial and fungal degradation of hides and skins. Application level is dependent on the type of hide or leather to be protected, the length of protection desired and the presence of other constituents in the processing formula. The optimum addition should be determined by trial for each individual application. For soaking raw hides this product should be added to the water to be used for soaking. For treating hides cured



with dry salt, this product should be added to the hides or should mixed with the salt before it is applied to the hides. This product can be used for the protection of wet leather stock such as pickled, chrome, chrome alternative, metal-free and vegetable tanned leathers leathers from mold and mildew during in-tannery wet processing and for the protection of wet-blue during the long storage and transportation times. Treatment rates should be calculated based on the wet weight or wet blue weight and compatibility with chrome solutions or other treatment chemicals should be confirmed prior to trial.

To inhibit bacterial and fungal growth in aqueous-based fluids such as metalworking. cutting, cooling and lubricating fluids add an initial dose of up to 1250 ppm of this product (1.25 lbs. of this product per 1000 lbs. of solution) to the solution by pouring or dispensing from the container and subsequent maintenance doses of up to 1250 ppm (1.25 lbs. of the product per 1000 lbs. of solution) every 7-10 days or as needed. This product may be used at fluid to water ratios of 1:10 to 1:100. This product may be added to the fluid at the time it is prepared (diluted) or to the reservoir (sump) containing the fluid after is it put into use. If it is added to the reservoir, the fluid should be circulated after addition of this product. Drain the system, clean with a cleaner designated for this purpose, rinse with water and refill with fresh fluid containing this product (up to 1250 ppm). Frequent checks (at least once per week) of the bacterial and fungal population in the system should be made using standard testing procedures. When the bacterial count reaches 10⁷ and/or the fungal count reaches 10³ organisms per ml., add additional product according to the above directions. If this does not reduce the bacterial and/or fungal count below the above value in 12-24 hours the fluid should be discarded and replaced after cleaning the system. Add this product to the fresh fluid according to the above directions. When adding fresh, diluted fluid to compensate for dragout or other losses, add this product to make-up fluid according to the above directions.

For the control of bacteria and fungi in metalworking, cutting, cooling and lubricating fluid concentrates add an amount that will give up to a 1250 ppm solution. The amount required in the concentrate will depend on the end use dilution. For example, if the desired level of this product is 1250 ppm and the end use dilution of the fluid is 5%, then a 2.5% concentration of this product is required in the concentrate (1250 ppm/0.05 = 25000 ppm or 2.5%).

For aqueous synthetic fiber lubricants (spin finishes): To inhibit the growth of bacteria and the formation of bacterial slime in synthetic fiber lubricants (spin finishes) for periods of 2-4 weeks during use, add 1250 ppm (1.25 lbs. per 1000 lbs. of lubricant) of this product to the diluted lubricant. This product may be used in lubricant solutions containing 5-10% lubricant concentrate (water to lubricant ratios of 20-1 to 10-1). This product should be added by pouring or dispensing from the container to the diluted lubricant in the dilution tank.

