

5383-147

10/29/2014

1/3

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, DC 20460



OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

October 29, 2014

Maureen Miksztal
Senior Regulatory Manager
Troy Corporation
8 Vreeland Road
PO Box 955
Florham Park, NJ 07932-0955

Subject: / Label Notification per PRN 98-10 – Primary Brand Name Change
Product Name: MERGAL ® V450
EPA Registration Number: 5383-147
Application Date: October 10, 2014
Decision Number: 496381

Dear Ms. Miksztal:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 for the above referenced product. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the action requested falls within the scope of PRN 98-10.

The primary brand name MERGAL ® V450 has been added to the product record.

If you have any questions, you may contact Terria Northern at 703-347-0265 or via email at northern.terria@epa.gov.

Sincerely,

A handwritten signature in black ink, appearing to read "S. Murasaki".

for

Seiichi Murasaki, Acting Product Manager 33
Regulatory Management Branch I
Antimicrobials Division (7510P)
Office of Pesticide Programs

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
DANGER

CORROSIVE. Causes skin burns and irreversible eye damage. Harmful if inhaled, swallowed or absorbed through skin. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

Avoid breathing vapor or spray mist. Do not get in eyes, on skin or on clothing. Wear goggles or face shield, chemical resistant gloves and chemical resistant apron. Mixers, loaders and others exposed to this product must wear long-sleeved shirt and long pants. Discard clothing or other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Rinse and wash PPE separately from other laundry. Users should wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Users should remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible wash thoroughly.

Wear chemical-resistant gloves, goggles, face shield, chemical-resistant apron worn over long sleeved shirt and long pants and a NIOSH approved respirator with an organic vapor (OV) cartridge or canister with any N, R, P or HE pre-filter.

FIRST AID

IF ON SKIN	<ul style="list-style-type: none"> Take off contaminated clothing Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
IF IN EYES:	<ul style="list-style-type: none"> Hold eyes open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after first 5 minutes then continue rinsing eye. Call a poison control center or doctor for treatment advice. Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth to mouth if possible. Call a poison control center or doctor for further treatment advice.
IF INHALED:	<ul style="list-style-type: none"> Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything to an unconscious person.
IF SWALLOWED:	<ul style="list-style-type: none"> Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything to an unconscious person.

Have the product container or label with you when calling a poison control center or doctor or going for treatment.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage following ingestion. Measures against circulatory shock, respiratory depression and convulsions may be necessary.

MERGAL® V450

Industrial Preservative for Use in Aqueous Adhesives, Wallpaper Pastes and Tackifiers, Building Materials, Coatings, Emulsions, Polymers and Polyurethanes, Hydraulic Fluids, Metalworking Fluids, Textiles, Laundry, Fabric, Fabric Surfaces, Vinyl and Plastics.

EPA Registration Number	5383-147
EPA Establishment Number	5383-NJ-1

ACTIVE INGREDIENT:% Weight
 2-n-octyl-4-isothiazolin-3-one.....45.0%
INERT INGREDIENTS.....55.0%
TOTAL.....100.

KEEP OUT OF REACH OF CHILDREN

DANGER

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

IN CASE OF EMERGENCY CALL 1-800-424-9300

Net Weight:

Manufactured for:

TROY CHEMICAL CORPORATION.

One Avenue L
 Newark, N.J. 07105

©TROYSAN AND MERGAL are registered trademarks

ENVIRON
 This product is toxic to fish, aquatic effluent containing this product into lake unless in accordance with the require System (NPDES) permit and the pen discharge. Do not discharge effluent previously notifying the local sewage State Water Board or Regional Office. Antisapstain treated lumber must be s any pond, lake, stream, wetland, or r waterway. Treated lumber stored with either covered with plastic or surround nearby waterway. If a berm or curb is material (clay, asphalt, concrete) and rainfall events.

DIREC
 It is a violation of Federal Law to u labeling.

MERGAL V450 is a preservative for us **Aqueous Adhesives, Wallpaper Pas** preservation of water-soluble and v vegetable glues, natural rubber lattic epoxy, acrylic lattices, and tackifiers de used for starch and dextrin based wallf. MERGAL V450 per 100 pounds of foir

Building Materials: For use to prote elastomeric roof and wall coatings, stucco and grout. Use 0.02-0.29% (wt of formulation.

Coatings: For use as a dry film and non-food contact coatings, wood coat conditions the amount of MERGAL V. 0.02-0.29 lbs. of MERGAL V450 per 1. For wood coatings and wood coatin product per 100 gallons of wood coatin For sapstain control : Treat wood with Mix thoroughly before and during use. surfaces of the wood evenly and the where it may contact food or animal fee **See accompanying product informati**

STORA

Do not contaminate water, food, or feer **PESTICIDE STORAGE:** Store in origin **PESTICIDE DISPOSAL:** Pesticide w excess pesticides, spray mixture, or t cannot be disposed of by use accordir environmental control agency or the regional office for guidance. **CONTAINER HANDLING:** Non-refill: remaining contents into application eq the flow begins to drip. Fill the contain Pour rinsate into application equipmen Drain for 10 seconds after the flow be Then offer for recycling or reconditior landfill, or incineration, or, if allowed by out of smoke.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, aquatic invertebrates, oysters and shrimp. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or other waters unless in accordance with the requirements of a National Pollution Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

Antisapstain treated lumber must be stored under cover, indoors, or at least 100 feet from any pond, lake, stream, wetland, or river to prevent possible runoff of the product into the waterway. Treated lumber stored within 100 feet of a pond, lake, stream, or river must be either covered with plastic or surrounded by a berm to prevent surface water runoff into the nearby waterway. If a berm or curb is used around the site, it should consist of impermeable material (clay, asphalt, concrete) and be of sufficient height to prevent runoff during heavy rainfall events.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

MERGAL V450 is a preservative for use in the following end use areas:

Aqueous Adhesives, Wallpaper Pastes and Tackifiers: For the dry film and wet state preservation of water-soluble and water dispersed adhesives such as animal glues, vegetable glues, natural rubber lattices, polyvinyl acetate, styrene-butadiene, polyurethane, epoxy, acrylic lattices, and tackifiers derived from rosin and hydrocarbon resins. Can also be used for starch and dextrin based wallpaper pastes. Use 0.02-0.29% (wt) or 0.02-0.29 lbs. of MERGAL V450 per 100 pounds of formulation.

Building Materials: For use to protect dry film and wet state building materials such as elastomeric roof and wall coatings, mastics, caulks, sealants, joint cements, spackling, stucco and grout. Use 0.02-0.29% (wt) or 0.02-0.29 lbs. of MERGAL V450 per 100 pounds of formulation.

Coatings: For use as a dry film and wet state preservative in latex and oil-based paints, non-food contact coatings, wood coatings and wood coating solutions. Depending on the conditions the amount of MERGAL V450 may vary but in general use 0.02-0.29% (wt) or 0.02-0.29 lbs. of MERGAL V450 per 100 pounds of formulation.

For wood coatings and wood coating solutions add 0.01-0.5% (0.1-5.0 pounds) of this product per 100 gallons of wood coatings or wood coating solutions.

For sapstain control: Treat wood with 1 to 5 qts of MERGAL V450 per 250 gallons of water. Mix thoroughly before and during use. Apply by spray or dip/immersion system that coats all surfaces of the wood evenly and thoroughly. Treated wood must not be used or placed where it may contact food or animal feed.

See accompanying product information sheet for additional rates and directions for use.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: Store in original container.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticides, spray mixture, or rinsate is a violation of federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State pesticide or environmental control agency or the hazardous waste representative at the nearest EPA regional office for guidance.

CONTAINER HANDLING: Non-refillable container. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container 1/4 full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Then offer for recycling or reconditioning if available, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

MERGAL® V450

Industrial Preservative for Use in Aqueous Adhesives, Wallpaper Pastes and Tackifiers, Building Materials, Coatings, Emulsions, Polymers and Polyurethanes, Hydraulic Fluids, Metalworking Fluids, Textiles, Laundry, Fabric, Fabric Surfaces, Vinyl and Plastics.

EPA Registration Number	5383-147
EPA Establishment Number	5383-NJ-1

ACTIVE INGREDIENT:% Weight

2-n-octyl-4-isothiazolin-3-one.....45.0%

INERT INGREDIENTS.....55.0%

TOTAL.....100.

KEEP OUT OF REACH OF CHILDREN

DANGER

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

IN CASE OF EMERGENCY CALL 1-800-424-9300

Net Weight:

Manufactured for:

TROY CHEMICAL CORPORATION.

One Avenue L
Newark, N.J. 07105

©TROYSAN AND MERGAL are registered trademarks

ENVIRONMENTAL HAZARDS

Irritation to eyes, on skin or on clothing. Harmful if ingested or frequently repeated.

Irritation to eyes, on skin or on clothing. Harmful if ingested or frequently repeated. Irritation to eyes, on skin or on clothing. Harmful if ingested or frequently repeated. Irritation to eyes, on skin or on clothing. Harmful if ingested or frequently repeated.

Irritation to eyes, on skin or on clothing. Harmful if ingested or frequently repeated. Irritation to eyes, on skin or on clothing. Harmful if ingested or frequently repeated. Irritation to eyes, on skin or on clothing. Harmful if ingested or frequently repeated.

Irritation to eyes, on skin or on clothing. Harmful if ingested or frequently repeated. Irritation to eyes, on skin or on clothing. Harmful if ingested or frequently repeated. Irritation to eyes, on skin or on clothing. Harmful if ingested or frequently repeated.

Irritation to eyes, on skin or on clothing. Harmful if ingested or frequently repeated. Irritation to eyes, on skin or on clothing. Harmful if ingested or frequently repeated. Irritation to eyes, on skin or on clothing. Harmful if ingested or frequently repeated.

Irritation to eyes, on skin or on clothing. Harmful if ingested or frequently repeated. Irritation to eyes, on skin or on clothing. Harmful if ingested or frequently repeated. Irritation to eyes, on skin or on clothing. Harmful if ingested or frequently repeated.

Irritation to eyes, on skin or on clothing. Harmful if ingested or frequently repeated. Irritation to eyes, on skin or on clothing. Harmful if ingested or frequently repeated. Irritation to eyes, on skin or on clothing. Harmful if ingested or frequently repeated.

Irritation to eyes, on skin or on clothing. Harmful if ingested or frequently repeated. Irritation to eyes, on skin or on clothing. Harmful if ingested or frequently repeated. Irritation to eyes, on skin or on clothing. Harmful if ingested or frequently repeated.

Irritation to eyes, on skin or on clothing. Harmful if ingested or frequently repeated. Irritation to eyes, on skin or on clothing. Harmful if ingested or frequently repeated. Irritation to eyes, on skin or on clothing. Harmful if ingested or frequently repeated.

Irritation to eyes, on skin or on clothing. Harmful if ingested or frequently repeated. Irritation to eyes, on skin or on clothing. Harmful if ingested or frequently repeated. Irritation to eyes, on skin or on clothing. Harmful if ingested or frequently repeated.

Irritation to eyes, on skin or on clothing. Harmful if ingested or frequently repeated. Irritation to eyes, on skin or on clothing. Harmful if ingested or frequently repeated. Irritation to eyes, on skin or on clothing. Harmful if ingested or frequently repeated.

Irritation to eyes, on skin or on clothing. Harmful if ingested or frequently repeated. Irritation to eyes, on skin or on clothing. Harmful if ingested or frequently repeated. Irritation to eyes, on skin or on clothing. Harmful if ingested or frequently repeated.