

## OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

WASHINGTON, D.C. 20460

September 16, 2025

Adrian Krygsman
Director, Product Registration
Troy Corporation

Electronic Transmittal: Adrian.Krygsman@Arxada.com

Subject: Label Amendment – Changes Required by the Carbendazim Interim Registration

**Review Decision** 

Registration Review Interim Decision Risk Mitigation

Product Name: Polyphase 963 EPA Registration Number: 5383-151

Received Date: 2/28/2025

Action Code Case Number: 00650679

## Dear Adrian Krygsman:

The amended label referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended, is acceptable. This approval does not affect any conditions that were previously imposed on this registration. You continue to be subject to existing conditions on your registration and any deadlines connected with them.

The Agency, in accordance with the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended, has completed reviewing all of the information submitted with your application to support the Registration Review of the above referenced product in connection with the Carbendazim Interim Decision, and has concluded that your submission is acceptable.

A stamped copy of your labeling is enclosed for your records. This labeling supersedes all previously accepted labeling and must be used at your next label printing. Pursuant to 40 CFR 156.10(a)(6) you must submit one copy of the final printed labeling before you release the product for shipment with the new labeling. In accordance with 40 CFR 152.130(c), you may distribute or sell this product under the previously approved labeling for 12 months from the date of this letter. After 12 months, you may only distribute or sell this product if it bears this new revised labeling or subsequently approved labeling.

Page 2 of 2 EPA Reg. No. 5383-151 Action Code Case No. 00650679

"To distribute or sell" is defined under FIFRA section 2(gg) and its implementing regulation at 40 CFR 152.3.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under FIFRA and is subject to review by the Agency. See FIFRA section 2(p)(2). If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process, FIFRA section 12(a)(1)(B). Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

Your release for shipment of the product constitutes acceptance of these conditions. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6. If you have any questions, please contact Megan Snyderman by phone at 202-566-0639, or via email at <a href="mailto:snyderman.megan@epa.gov">snyderman.megan@epa.gov</a>.

Sincerely,

Eric Miederhoff

Chief, Reevaluation Branch Antimicrobials Division

EPA Office of Pesticide Programs

**Enclosure: Stamped Label** 

# PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

# CAUTION

Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Avoid contact with skin and clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse.

## PERSONAL PROTECTIVE EQUIPMENT (PPE):

Applicators and other handlers must wear:

- Long-sleeve shirt and long pants
- Chemical-resistant gloves such as Nitrile, Viton, Neoprene and/or Barrier laminate
- Shoes plus socks

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions exist for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

#### **USER SAFETY RECOMMENDATIONS**

center or doctor, or going for treatment.

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco or
- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove personal protective equipment immediately after handling this product. Wash the outside of gloves before removing. As soon as possible wash thoroughly.

| FIRST AID  |   |  |
|--|---|--|
| IF IN EYES:  | <ul> <li>Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing.</li> <li>Call a poison control center or doctor for treatment advice.</li> </ul>            |  |
| IF ON SKIN OR<br>CLOTHING:   | <ul> <li>Take off contaminated clothing.</li> <li>Rinse skin immediately with plenty of water for 15-20 minutes.</li> <li>Call a poison control center or doctor for treatment advice.</li> </ul>   |  |
| IF<br>SWALLOWED:   | Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person.                               |  |
| IF INHALED:  | <ul> <li>Move person to fresh air.</li> <li>If person is not breathing call 911 or an ambulance, then give artificial respiration preferably mouth-to-mouth if possible.</li> <li>Call a poison control center or doctor for further treatment advice.</li> </ul> |  |
| Have the product container or label with you when calling a poison control |   |  |

# POLYPHASE® 963

A Broad Spectrum Biocide for use in Oil-Based\*\* and Water Reducible Systems including Paint and Stains, Masonry Coatings, Roof Coatings, Caulks and Sealants and Joint Cements

\*\*Not approved for the following Oil Based Systems: roof coatings, caulks, sealants and joint cements in the State of California.

| ACTIVE INGREDIENT:                                   | % Weight |  |
|--|----------|--|
| Methyl 2-benzimidazolecarbamate                      | 9.0%     |  |
| 3-lodo-2-propynyl butyl carbamate                    | 3.0%     |  |
| Diuron [3-(3,4-dichlorphenyl)-1,1-dimethylurea)15.0% |          |  |
| INERT INGREDIENTS                                    | 73.0%    |  |
| TOTAL  | 100.0%   |  |



### **KEEP OUT OF REACH OF CHILDREN**

## CAUTION SOLD FOR INDUSTRIAL USE

See Side Panel for Additional Precautionary Statements IN CASE OF EMERGENCY: CALL 1-800-424-9300 (CHEMTREC)

Manufactured for/Manufactured by:

TROY CHEMICAL CORPORATION One Avenue L. Newark. N.J. 07105

| EPA Registration Number:  | 5383-151 |
|---------------------------|----------|
| EPA Establishment Number: |          |

lbs

Net weight:

# ACCEPTED

09/16/2025

Under the Federal Insecticide, Fungicide and Rodenticide Act as amended, for the esticide registered under EPA Reg. No. 5383-151

#### **ENVIRONMENTAL HAZARDS**

This product is toxic to fish. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional office of the EPA.

#### **DIRECTIONS FOR USE**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Do not apply this product in a way that will contact workers or other persons.

POLYPHASE 963 is a non-aqueous dispersion of biocides effective against a wide variety of fungal and algal organisms. Its primary application is in oil-based\*\* and water reducible systems. The application of this product as a material preservative must be accomplished with engineering controls that achieve closed loading.

Application levels are based on laboratory and field evaluations and are typical for the use areas indicated. The use levels are reported as percentage weight/weight of POLYPHASE 963, based on the weight of the final use product.

Mix POLYPHASE 963 thoroughly before using.

Add POLYPHASE 963 to paints, stains and coatings at the end of the manufacturing cycle, at the following rate:

0.7 - 2.0%Paint Wood protective stains 0.5-2.0% 0.2-1.0% Masonry coatings 0.7 - 2.77 %

Only for use in film forming Roof coatings

applications where the product is bound by polymer in the film. Avoid sprav application and application when rain is imminent. In order to prevent damage to surrounding vegetation cover all exposed vegetation near the application site.

POLYPHASE 963 may be added to caulks and sealants at the end of the production cycle with good agitation at 0.5-1.5%.

POLYPHASE 963 may be added to joint cements at a rate of 0.5-1.2%.

\*\*Not approved for the following Oil Based Systems: roof coatings, caulks, sealants and joint cements in the State of California.

#### STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: Do not store below 41°F (5° C). The container should be tightly closed and stored in an upright position.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticides, spray mixture, or rinsate is a violation of federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State pesticide or environmental control agency or the hazardous waste representative at the nearest EPA regional office for guidance.

**CONTAINER HANDLING**: Nonrefillable container. Do not reuse or refill this container. Clean container promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container 1/4 full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times. Then offer for recycling or reconditioning if available, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

SR20250912