

SPECIMEN LABEL:

W-Guard RD-10

When used as directed, this product is an effective disinfectant, deodorant, and sanitizer. When used as a sanitizer, food contact surfaces, equipment, and utensils can be air dried after immersion in a 1 oz./6 gallon solution without a potable water rinse.

When used as directed, this product mixes with water to form clear, stable use solutions that are non-corrosive and non-staining to most common metals, plastics, and vinyl.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS DANGER

Causes eye damage and skin irritation. Do not get in eyes, on skin or on clothing. Harmful if swallowed. Avoid contamination of food. Avoid breathing spray mist.

ENVIRONMENTAL HAZARDS: This product is toxic to fish. Do not discharge into lakes, streams, ponds, or public water unless in accordance with an NPDES Permit. Do not contaminate water by cleaning of equipment or by disposing of wastes.

WISPOSAL: Do not reuse empty container. Wrap container and put in trash collection.

USE DIRECTIONS GENERAL CLASSIFICATION

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

DISINFECTION IN HOSPITALS, RESTAURANTS, COMMERCIAL AND INDUSTRIAL OFFICES, RESTROOMS AND WORK AREAS. This product may be used on floors, walls, woodwork, bed frames, and furnishings. Types of surfaces suitable for disinfection include glass, smooth metal, washable painted wood or metal, vinyl, glazed porcelain, plastic, finished leather, finished wood and similar non-porous, hard, smooth surfaces.

Always preclean surfaces with a suitable detergent and rinse well with water before disinfection. After cleaning, apply a solution containing 1 ounce of Disinfectant per gallon of water, for usual disinfecting applications. For disinfecting contagious disease areas, use 2 ounces per gallon of water.

040rless 10 Disinfectant

DISINFECTANT - SANITIZER - DEODORANT

ACTIVE INGREDIENTS:

Allyl (C ₃ H ₅ , 30%; C ₁₂ H ₂₅ , 40%; C ₁₈ H ₃₇ , 10%)	
dimethyl benzyl ammonium chloride	10.00%
INERT INGREDIENTS	79.99%
TOTAL INGREDIENTS	100.00%

This product fulfills the criteria of Appendix F of the Grade "A" Pasturized Milk Ordinance 1963. Recommendations of the U.S. Public Health Service in waters up to 700 ppm of hardness calculated as CaCO₃ when tested by the A.O.A.C. Germicidal and Detergent Sanitizers - "Official Method".

*This disinfectant is effective at 1 oz./gal. against *Pseudomonas aeruginosa* FSD-10, *Salmonella choleraesuis* ATCC 18706, and *Staphylococcus aureus* ATCC 6305 when tested by the A.O.A.C. Use Dilution Test Method for pre-cleaned, non-porous hard surfaces.

*This disinfectant is an effective virucide against Influenza virus, Type A, Brazil at 1 oz./gal. on pre-cleaned, non-porous hard surfaces.

KEEP OUT OF REACH OF CHILDREN

DANGER

(See additional precautions on side panel)

PRACTICAL TREATMENT (FIRST AID): In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse. If swallowed, drink promptly a large quantity of milk, raw egg whites, gelatin solution or, if these are not available, drink a large quantity of water. Avoid alcohol. Call a physician immediately.

NOTE TO PHYSICIANS: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

EPA Reg. No. **5165-223-5404**

EPA Est. No. **5404-NM-1**

FOR INDUSTRIAL, COMMERCIAL OR MEDICAL USE ONLY

Manufactured by:

NET CONTENTS:

GREEN'S INC.

P.O. BOX 3309

4900 PAN-AMERICAN-HIGHWAY, N.E.
ALBUQUERQUE, NEW MEXICO 87110

1 U.S. Gal.

The use solution should be applied using a clean sponge, or by a mechanical spraying device. Surface must remain moist for at least 10 minutes to allow proper germicidal action. Food contact surfaces treated with this concentration of disinfectant must be rinsed with potable water before reuse. Prepare fresh solution daily. Discard solutions when visibly soiled.

SANITIZATION OF FOOD CONTACT SURFACES: GLASSWARE, SILVERWARE, DISHES, COOKING UTENSILS, MILK CANS, AND EQUIPMENT IN PROCESSING PLANTS, MEAT PLANTS, DAIRIES, RESTAURANTS. Scrape or flush away gross soils clean with a suitable detergent. Rinse thoroughly with potable water, then apply a sanitizing treatment of THIS PRODUCT in 6 gallons of water (200 active sanitizer). The sanitizing treatment may be applied by immersion, flooding, flushing, spraying with a clean cloth or mop. All surfaces must be thoroughly wet for 1-2 minutes for proper sanitization. Allow treated items to drain thoroughly and air dry. Do not use a towel. No rinsing is required. Where possible, invert treated items (glassware, dishes, utensils, cans, etc.) and let them drain and air dry on a clean surface. Prepare fresh solutions daily or more often solutions become diluted or soiled.

FLANK AND UDDER WASHING. Use 1 ounce of Disinfectant per 6 gallons of water. Use a separate clean towel for each cow. Never dip a used towel back into the disinfectant solution. Prepare a fresh solution each milking. Prepare solution in non-corrodible tubs (stainless steel, plastic). Discard solution when it becomes visibly soiled or turbid. To prevent re-infection in milk, allow udder to air dry or dry with clean towel before attaching to milker.

FOR DEODORIZING GARBAGE CANS, GARBAGE TRUCKS, INDUSTRIAL WASTE RECEPTACLES, GARBAGE HANDLING EQUIPMENT - Preclean with suitable detergent and rinse well. Then, apply a solution of 2 oz. of THIS PRODUCT per gallon of water.

ACCEPTED
with COMMENTS
in EPA Letter Dated:

FEB 14 1984

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the purpose of
registration under EPA Reg. No.

5404-24

BEST DOCUMENT AVAILABLE

product is an effective disinfectant. When used as a disinfectant, use 1 oz./1/2 gallon of water.

Do not mix with water to use as a disinfectant. Do not use on metals, plastics, and other materials.

STATEMENTS DISCLAIMERS WARNINGS

Avoid breathing spray.

This product is toxic to fish, stream, ponds, or water with an pH of 6.5 or below. Do not use in water by cleaning of

Apply carefully. Wrap

DISCLAIMERS WARNINGS

Do not use this product in a

RESTAURANTS, COM-
MERCE, RESTROOMS
OFFICES, RESTROOMS
may be used on
disinfectant. Disinfectant
of wood or metal, vinyl,
laminated leather, finished
wood, smooth surfaces.

Disinfectant and
disinfectant. After clean-
ing, use of Disinfectant
disinfecting agent. Do not
use directly, use 1/2 ounces

0400/055 10 Disinfectant

DISCLAIMERS DISCLAIMER

ACTIVE INGREDIENTS:

Allyl (C₃H₅) 20% Cl₂ 40% Cl₂ 10%
Disinfectant 100%
TOTAL INGREDIENTS 100%

This product fulfills the criteria of Appendix P of the Code "A" of the U.S. Public Health Service in waters up to 700 ppm of hardness calculated as CaCO₃ when tested by the A.O.A.C. (Analytical and Diagnostic Services). "Official Methods".

*This disinfectant is effective at 1 oz./gal. against Pseudomonas aeruginosa, P.D.-10, Salmonella, Shigella, ATCC 10708, and Staphylococcus aureus ATCC 6538 when tested by the A.O.A.C. Use Disinfectant Test Method for procedures, non-porous hard surfaces.

*This disinfectant is an effective viricide against Influenza virus, Type A, B, and C, at 1 oz./gal. on pre-treated, non-porous hard surfaces.

KEEP OUT OF REACH OF CHILDREN

DANGER

(See additional precautions on side panel)
PRACTICAL TREATMENT (FIRST AID) In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse. If swallowed, drink promptly a large quantity of milk, raw egg whites, gelatin solution or, if these are not available, drink a large quantity of water. Avoid alcohol. Call a physician immediately.

NOTE TO PHYSICIAN: Probable mucous damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

EPA Reg. No. 5165-223-5404 EPA Est. No. 5404-NM-1

FOR INDUSTRIAL, COMMERCIAL OR MEDICAL USE ONLY

Manufactured by:

NET CONTENTS:

GREEN'S, INC.

P.O. BOX 3309

4900 PAN-AMERICAN-HIGHWAY-4900
ALBUQUERQUE, NEW MEXICO 87110

1 U.S. GAL.

The use solution should be applied using a clean mop, sponge, or by a mechanical spraying device. Surfaces must remain moist for at least 10 minutes to ensure proper germicidal action. Food contact surfaces treated with this concentration of disinfectant must be rinsed with potable water before reuse. Prepare fresh solutions daily. Discard solutions when visibly soiled.

SANITIZATION OF FOOD CONTACT SURFACES, GLASSWARE, SILVERWARE, DISHES, COOKING UTENSILS, MILK CANS, AND EQUIPMENT IN FOOD PROCESSING PLANTS, MEAT PLANTS, DAIRIES, AND RESTAURANTS. Scrub or brush away gross soils and clean with a suitable detergent. Rinse thoroughly with potable water, then apply a sanitizing treatment of 1 ounce of THIS PRODUCT in 4 gallons of water (200 ppm active sanitizer). The sanitizing treatment may be applied by immersion, brushing, flushing, spraying or by a clean cloth or mop. All surfaces must be thoroughly wet for 1-2 minutes for proper sanitization. Allow treated items to drain thoroughly and air dry. Do not use a towel. No rinsing is required. Where possible, insert treated items (glassware, dishes, utensils, milk cans, etc.) and let them drain and air dry on a clean surface. Prepare fresh solutions daily or more often if solutions become discolored or soiled.

PLANK AND UNDER WASHING. Use 1 ounce of Disinfectant per 4 gallons of water. Use a separate clean towel for each car. Never dip a used towel back into the disinfectant solution. Prepare a fresh solution for each milking. Prepare solution in non-corrosible containers (stainless steel, plastic). Discard solutions if they become visibly soiled or turbid. To prevent residues in milk, allow water to air dry or dry with clean towel before attaching to milker.

FOR DEODORIZING GARBAGE CANS, CARP TRUCKS, INDUSTRIAL WASTE RECEPTACLES, GARBAGE HANDLING EQUIPMENT - Pre-clean with suitable detergent and rinse well. Then, apply a solution of 2 oz. of THIS PRODUCT per gallon of water.

ACCEPTED
with COMMENTS
by EPA-Letter Dated:

FEB 14 1984

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for EPA Reg. No. 5404-
2404-24

BEST DODGE

5404-24

-2-

PESTICIDE DISPOSAL

Pesticide, spray mixture, or rinse water that cannot be used according to label instructions must be disposed of according to Federal or approved State procedures under Subtitle C of the Resource Conservation and Recovery Act.

CONTAINER DISPOSAL

Metal Containers:

Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other approved State and local authorities.

Plastic Containers:

Triple rinse (or equivalent). Then offer for recycling or reconditioning, or dispose of in a sanitary landfill, or by incineration if allowed by State and local authorities.

The heading "STORAGE AND DISPOSAL" must be of the same type size as the child hazard warning statement.

3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

James E. Banks
for

John H. Lee
Product Manager (31)
Disinfectants Branch
Registration Division (TS-767C)

Enclosure