

# WRICO MVF

For the control of bacteria and fungi in water heat transfer systems.

## APPLICATION

50-200 ppm of Wrico MVF should be added to the water as an initial "shock" dosage, followed by 50-100 ppm of Wrico MVF every week to 10 days as required to control bacteria and fungi.

	Percent by Weight
<b>ACTIVE INGREDIENTS</b>	<b>33.9%</b>
N-n-alkyl (C <sub>14</sub> , C <sub>16</sub> , C <sub>12</sub> , C <sub>18</sub> ) dimethyl benzyl ammonium chlorides (C <sub>14</sub> —60%, C <sub>16</sub> —30%, C <sub>18</sub> —5%, C <sub>12</sub> —5%)	10.0
N-n-alkyl (C <sub>14</sub> , C <sub>16</sub> , C <sub>12</sub> , C <sub>18</sub> ) methyl isoquinolinium chloride (C <sub>14</sub> —55%, C <sub>12</sub> —25%, C <sub>16</sub> —17%, C <sub>18</sub> —3%)	0.2
N-n-dialkyl (C <sub>14</sub> , C <sub>16</sub> , C <sub>12</sub> , C <sub>18</sub> ) methyl benzyl ammonium chloride (C <sub>14</sub> —60%, C <sub>16</sub> —30%, C <sub>18</sub> —5%, C <sub>12</sub> —5%)	0.2
bis (tributyltin) oxide	1.0
Isopropanol	12.6
Dehydroabietylamine monoacetate	4.9
Dehydroabietylamine-ethylene oxide adduct	5.0
<b>INERT INGREDIENTS</b>	<b>66.1%</b>
	<b>100.0%</b>

NET CONTENTS MARKED ELSEWHERE ON EACH CONTAINER

**CAUTION: "HARMFUL IF SWALLOWED"**  
**FOR INDUSTRIAL USE ONLY. DO NOT CON-**  
**TAMINATE OR STORE NEAR FEED OR FOOD-**  
**STUFFS.**

May be absorbed through skin. Causes skin irritation. Avoid breathing spray mist. Avoid contact with skin, eyes or clothing. In case of contact, immediately remove contaminated clothing and wash skin with soap and water; for eyes, flush with plenty of water and get medical attention. Wash clothing before reuse.

WRIGHT CHEMICAL CORPORATION

Chicago, Illinois 60622

USDA Reg. No. 5427-37