

OCT 2 1972  
 RECEIVED  
 5440-9



**SAN FRANCISCO • FORT WORTH • CHICAGO • NEW YORK**

# CARDINAL 20% LINDANE

EPA REG. NO. 5440-9

WATER MISCIBLE AND OIL SOLUBLE CONCENTRATE  
 CONTAINING 20% BY WEIGHT OF LINDANE

**CARDINAL 20% LINDANE** is a residual insecticide for the control of exposed stages of Roaches, Silver Fish, Granary and Rice Weevil, Confused Flour Beetle, Saw Toothed Grain Beetle. An aid in reducing infestation by means of killing exposed insects which are present.

### DIRECTIONS

**CARDINAL 20% LINDANE** is recommended for use in flour mills, grain elevators, rice mills, and similar grain and cereal processing plants. It is also useful in treating box cars and trucks. **CARDINAL 20% LINDANE** is used as a residual application. Water emulsions are most suitable for residual applications to control the exposed stages of Confused Flour Beetles, Granary and Rice Weevil, Saw Toothed Grain Beetle, Roaches, Black Carpet Beetles and Silver fish. Dilutions of one part of **CARDINAL 20% LINDANE** in 5 gallons of water and applied as a coarse wetting spray at the rate of 1 gallon to 1,000 square feet of surface will give residual protection.

Use only in empty grain storage areas.

Contains 1.7 lbs. Lindane per gallon  
 \*Protect from temperatures below 32 F

### INGREDIENTS

<b>ACTIVE INGREDIENTS:</b>	
Gamma Isomer of Benzene Hexachlorine (From Lindane)	20%
Aromatic Petroleum Derivative Solvent	75%
<b>INERT INGREDIENTS:</b>	
Polyoxyethylene Sorbitol Oleate Laurate	0.5%

**CONTAINER DISPOSAL:** This can't be recycled. Do not reuse empty container. Destroy by incineration or crushing. Burial or discard in a deep place away from water supply. Do not reuse empty drum. Return to drum manufacturer for destruction by perforation and burial in safe place away from water supply.

### CAUTION

Keep out of reach of children. Harmful if swallowed. Avoid contact with skin and eyes. Wash thoroughly with soap and water after handling. Do not eat, drink, or smoke while using. Do not use in areas where food is prepared or stored. Do not use in areas where food is exposed.

destroy the dead insects. After leaving the enclosed area, **DO NOT REMAIN IN TREATED AREA VENTILATE THE AREA AFTER TREATMENT IS COMPLETED** Repeat applications as necessary.

**IMPORTANT:** Close all open containers and processing equipment before spraying. Do not apply directly to feed or food stuffs, or to bags or other absorptive containers. Cover, or if possible, remove all bags of grain, packages of cereal products and other food products. Buildings should be cleaned as thoroughly as possible and excessive quantities of dust and dirt removed before applying the insecticide.

**DO NOT USE IN EDIBLE PRODUCTS AREAS OF FOOD PROCESSING, PLANTS, RESTAURANTS OR OTHER AREAS WHERE FOOD IS COMMERCIAALLY PREPARED OR PROCESSED. DO NOT USE IN SERVING AREAS WHILE FOOD IS EXPOSED.**

### CAUTION!

**KEEP OUT OF REACH OF CHILDREN  
 HARMFUL IF SWALLOWED**

For more information, contact your local health department or the nearest poison control center.

**PROTECTING THE FOODS THAT FEED THE NATION**