

ACCEPTED

9-9-70

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTERED
E.P. NUMBER NO.

SAN FRANCISCO

5440-64



Cardinal Chemical Company

SAN FRANCISCO, CALIFORNIA 94111

FORT WORTH

CHICAGO

NEWARK, N. J.

CARDINAL VAPONA® INSECTICIDE

U.S.D. A. REG. #5440-64

ACTIVE INGREDIENTS

2, 2-Dichlorovinyl dimethyl phosphate
Related compounds
Inert: Hydrocarbons

BY WEIGHT

0.93%*
0.07%*
99.00%

*Equivalent to 1% by weight Vapona® Insecticide

TOTALS

100.00%

WARNING:

KEEP OUT OF REACH OF CHILDREN

MAY BE FATAL IF SWALLOWED, INHALED OR ABSORBED THROUGH THE SKIN. In case of contact with skin or eyes, flush with plenty of water, for eyes get medical attention. Keep away from open flame. Wash thoroughly with soap and after handling and before eating or smoking. Do not contaminate feed, water or foodstuffs. If swallowed, induce vomiting immediately and get medical attention. Atropine is antidotal. Do not get in eyes or on skin.

DECONTAMINATE AND DESTROY USED CONTAINERS. Do not reuse for any purpose. Decontaminate containers by rinsing thoroughly with water and detergent. Destroy containers by breaking and burying fragments in isolated area. Dispose of rinsings in a way as not to constitute a hazard, or contaminate water supplies. This product is toxic, to fish and wildlife. Keep out of any body of water. Apply this product only as specified on this label.

USE AND DIRECTIONS FOR APPLICATION

VAPONA® INSECTICIDE 1% SOLUTION is a specially prepared formulation for use in fogging devices.

WINERIES OR WINE CELLARS: FOR USE BY TRAINED PERSONNEL ONLY. To control fruit flies apply this product at the rate of one gallon per 64,000 cubic feet. Apply when winery is not in operation. Make applications 2 or 3 times a week depending upon the actual fruit fly population. Make areas to be treated as airtight as practical by closing large ventilators, doors, windows, etc., and keep closed for at least 15 minutes after treatment. Occupants should vacate before indoor treatments and should not reoccupy the premises until it has been ventilated. After application open several windows or doors to create air currents to insure reduction of Vapona® insecticide vapors. Food should be removed and food handling equipment covered.

ACTIVE INGREDIENTS

2, 2-Dichlorovinyl dimethyl phosphate

Related compounds

Petroleum Hydrocarbons

Equivalent to 1% by weight Vapona[®] Insecticide

U.S.D.A. REG. #5440-64

BY WEIGHT

0.93%*

0.07%*

99.00%

TOTALS

100.00%

WARNING:**KEEP OUT OF REACH OF CHILDREN**

MAY BE FATAL IF SWALLOWED, INHALED OR ABSORBED THROUGH THE SKIN. In case of contact with skin or eyes, flush with plenty of water, for eyes get medical attention. Keep away from open flame. Wash thoroughly with soap and water after handling and before eating or smoking. Do not contaminate feed, water or foodstuffs. If swallowed, induce vomiting immediately and get medical attention. Atropine is antidotal. Do not get in eyes or on skin.

DECONTAMINATE AND DESTROY USED CONTAINERS. Do not reuse for any purpose. Decontaminate containers by rinsing thoroughly with water and detergent. Destroy containers by breaking and burying fragments in isolated area. Dispose of rinsings in a way as not to constitute a hazard, or contaminate water supplies. This product is toxic, to fish and wildlife. Keep out of any body of water. Apply this product only as specified on this label.

USE AND DIRECTIONS FOR APPLICATION

VAPONA[®] INSECTICIDE 1% SOLUTION is a specially prepared formulation for use in fogging devices.

WINERIES OR WINE CELLARS: FOR USE BY TRAINED PERSONNEL ONLY. To control fruit flies apply this product at the rate of one gallon per 64,000 cubic feet. Apply when winery is not in operation. Make applications 2 or 3 times a week depending upon the actual fruit fly population. Make areas to be treated as airtight as practical by closing large ventilators, doors, windows, etc., and keep closed for at least 15 minutes after treatment. Occupants should vacate before indoor treatments and should not reoccupy the premises until it has been ventilated. After application open several windows or doors to create air currents to insure reduction of Vapona[®] insecticide vapors. Food should be removed and food handling equipment covered during application, or washed after application is completed. During fogging indoors use a mask or respirator of a type passed by the U.S. Department of Agriculture for DDVP (VAPONA[®] INSECTICIDE) protection.

FOOD PROCESSING PLANTS, INDUSTRIAL PLANTS, THEATERS, WAREHOUSES: FOR USE BY TRAINED PERSONNEL ONLY. To control flies, mosquitoes, wasps, gnats, fruit flies and other small flying insects apply this product at the rate of one gallon per 64,000 cubic feet. Apply when plants are not in operation. Occupants should vacate before indoor treatments and should not reoccupy the premises until it has been ventilated. After application open several windows or doors to create air currents to insure reduction of VAPONA[®] INSECTICIDE vapors. Food should be removed and food handling equipment covered with wrapping paper during application, or washed after application is completed. During fogging indoors use a mask or respirator of a type passed by the U.S. Department of Agriculture for DDVP (VAPONA[®] INSECTICIDE) protection.

OUTDOOR AREAS: TO BE APPLIED BY, OR UNDER THE DIRECTIONS OF TRAINED PERSONNEL. To control flies, mosquitoes, gnats and other small flying insects apply this product at the rate of 5 pints to 1 1/2 gallons per acre. Do not treat areas where food or feed crops are growing.

NOTICE OF WARRANTY

CARDINAL CHEMICAL COMPANY warrants the quality of inert stability of this product for any purpose, but there is no express or implied warranty concerning this product or its uses which extend beyond the use of this product under normal conditions in accord with the statements made on this label.

PROTECTING THE FOODS THAT FEED THE NATION