

[5440-108]

EPA EST.
5440-CA-1

SAN FRANCISCO




Cardinal Chemical Company

SAN FRANCISCO, CALIFORNIA 94111

FORT WORTH

CHICAGO

NEWARK, N.J.



3-6-10 CONCENTRATED INSECTICIDE

JUL 28 1975

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No. 5440-1

CAUTION Harmful if swallowed. Do not apply directly to food. Cover or remove any food and food processing equipment during application. Do not apply while food processing is underway. After spraying bakeries and other food processing plants, wash all equipment, benches, shelving and exposed food will be handled with potable water.

FOR TRAINED PERSONNEL USE ONLY

ACTIVE INGREDIENTS

Pyrethrins	100%
Piperonyl butoxide technical	3.00%
1,1-Dicycloheptene dicarboximide	6.00%
Petroleum distillate	10.00%
Consists of 4.80% (butylcarbitol) (6-propyl-piperonyl ether and 1.20% related compounds	81.00%
**MGK 264 Insecticide Synergist	

CAUTION Do not breathe spray mist. Wear a pesticide respirator jointly approved by the Mining Enforcement and Safety Administration (formerly the U.S. Bureau of Mines) and by the National Institute for Occupational Safety and Health under the provisions of 30 C.F.R. part 2. Wash hands, arms & face with soap and water after handling and before eating or smoking. Wash all contaminated clothing with soap and hot water before reuse.

DIRECTIONS FOR USE

Saw Spray Use undiluted to kill all life stages of Indian Meal Moth, Dried Fruit Beetle, Confused Flour Beetle, and Saw-toothed Grain Beetle. Direct spray into areas of the room frequented by these insects, hitting as many insects as possible. Infested stored fruit should be fumigated or treated by other effective means using an approved product intended for this purpose. Close room or warehouse and shut off all ventilating systems. Use a spraying device to dispense this product as a fine mist in the air above the trays. Do not use a dosage not to exceed application of the spray per 50,000 cubic feet of room space. Repeat applications as necessary in any given room. Leave the room closed for one hour. Do not remain in treated areas and ventilate area before re-entry.

Wall Spray Use undiluted to kill the adult and accessible forms of Rice Weevil, Yellow Meal Worm, Carabea, Confused Flour Beetle, Angoumois Grain Moth, Mediterranean Flour Moth, and Indian Meal Moth in warehouses, storerooms and similar locations. Direct spray into corners, under pallets, and around stacks of packaged goods, hitting as many insects as possible. Infested packaged goods should be fumigated or treated by other effective means using an approved product intended for this purpose. Close room or warehouse and shut off all ventilating systems. Use a spraying device to dispense this product. Use a dosage of one fluid ounce of this spray per 1,000 cubic feet of room space. Repeat applications as necessary for insect control. Leave the room closed for one hour. Do not remain in treated areas and ventilate area before re-entry.

Spray Spray Use diluted to kill the adult mosquitoes and gnats in open areas. Dilute the concentrate with petroleum distillate at the rate of one part concentrate to two parts oil and mix well in a container before each use. Use at a time when the temperature is cool (75 degrees or less) and the wind velocity is approximately five MPH. Spray at a dosage rate of 15 ounces per minute, a wind of area to be controlled. If the equipment is truck mounted, keep the speed to approximately five MPH. Repeat application as required. Treat a swath width of about 300 feet. Treat shrubbery and vegetation where mosquitoes may rest. Shrubbery and vegetation around stagnant pools, marshy

areas, and ponds may be treated. Application of this product to any body of water is prohibited.

Spot and Contact Spray Use undiluted to kill roaches, silverfish, waterbugs, earwigs, ants, spiders, Confused Flour Beetles and Spider Beetles in sheltered locations. Adjust equipment for wet, coarse spray. Apply spray into all cracks and crevices in woodwork, walls, floors, underneath, sinks, behind pipes and in all places where these insects shelter. Do not allow spray to contact stored food. Repeat dosage as necessary for control. Leave the room closed for one hour. Do not remain in treated areas and ventilate area before re-entry.

This product is toxic to fish. Keep out of lakes, streams and ponds. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not apply when weather conditions favor drift from areas treated. Apply this product only as specified on this label.

Do not reuse empty drum. Return to drum reconditioner or destroy by perforating or crushing and burying in a safe place.

Keep containers closed and store in cool place. Do not pour or spill near open flame.

Note: Use on Public Lands (such as parks, forests, and recreation areas) may be prohibited. Consult local, state, or federal agency before use.

CAUTION!
KEEP OUT OF REACH OF CHILDREN
HARMFUL IF SWALLOWED.