

CARDINAL
CHEMICAL
COMPANY



FIFTY FRANCISCO ST.
SAN FRANCISCO
CALIFORNIA 94133

EPA EST. 5440-CA-1

PROTECTING
THE FOODS
THAT FEED
THE NATION

3 - 6 - 10 CONCENTRATED INSECTICIDE

EPA REG. NO. 5440-108

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
CAUTION

Caution: Harmful if swallowed. Do not apply directly to food. Do not apply while food processing is underway. Cover or remove food and food processing equipment during application or thoroughly clean before use. Facilities and equipment in federally inspected meat and poultry plants must be washed with an effective cleaning compound and rinsed with potable water after spraying.

Institute for Occupational Safety and Health under the provisions of #30 C.F.R. part 2. Wash hands, arms and face with soap and water after handling and before eating or smoking. Wash all contaminated clothing with soap and hot water before reuse.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Keep out of lakes, streams and ponds. Do not contaminate water by cleaning of equipment or disposal of waste. Do not apply when weather conditions favor drift from areas treated. Apply this product only as specified on this label.

PHYSICAL OR CHEMICAL HAZARDS

Keep container closed and store in cool place. Do not pour or spill near open flame.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling

STORAGE AND DISPOSAL

STORAGE: Do not contaminate water, food or feed by storage or disposal.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

Space Spray: Use undiluted to kill accessible stages of Indian Meal Moth, Dried Fruit Beetles,

FOR USE IN
AEROSOL GENERATORS

ACTIVE INGREDIENTS 100%
Pyrethrins 3.00%
Piperonyl butoxide, technical 6.00%
N-octyl bicycloheptene
dicarboximide 10.00%
Petroleum distillate 81.00%
Consists of 4.80% (butylcarbityl) (6-propyl-
piperonyl) ether and 1.20% related compounds.
**MGK 264 Insecticide Synergist

KEEP OUT OF REACH OF CHILDREN
CAUTION

SEE SIDE PANEL FOR ADDITION-
AL PRECAUTIONARY STATEMENTS

WARRANTY STATEMENT: Our recommendations for use of this product are based upon tests believed to be reliable. The use of this product is beyond the control of the manufacturer. No guarantee, expressed or implied, is made as to the effect of such or the results to be obtained if not used in accordance with directions or established safe practice. The buyer must assume all responsibility, including injury or damage, resulting from its misuse as such, or in combination with other materials.

STICIDE

Confused Flour Beetle, and Saw-toothed Grain Beetle. Direct spray into areas of the room frequented by these insects, hitting as many insects as possible. Infested stored dried fruit should be fumigated or treated by other effective methods, using an approved product intended for this purpose. Close room or warehouse and shut off all ventilating systems. Use a spraying device to dispense this product as a fine mist in the air above the trays and shelves. Use a dosage not to exceed 1/2 gallon of this spray per 50,000 cubic feet of room space. Repeat application at this dosage in any given month. Leave the room closed for one hour. Do not remain in treated areas and ventilate area before re-entry.

Space Spray: Use undiluted to kill the adult and accessible forms of Rice Weevil, Yellow Meal Worm, Cadelle, Confused Flour Beetle, Angoumois Grain Moth, Mediterranean Flour Moth, and Indian Meal Moth in warehouses, storage rooms and similar locations. Direct spray into corners, under pallets, and around stacks of packaged goods, hitting many insects as possible. Infested packaged goods should be fumigated or treated by other effective means using an approved product intended for this purpose. Close room or warehouse and shut off all ventilating systems. Use a spraying device to dispense this product. Use a dosage of one fluid ounce of this spray per 1,000 cubic feet of room space. Repeat applications as necessary for insect control. Leave the room closed for one hour. Do not remain in treated areas and ventilate before re-entry.

Space Spray: Use diluted to kill flies, adult mosquitoes and gnats in open areas. Dilute the concentrate with petroleum distillate at the rate of one part concentrate to two parts oil and mix well in container before each use. Use at a time when the temperature is cool (75 degrees or less) and wind velocity is approximately five MPH. Spray at a dosage rate of 15 ounces per minute, upwind of area to be controlled. If the equipment is truck-mounted, keep the speed to approximately 5 MPH. Repeat applications as required. Treat a swath width of about 300 feet. Treat shrubbery and vegetation

where mosquitoes may rest. Shrubby and vegetation around stagnant pools, marshy areas, and ponds may be treated. Application of this product to any body of water is prohibited.

Space Spray: For control of flying and crawling insects in establishments operating under the Federal meat, poultry, shell egg grading and egg products inspection programs.

Dilute concentrate with a white mineral oil conforming to regulation 21 CFR 121.2589 (b) or an odorless light petroleum hydrocarbon conforming to 121.1182, at the rate of one part concentrate to two parts oil, and mix well. Do not apply while food processing is underway. Cover or remove any food. Cover equipment that will be in direct contact with food. Using Micro-Gen type equipment adjusted to deliver aerosol droplets (30 microns or less), apply one ounce per 1000 cubic feet of space. Leave room closed for one hour and ventilate before re-entry.

Facilities and equipment must be washed with an effective cleaning compound and rinsed with potable water after spraying.

Space and Contact Spray: Use undiluted to kill roaches, silverfish, waterbugs, earwigs, ants, spiders, Confused Flour Beetles and Spider Beetles in sheltered situations. Adjust equipment for wet, coarse spray. Apply spray into all cracks and crevices in woodwork, walls, floors, underneath sinks, behind pipes and in all places where these insects shelter. Do not allow spray to contact stored food. Repeat dosage as often as necessary for control. Leave the room closed for one hour. Do not remain in treated areas and ventilate area before re-entry.

ACCEPTED

OCT 29 1987

Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under 5440-108
EPA Reg. No.