SUPER STAPH-TROLE 128 is a cleaner, disinfectant, deodorizer, fungicide and virucide developed for use in hospitals and other institutions where housekeeping and reduction of cross-contamination by environmental surfaces are of prime importance. This product disinfects Vaccinia virus, Influenza A2 (Asian), also disinfects Herpes simplex and Adenovirus-type 2 on inanimate environmental surfaces. It will also be effective against Pseudomonas aeruginosa ATCC-15 and is fungicidal against pathogenic Tinea trichophyton mentagrophytes.

DIRECTIONS FOR USE:

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. 1) Use at 1 (one) ounce per gallon of water for disinfecting. Precleaning with a solution of 1 (one) ounce per gallon of water for the removal of gross filth and heavy soil must be done prior to application of this product for disinfecting. For best results, apply SUPER STAPH-TROLE 128 use solution to walls, ceilings, and floor with a clean mop, cloth or sponge. Thoroughly wet all surfaces. Treated surfaces must remain wet for 10 minutes. Prepare a fresh solution daily or when use solution becomes visibly dirty. 2) Always use with clean equipment. 3) Always wear rubber gloves when using this product. 4) Do not mix with any other products (cleaners, detergents or other chemicals). 5) FOR SANITIZING OF FOOD PROCESSING EQUIPMENT AND OTHER HARD SURFACES IN FOOD CONTACT LOCATIONS.

Remove gross food particles and filth by a pre-flush or pre-scrape or, when necessary a pre-soak treatment. Wash and rinse all articles thoroughly, then apply a solution of 1 oz. Super Staph-Trole 128 in 3 1/2 gallons of water (200 ppm active.) Surfaces should remain wet for at least one minute followed by adequate draining and air drying. Do not rinse. Fresh solution should be prepared daily or when the used solution becomes visibly dirty. For mechanical application, used solution may not be reused for sanitizing applications.

Apply to sink tops, countertops, refrigerated storage and display equipment and other stationary hard surfaces by cloth or brush or mechanical spray device. Do not rinse.

Dishes, silverware, glassware, cooking utensils and other similar size food processing equipment can be sanitized by immersion in a 1 oz. per 3 1/2 gallon solution of Super Staph-Trole 128. Do not rinse.

FOR ROOM FOGGING-See Form #687 for complete instructions on use of Super Staph-Trole 128 for this purpose.

Kaka®

Minuteman®

2277 Ford Parkway
Saint Paul, Minnesota 55116

Multi-Clean®
Super Staph-Trole 128

A dual quaternary cleaner, disinfectant and sanitizer designed for hospital and institutional use

Active ingredients	
Alkyl 60% C_{14}, 30% C_{16}, 5% C_{12}, 5% C_{18} dimethyl benzyl ammonium chlorides	4.5%
Alkyl 68% C_{12}, 32% Dialkyldimethyl ethylbenzyl ammonium chlorides	4.5%
inert ingredients	91.0%

EPA Reg. No. 5449-8 EPA Est. 5449-MN-1

KEEP OUT OF REACH OF CHILDREN

DANGER:

See side panel for additional precautionary statements

ACCEPTED

JUL 27 1989

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 5449-8

KEEP OUT OF REACH OF CHILDREN

Precautionary Statements

Hazards to Humans and Domestic Animals

DANGER: CORROSIVE

Causes severe eye & skin damage. Do not get in eyes, on skin or clothing. Harmful if swallowed. Avoid contamination of food. Protect eyes and skin while handling. If using this product

Statement of Practical Treatment

In case of contact, immediately flush eyes or skin with running water for at least 15 minutes. Get eyes to a physician. Remove and wash contaminated clothing before reuse. If swallowed, do not induce vomiting. Drink milk or egg whites, gelatin solution or if these are not available, large quantities of water and call a physician immediately. Note to Physician — Probable mucosal damage may be contraindicate use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

STORAGE AND DISPOSAL — Do not contaminate water, food or feed by storage or disposal. Do not reuse empty container.

PESTICIDE DISPOSAL — Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL — Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by State and local authorities.

KEEP FROM FREEZING

BEST AVAILABLE COPY

PM31
5449-8
12