

**READ ENTIRE LABEL BEFORE USING.
 USE ONLY AS DIRECTED.**

DIRECTIONS FOR USE

MIXING DIRECTIONS:

For a spray containing 1/2 per cent Korlan* and 1/8 per cent DDVP, mix one gallon Alco Resid in fifty gallons of water.
 For a spray containing one per cent Korlan* and 1/4 per cent DDVP, mix one gallon Alco Resid in twenty-five gallons of water.
 For a spray containing two per cent Korlan* and 1/2 per cent DDVP, mix one gallon Alco Resid in twelve gallons of water.

MIXING DIRECTIONS FOR SMALLER QUANTITIES:

1/2 per cent Korlan* and 1/8 per cent DDVP, mix five and one third Tablespoons Alco Resid in one gallon of water.
 One per cent Korlan* and 1/4 per cent DDVP, mix ten and 2/3 Tablespoons Alco Resid in one gallon of water.
 Two per cent Korlan* and 1/2 per cent DDVP, mix ten and 2/3 fluid ounces Alco Resid in one gallon of water.

The combination of these two materials, Korlan* and DDVP provides a quick knockdown of flies and other listed insects as well as long lasting control. The DDVP gives the quick knockdown and the Korlan* the longer lasting control.

RESIDUAL FLY CONTROL. In Farm Buildings including dairy barns, hog barns, livestock shelters, barn yards, poultry houses and milk rooms, use the dilution rate that will provide one percent Korlan* and 1/4 per cent DDVP.

Apply this spray to interior walls and surfaces, at the rate of one gallon of the dilute spray to each 500 to 1000 square feet. Use the dilution rate that will provide 2% Korlan* and one-half per cent DDVP as a liquid bait by adding one fourth to one-half pound powdered sugar per gallon or increases at an equal rate. Apply this solution by brushing on or as a coarse spray to walls, window sills, doorways, and other places where flies congregate. **DO NOT CONTAMINATE WATER, FEED OR FOODSTUFFS, MILK OR MILKING UTENSILS.** Repeat as necessary.

Food Processing plants, Meat Packing plants, Poultry Processing plants. Treat interior areas of storage areas, warehouses, using the dilution rate to give 1% Korlan* and 1/4 per cent DDVP applying this dilute spray to walls and surfaces at the rate of one gallon to 500 to 1,000 square feet. Use the dilution rate to give 2% Korlan* and 1/2 per cent DDVP as a coarse spray or by brushing the solution on doors, window sills, covered porches, outside areas where flies rest. This may also be applied as a baited spray by adding sugar at the rate of one-fourth to one half pound per gallon of dilute spray. This rate should be used to treat trash bins, refuse areas. **DO NOT APPLY IN THE EDIBLE PRODUCTS AREAS OF FOOD PROCESSING PLANTS.**

Poultry farms (caged layers on wire). Treat surfaces where flies alight with the dilution rate to give 2% Korlan* and one-half per cent DDVP by brushing on or as a coarse spray. Treat droppings by spraying using the dilution rate to give one per cent Korlan* and one fourth per cent DDVP. **DO NOT TREAT BIRDS WITH THIS SOLUTION.**

Restaurants, Super Markets, Drive in Restaurants, OUTSIDE USE ONLY. Use the dilution rate to give 2% Korlan* and 1/2 per cent DDVP. Apply as a coarse spray to doorways, loading docks, refuse areas, exterior walls.

INDUSTRIAL AND COMMERCIAL USES


FOR USE BY PEST CONTROL OPERATORS OR OTHER TRAINED PERSONNEL ONLY.

COCKROACH CONTROL. For control cockroaches in restaurants, food markets, theatres, industrial plants, commercial buildings. Use the dilution rate to give 2% Korlan* and 1/2 per cent DDVP. Apply as a "spot" treatment to localized areas where these pests may infest. This will include such areas as cracks in woodwork, walls, baseboards, door and window frames, behind and in cracks in shelving, storage areas, around exposed water lines, under sinks, beneath stoves and refrigerators, areas in steam heating rooms and tunnels and localized areas of floors and other areas where roaches are seen running or hiding. Extreme caution must be exercised so as not to contaminate utensils, food, food preparation surfaces. Treatment must be made only at such times as the listed activities are not in operation. Only authorized personnel should be present during treatment. Do not allow children to contact treated areas until dry. Clean up any excess spray material. Rinse all food preparation surfaces and utensils with potable water prior to use. **DO NOT USE AS A SPACE SPRAY.**

FLEAS

In Buildings, Dog Kennels. Remove animals from dog kennels prior to treatment. Remove or protect water and feed. Use the dilution rate to give one per cent Korlan* and one per cent DDVP. Treat floor cracks, baseboards, chewing gum, etc. Keep children away from treated areas until dry. Do not use on dogs. Remove animal beds and cover fish bowls and aquariums before treating. Do not spray to animals.

Open Lots. Remove all animals from spray, infested ground areas, using the dilution rate to give one per cent Korlan* and 1/4 per cent DDVP. Keep animals away from treated areas until dry. Do not use on dogs. Do not contaminate water or feed. Rinse all product before treating.



RESID

**A FAST KILLING LONG LASTING CONCENTRATE SPRAY
 CONTAINS KORLAN* AND DDVP
 KILLS FLIES, ROACHES, FLEAS, SPIDERS, ANTS
 FOR FARM, RANCH, INDUSTRIAL AND COMMERCIAL
 PLANTS, FOOD PROCESSING PLANTS.**

ACTIVE INGREDIENTS	% By Weight
2,2-dichlorovinyl dimethyl phosphate	5.67%
Related compounds	.43%
Ronnel O,O-Dimethyl O-(2,4,5-trichlorophenyl) phosphorothioate**	22.70%
Aromatic petroleum derivative solvent	54.22%
INERT INGREDIENTS	16.98%
	100.00%

* Korlan, registered trademark Dow Chemical Co.

** From technical grade, not suitable for internal use in animals.

Contains 2 pounds KORLAN*, 1/2 lb. DDVP per gallon.

DANGER: KEEP OUT OF REACH OF CHILDREN

**SEE ANTIDOTE STATEMENT AND OTHER
 REQUIRED WARNING STATEMENTS
 ON SIDE PANELS.**

NET CONTENTS




ANTS, SPIDERS, DDVP. Thoroughly along the edge controlled with trash storage area.

Poisonous if swallowed. For eyes, flush with water. Do not breathe this material. Contaminated clothing, remove and wash. Store concentrate in a well-ventilated area. Mix in a well-ventilated area. Rinse any spill. Clean up any spill or contaminate. Decontaminate. Break and crush. Dispose of rins. Do not apply to. Do not use in. This product is. Keep out of lab.

The active ingredient. CALL A PHYSICIAN. INTERNAL: Giving warm saline. EXTERNAL: Contaminated clothing, Keep patient quiet. Start artificial respiration. Transport patient. Never attempt.

Manufactured in U.S.



**A FAST KILLING LONG LASTING CONCENTRATE SPRAY
CONTAINS KORLAN* AND DDVP
KILLS FLIES, ROACHES, FLEAS, SPIDERS, ANTS
FOR FARM, RANCH, INDUSTRIAL AND COMMERCIAL
PLANTS, FOOD PROCESSING PLANTS.**

ACTIVE INGREDIENTS	% By Weight
2,2-dichlorovinyl dimethyl phosphate	5.67%
Related compounds	.43%
Ronnel O,O-Dimethyl O-(2,4,5-trichlorophenyl) phosphorothioate**	22.70%
Aromatic petroleum derivative solvent	54.22%
INERT INGREDIENTS	16.98%
	<hr/> 100.00%

* Korlan, registered trademark Dow Chemical Co.

** From technical grade, not suitable for internal use in animals.

Contains 2 pounds KORLAN*, 1/2 lb. DDVP per gallon.

DANGER: KEEP OUT OF REACH OF CHILDREN

**SEE ANTIDOTE STATEMENT AND OTHER
REQUIRED WARNING STATEMENTS
ON SIDE PANELS.**

NET CONTENTS _____



ANTS, SPIDERS: Ant control is best carried out by outside treatment. Use the dilution rate to provide one per cent Korlan* and 1/4 per cent DDVP. Thoroughly spray all foundation areas, paying particular attention to areas where pipes enter the walls, around foundation ventilators, along the edges of all walkways, in and around planter beds, trash and refuse areas, other areas outside where ants are observed. Spiders can be controlled with the same dilution rate. Treat dark corners of garages, storage areas, as well as foundation areas along floors, around wood piles, trash storage areas.

DANGER!

Poisonous if swallowed, inhaled or absorbed through the skin. Do not get on skin or in eyes. In case of skin contact, wash with soap and water. For eyes, flush with plenty of clear water. Get medical attention immediately. Wash thoroughly after handling and before eating or smoking. Do not breathe spray mist. Wear mask or respirator of a type found by the U. S. Department of Agriculture to give adequate protection against this material. Wear natural rubber gloves, protective clothing and goggles. Keep unprotected persons out of operational area. Wash all contaminated clothing with soap and hot water before re-use. Keep out of reach of children. Do not contaminate feed, foodstuffs, water, milk or milking utensils.

Store concentrate in a safe place, away from children, pets or other animals

Mix in a well-ventilated room or outdoors. Mix only the required amount needed. Do not save diluted material. Dispose of any surplus in a safe manner so as not to contaminate any water.

Rinse any spills from the outside of the container in running water before storing away

Clean up any spills of the concentrate, using a strong alkali solution. Dispose of the clean up solution in such a manner as to not create a hazard or contaminate water supplies

Decontaminate empty containers by washing thoroughly with a solution of strong alkali and detergent. Rinse with clear water.

Break and crush glass containers. Puncture and crush metal containers. Bury in a place that will not constitute a hazard

Dispose of rinsings in such a manner so as to not create a hazard or contaminate water supplies.

Do not apply to animals

Do not use in rooms where milk is processed or stored

This product is toxic to fish and wildlife

Keep out of lakes, streams and ponds

ANTIDOTE AND FIRST AID TREATMENT

The active ingredients in this product are organic phosphates. As such, they are cholinesterase inhibitors. Atropine and 2-PAM are antidotal. **CALL A PHYSICIAN IMMEDIATELY IN ALL CASES OF SUSPECTED POISONING.**

INTERNAL: If the material has been swallowed, induce vomiting immediately. This may be done by introducing a finger into the throat or by giving warm salt water (1 Tablespoon of salt to a glass of water).

EXTERNAL: If the material has been spilled on the skin, immediately remove patient from the vicinity of the insecticide, remove all contaminated clothing, and wash skin with soap and water.

Keep patient prone and quiet

Start artificial respiration immediately if patient is not breathing

Transport patient immediately to nearest physician

Never attempt to give anything by mouth to an unconscious person.

Manufactured By **ALCO CHEMICAL CO.** Artesia, California

U.S.D.A. Reg. 5481-14

ACL 70-363

R470