

Front Panel

RECOMMENDED USES

ACCEPTED

JUN 25 1968

UNDER THE FEDERAL
 FUNGICIDE
 FOR
 ED. NO. 5481-51
 TO ATTACHED FORM 101

FOR
 DAILY USE
 ON CATTLE

with MALATHION and METHOXYCHLOR

ROCK FINE

1 LB

1 GAL

CAUTION: KEEP OUT OF REACH OF CHILDREN.
 SEE SIDE PANEL FOR ADDITIONAL CAUTIONS.

ACTIVE INGREDIENTS	By wt.
Malathion*	5.0
Methoxychlor (Technical)**	5.0
INERT INGREDIENTS	90.0

* O, O-dimethyl/dithio-phosphate of diethylmercaptosuccinate

** Equivalent to 4.0 2,2-bis (p-methoxyphenyl) 1,1,1-tri-
 chloroethane and 0.6 related reaction products

1 lb Panel

INSTRUCTIONS

FOR USE ON DAIRY CATTLE: Apply 2 Tablespoonful to the backs
 and necks of animals. Rub lightly into hair. Repeat application in 1 week
 if necessary.

FOR USE ON OTHER ANIMALS: Use as above. Treat animals thoroughly.
 Repeat treatment as necessary.

PRECAUTIONS: Do not apply during milking or within 6 hours of milking. Do not
 contaminate feed, feedstuffs, or water. Avoid prolonged breathing or contact
 with skin. Avoid prolonged or repeated contact with skin. Wash thoroughly after use.
 Wash hands thoroughly after use.

FOR USE ON STREAMS AND WILDLIFE: To protect fish and wildlife, do not contaminate
 streams, ponds, or lakes.

MANUFACTURED BY
 MEDICAL COMPANY
 Berkeley, California