

ACCEPTED

12-28-70

WITH COMMENTS

548034

DIRECTIONS

Place Alco Rat and Mouse Killer Bait in suitable shallow containers or protected feeding stations in locations frequented by rats and mice, preferably where they are known to feed. Inspect bait station regularly and add fresh bait if needed.

RATS: 1 or 2 bait placements of 1/4 to 1 pound at every point of heavy rat activity. An uninterrupted supply of bait should be maintained for at least 10 days.

MICE: Use a larger number of placements of about 1 Tablespoon each. An uninterrupted supply of bait should be maintained for at least 15 days.

CAUTION: KEEP OUT OF REACH OF CHILDREN
SEE SIDE PANELS FOR ADDITIONAL CAUTIONS.



RAT and MOUSE Killer Bait

Contains FUMARIN

PROVEN — ECONOMICAL — EFFECTIVE

Controls Rats and Mice in Farms, Homes, Hotels, Restaurants, Stores, Mills, Industrial Plants.

ACTIVE INGREDIENT	% BY WT.
3-(Alpha-acetyl- <i>furfuryl</i>)-4-hydroxycoumarin	0.025%
INERT INGREDIENTS	99.975%

NET CONTENTS

Manufactured by
ALCO CHEMICAL COMPANY
Artesia, California

CAUTION: Protect bait from children, dogs, cats and livestock. Active ingredient is an anti-coagulant which if swallowed by humans, pets or domestic animals may reduce the clotting ability of the blood and serious hemorrhage may result. If swallowed give a tablespoonful of salt in a glass of warm water and repeat until vomit fluid is clear. Call a Physician.

NOTE TO PHYSICIAN: In case of hemorrhage, intravenous and oral administration of Vitamin K combined with blood transfusions may be indicated as in the case of Hemorrhage caused by overdoses of bishydroxycoumarin.