

ALCO

DDVP I SPRAY

INSECTICIDAL CONCENTRATE

FOR AGRICULTURAL, COMMERCIAL PEST CONTROL/VETERINARIAN USE ONLY
FOR CONTROL OF FLIES, ADULT MOSQUITOES,
GNATS, FLEAS, ROACHES, ANTS, SOWBUGS & BROWN DOG TICKS.

ACTIVE INGREDIENTS:	
2,2-dichlorovinyl dimethyl phosphate	12.10%
Related Compounds	0.91%
Aromatic Petroleum Derivative Solvent	80.46%
INERT INGREDIENTS:	6.53%
Total 100.00%	

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

DANGER: Poisonous if swallowed, inhaled or absorbed through skin or eyes. Rapidly absorbed through skin. Repeated inhalation or skin contact may, without symptoms, progressively increase susceptibility to DDVP poisoning. Do not swallow or get in eyes, on skin, or on clothing. Do not breathe vapors. Keep out of reach of children and domestic animals. Do not contaminate water, feed or foodstuffs. Mix the concentrate outdoors or in a well ventilated room. Wear clean rubber gloves, waterproof protective clothing and goggles when handling the concentrate to prepare emulsions. Wear a pesticide respirator jointly approved by the Mining Enforcement and Safety Administration (formerly the U.S. Bureau of Mines) and by the National Institute for Occupational Safety and Health under the provisions of 30 CFR Part 11. Keep all unprotected persons out of operational area. In case of contact, wash immediately with soap and water. Wash thoroughly with soap and water before eating or smoking. Wash all contaminated clothing with soap and hot water before reuse.

Note to Physician - Warning Symptoms

Symptoms include weakness, headache, tightness in chest, blurred vision, non-reactive pin-point pupils, salivation, sweating, nausea, vomiting, diarrhea and abdominal cramps. **TREATMENT:** Atropine is the specific therapeutic antagonist of choice against parasympathetic nervous stimulation. If there are signs of parasympathetic stimulation, atropine sulphate should be injected at 10-minute intervals, in doses of 1 to 2 milligrams until complete atropinization has occurred. Morphine is contraindicated. Clear chest by postural drainage. Repeated exposure to cholinesterase inhibitors may, without warning, cause prolonged susceptibility to very small doses of any cholinesterase inhibitor. Allow no further exposure until time for cholinesterase regeneration has been allowed as by blood test.

Environmental Hazards

This product is toxic to fish and wildlife. Do not apply directly to lakes, streams, or pond contaminate water by cleaning of equipment or disposal of wastes.

Physical and Chemical Hazards

Do not use, pour, spill or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Do not apply to any area not specified on label. Not for use or storage in or around the home.

STORAGE & DISPOSAL

Do not contaminate water, food or feed by storage or disposal. **STORAGE:** Store product in original container in a cool, dry, locked place, out of reach of children. **PESTICIDE DISPOSAL:** Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA regional office for guidance. **CONTAINER DISPOSAL:** Triple rinse (or equivalent). Then dispose of in a sanitary landfill, or by other approved State and local procedures.

NOTIFICATION TO PRINTER
Please Reference the Front Panel of This EPA Labeling. EPA no longer classifies the Solvent in this product as an Active Ingredient therefore entirely remove the Solvent Name from the Ingredient Statement. Adjust the figures to add the percentage which is shown for the solvent to the total percentage of the INERT INGREDIENT. Proof ASAP.

100 DDVP PER GALLON

**KEEP OUT OF REACH OF CHILDREN
- POISON**



Statement of Practical Treatment

- IF SWALLOWED:** Call a physician or Poison Control Center immediately. If possible, vomiting should be induced under medical supervision. Drink one or two glasses of water and induce vomiting by touching the back of the throat with finger. Do not induce vomiting or give anything by mouth to an unconscious or convulsing person.
- IF INHALED:** Remove to fresh air. Call a physician immediately.
- IF ON SKIN:** Immediately remove contaminated clothing and flush effected areas with plenty of water.
- IF IN EYES:** Immediately flush eyes with plenty of water. Call a physician immediately.
- NOTE TO PHYSICIAN:** This product is a cholinesterase inhibitor. Atropine is antidotal. 2 PAM is also antidotal and may be administered in conjunction with atropine.
- Solvent presents aspiration hazard. Gastric lavage is indicated if material was taken internally. Refer to note on side panel for additional antidotal and precautionary statements.

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

REFER TO ATTACHED SUPPLEMENTAL LABEL BOOKLET
FOR COMPLETE USE DIRECTIONS

AMVAC CHEMICAL CORPORATION

4100 EAST WASHINGTON BOULEVARD
LOS ANGELES, CALIFORNIA 90023

EPA Reg. No. 5481-41-AA

EPA Est. No. 5481-CA-1

NET CONTENTS 1 GALLON

NOTICE: This product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use. Manufacturer is not responsible for the use of this product contrary to the label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to the manufacturer and/or seller, and buyer assumes the risk of any such use.