an a	en e
pm 14 5481	-54 page 1 g 4
	Form Approved. OMB No. 2070-0060. Approval expires 05-31-98
Environmental Protection Age Washington, DC 20460	Registration OPP Identifier Number
Application for	Pesticide - Section I
1. Company/Product Number	2. EPA Product Manager 3. Proposed Classification
5481-54	Robert J. Forrest
4. Company/Product (Name) ALCO CYGON 2E	PM# 14 L_X/OPP ID # 249029
5. Name and Address of Applicant (Include ZIP Code) AMVAC CHEMICAL CORPORATION 4100 EAST WASHINGTON BLVD. LOS ANGELES, CA 90023 Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No > N/A Product Name
ا میں میں اور میں اور میں اور	Product Name <u>N/A</u>
2. the Directions For Use paragraph o 3. This submission also serves as fin 4. paragraphs No. 1 & 2 in the Agency	
	tion - III
1. Material This Product Will Be Packaged In:	
Child-Resistant Packaging Yes* No * Certification must be submitted 3. Location of Net Contents Information Unit Packaging wgt. Allow	Soluble Packaging 2. Type of Container Yes
KAshel Container to the state of the pint of the second	
6. Manner in Which Label is Affixed to Product Litho Paper glued	Cother
	tion - IV
1. Contact Point (Complete items directly below for identification of indi	vidual to be contacted, if necessary, to process this application.)
Name H. R. MCLANE, INC. By H. R. MCLANE;	Authorized Agent Telephone No: (incide Area Code) Amvac Chem. Corp. 213 526 2388
Certification I certify that the statements I have made on this form and all attace I acknowledge that any knowingly false or misleading statement m both under applicable law.	
2. Signature - Allhane 3. Title	uthorized Agent
4. Typed Name 5. Date Rusty Millar, Mgr. Reg. Affairs	JAN 1 6 1996
PA Form 8570-1 (Rev. 8-94) Previous editions are obsolete.	White - EPA File Copy (original) Yellow - Applicant Copy

CERTIFICATION STATEMENT

WORKER PROTECTION STANDARD AMENDED LABELING FOR:

CYGON® 2E EPA REG. NO. 5481-54

AMVAC CHEMICAL CORPORATION LOS ANGELES, CA 90023 U.S.A.

Certification when Supplement Three is followed exactly:

I certify that the labeling being submitted for this product is in complete accordance with the labeling requirements of PR Notice 93-7, which reflects the requirements of EPA's labeling regulations for worker protection statements (40 CFR part 156, subpart K). Where exact language is specified in the PR Notice, I have used that language exactly, in the locations specified. I further certify that no revisions are being submitted other than those directed by PR Notice 93-7. I understand that it would be a violation of FIFRA if I or my supplemental registrants were to sell or distribute this product after April 21, 1994, without amended labeling complying with the requirements of 40 CFR part 156, Subpart K..

Signed: Hell hand Date JAN 1619	96							
H. R. McLane, Inc. By H. R. McLane, Authorized Agent								
for: <u>Mr. Rusty Millar, Dir. Regulatory Affairs</u>								
Amvac Chemical Corp.								

The Acute toxicity categories for this product as entered in blocks 3 through 7 of the Product Worksheet are as follows:

ToxicityCategoryAcute oralIIIAcute dermalIIISkin irritation potentialIIIEye irritation potentialIIIAcute inhalationIII

Please Stamp <u>"ACCEPTED"</u> on one copy of submitted labeling and return for our further, immediate use.

(54-CERT.PM5 / 011-16-96)

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Vapor harmful. Harmful if swallowed. Avoid breathing vapor or spray mist. Use only with adequate ventilation. Avoid contact with skin and eyes. Wash thoroughly after handling and before eating or smoking. Do not contaminate food or food products, drinking fountains, litter and feed troughs. Do not use in milk processing rooms including milk houses and milk storage rooms. Do not use in homes. Concentrated material causes eve irritation.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to wildlife and aquatic invertebrates. For terrestrial uses, do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water by cleaning of equipment or disposal of wastes.

This pesticide is highly toxic to bees exposed to direct treatment or residues on blooming crops or weed. Do not apply this product or allow it to drift to blooming crops or weeds, if bees are visiting the treatment area.

PHYSICAL OR CHEMICAL HAZARDS Do not use, pour, spill or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Not for use on plants being grown for sale or other commercial use, or for commercial seed production, or for research purposes. For use on plants intended for aesthetic purposes or climatic modification and being grown in ornamental gardens or parks, or on golf courses or lawns and grounds. Do not apply this product through any type of irrigation system.

٠												
(Continueඵ ôn	[next	ç	ok	IU	ìn)	<i>.</i> ^				2	ĥ
	* *			Î	-	•	~		î	~ ~		64 64
6 A	·		-	•	•		-			4 *	'	•
		٨	•			٩	-		^			
		~ •			-	2			•			
		Δ.			h	•		•	1			

· · · · ·

ALCO CYGON[®]2E FOR CONTROL **OF HOUSE FLIES AND INSECTS AND MITES ON ORNAMENTAL PLANTS**

ACTIVE INGREDIENT:

Dimethoate: [O,O-dimethyl S- (N-carbamoyl methyl] phosphorodithloate]-INERT INGREDIENTS**:

76,6% Total OCYGON-Reg. T.M. American Cyanamide Co. **Contains xylene-range aromatic solvent - (1 Gallon contains 2 pounds of dimethoate)

23.4%

KEEP OUT OF REACH OF CHILDREN CAUTION

STATEMENTS OF PRACTICAL TREATMENT STATEMENTS OF PRACTICAL TREATMENT <u>IF SWALLOWED</u>: Call a physician or Polson Conirol Center Immediately. Give vicilim 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious or convulsing person. <u>IF INHALED</u>: Remove vicilim to fresh air. Apply artificial respiration if indicated. <u>IF ON SKIN</u>: In case of contact, remove contaminated clothing and immediately wash skin with plenty of scap and water. <u>IF IN EYES</u>: Flush eyes with plenty of water for at least 15 minutes. Get medical attention. <u>NOTE TO PHYSICIAN</u>: This product is a cholinesterase inhibitor. Treat symptom-atically. Attopine is antidotat. SEE SIDE/BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

REFER TO ATTACHED SUPPLEMENTAL LABEL BOOKLET FOR COMPLETE USE DIRECTIONS.

EPA REG. NO. 5481-54 EPA EST. NO. 5481-CA-1

AMVAC CHEMICAL CORPORATION 4100 EAST WASHINGTON BLVD. LOS ANGELES, CA 90023 U.S.A.

NET CONTENTS 1 PINT(16 FL.OZ.)

STORA Do not contaminate disposal.

STORAGE: Store cool, dry, locked pl NOT STORE BELOV PESTICIDE DISPC hazardous, Impror spray mixture, or rin If these wastes can ing to label instructi or Environmental C Waste representati Office for guidance CONTAINER DISE lent). Then dispose approved State and

THIS PRODU GROUND .

REQUIRED CL FOF

All applicators, incl sonnel involved wit ferring operations n and equipment enu clothing and equipr a. Impermeable gl plastic covered

b. Boots or boot Co c. Long-sleeved shi d. Wide-brimmed h

e, Respirators must

NOTICE: This prodescription and is stated on the label, directions under nor turer is not response contrary to the label conditions, or under seeable to the man buyer assumes the (5481-54.PM5\EPA cont'd acctp

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Vapor harmful, Harmful If swallowed. Avoid breathing vapor or spray mist. Use only with adequate ventilation. Avoid contact with skin and eyes, Wash thoroughly after handling and before eating or smoking. Do not contaminate food or food products, drinking fountains, litter and feed troughs. Do not use in milk processing rooms including milk houses and milk storage rooms. Do not use in homes, Concentrated material causes eve initation.

ENVIRONMENTAL HAZARDS This pesticide is toxic to wildlife and aquatic Invertebrates. For terrestrial uses, do not

In period is took to while and aquatic inverteorates, For torresulauses, or not apply directly to water, or to areas where sufface water is present or to intertidal areas below the mean high water mark. Runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water by cleaning of equipment or disposal of wastes. This pesticide is highly toxic to bees copied to direct treatment or residues on blooming crops or weed. Do not apply this product or allow it to drift to blooming crops or weeds, if bees are visiting the treatment area. PHYSICAL OR CHEMICAL HAZARDS Do not use, pour, spill or store near heat or open fiame. DIRECTIONS FOR USE

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Not for use on plants being grown for sale or other commercial use, or for commercial seed production, or for research purposes. For use on plants intended for assistence purposes or climatic modification and being grown in intender plantscapes, ornamental gardens or parts, or on golf courses or lawns and grounds. Do not apply this product through any type of imgation system

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. STORAGE: Store product in original container in a cool, dry, locked place out of reach of children. DO NOT STORE BELOW FREEZING TEMPERATURES.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray midule, or finate is a violation of Federal law, if these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance. CONTAINER DISPOSAL: Triple rinse (or equivalent). Then dispose of in a sanitary

Tandfill, or by other approved State and local procedures. USE ONLY AS DIRECTED. READ ENTIRE LABEL BEFORE USING Alco Cygon 22 is an emulsifiable concentrate to be mixed with water.

DO NOT USE THIS PRODUCT FOR ANY USES OTHER THAN THOSE SPECIFIED ON THIS LABEL **DIRECTIONS FOR USE - HOUSE FLIES**

Residual Wall Sprays: For the control of houseflies, including resistant strains, in dairy barns, hog pen, call barns, poultry houses, and other farm buildings, apply a 1% residual spray to the ceilings, walls, and stanctions. Prepare the spray by mixing 2 quarts of Alco Cygon 2E in 12 1/2 gallons of water. Thoroughly wet all fly resting areas to the point of run-off. One gallon of spray will cover 500 to 1,000 square feet of surface. Repeat

Spplicatons should be made when necessary. REMOVE DAIRY ANIMALS, CALVES UNDER ONE MONTH OF AGE, AND POULTRY FROM BUILDING WHEN APPLYING RESIDUAL WALL SPRAYS. SPOT SPRAYS

SPOT SPRAYS For localized housefly control, apply a spray containing 1/2 pint of Alco Cygon 2E in 5 guarts of water with a knapsack or similar type sprayer to areas frequented by files, such as doorways, or around windows. Repeat application should be made when necessary. Good sanitation is a necessary part of any effective fly control program. MAGOT SPRAYS As a spot treatment for the control of housefly maggots, mix 1/2 pint of Alco Cygon 2E in 5 quarts of water and apply as a coarse spray or with a sprinkling can to fly breeding areas, such as poultry droppings in caged layer houses, garbage dumps and manure piles. Repeat application as additional manure or garbage is added. GENERAL on UTSIDE 1165

GENERAL OUTSIDE USE

For the control of housefiles around homes, and recreation areas, garbage cans, animals quatters, tood processing plants, warehouses, loading docks and refuse areas, thoroughly soray exposed surfaces, such as walls, fences, garbage and refuse containers with 1 pint of Alco Cygon 2E in 3 gallons of water, Repeat application should be made when necessary.

DIRECTIONS FOR USE ON ORNAMENTAL PLANTS

Alco Cygon 2E is generally effective in controlling Aphids, Thrips, Leaf miners, Scale, Leafnoppers and Mites,

For proper bim ho of treatment for the control of apecialo pasts on ornamental plants, consult, jour Clate, Auficultural Experiment Station of State Agricultural Extension Service, Make adoquate apravy when posts appear or when damage is first observed. Do not byer-dose or over-spray. Do not use on ornamental plants not listed. Do not use in sprays containing oils as injury may result. The uses listed on following pages are foliage sprays unless otherwise indicated.

(5481-54S.PM5) EPA control acctpt/d copy/08-21-93 prtr/s date of acctp/d copy/01-15-98)

4	•		* 2	* * *			
2		3			÷		
,	٦.	•	•	•			
۰.	• >		¥ ¥		,		
	,		,				

DIRECTIONS FOR USE ON ORNAM

				IN ORNAN						
Ornamental	Pests	Amt/60 Gais	Amt/3 Gals	Ornamenta						
Plants	Controlled	water								
Azaleas	Lace Bugs	1 pint	2 tbsp.	Boxwood						
outdoor plants)	Tea Scales White Flies	Injury may occur o eties if applied in s containing oil.	on certain vari- spray mixtures	-						
Cameilias	Aphids	1 pint	2 tbsp.	Cedar						
	Cameilla Scale	<u>Foliar Spray;</u> Apply 2 sprays 6 the first year follo	Euonymus Gardenias							
Í	Mites Tea Scale	applications so growth begins in	the first year followed by annual applications soon after first growth begins in the spring.							
		Soil Drench:		Gerberas						
Injury may occur		Apply as a soil of the base of plants at the rate of 4 tbs	in early spring	Gladiolus						
eties if applied in containing oil.		water per plant u Increase this rate for larger plants.	p to 6 feet tall, proportionately	Iris Poinsettias						
Carnations	nations Aphids 1 pint 2 tbsp. Thrips <u>Soil Drench:</u> Mites Apply as a soil drench at the rate of 4 fluid ozs./ 500 sq.ft. of bed or bench; (5 quarts per 1/2 acre) in									
		sufficient water f bution. Water in th application.		Ficus Nitida (Outdoor plants) Hemlock						
Cyperus	Bactra Moth	1 pint Apply as a drend	2 tbsp. hino sprav.	Juniper						
Day Lilies	Aphids Thrips	1 pint Do not use on Ei since injury may	2 tbsp. aster Lilies							
Roses (Outdoor Plants)	Aphids Leafhoppers	1 pint	2 tbsp.	Oak						
. ,	Mites Thrips			Pine						
Arborvitae	Aphids Bagworms Mites	1 quart	4 tbsp.							
Birch	Aphids Leaf Miners	1/2 pint For leaf miner leaves are expan	ided (about mid							
		May) and repeat	. in eany July,	Taxus						
tbsp. = tablespoont	ນ)			Refer to Corr						

FOR CONTROL OF HOUSE FLIES AND **INSECTS AND MITES ON ORNAMENTAL PLANTS**

CYGO

SUPPLEMENTAL LABEL BOOKLET **USE DIRECTIONS**

	TIVE INGREDIENT: Dimethoate (0,0-dimet	thvi S	-N-	നത	th vic	ario	amo	n ive	heth	٧D				
	phosphorodithiost										- 3	-	23.4%	
١N	IERT INGREDIENTS: "		-	•		-	-	-	-	-	-		76.6%	
											Tot	al	100.0%	
°CY	GON Trademark of Am	erica	n C	a na	ıлік	le C	omj	5an)	r, **	Со	ាងតែ	5 X	iano-range	,
	aromatic solven	<u>t 10</u>	saik	n C	onta	uins.	2 pc	ound	lof	Dim	<u>ieth</u> x	ate		
	KEEP OUT	O	FΡ	₹Ē.	AC	ж	0	F٩	Cŀ	ŧIL	.DI	٦E	N	
j			.Α											

EPA Reg. No. 5481-54 EPA Est. No. 5481-CA-1 AMVAC CHEMICAL CORPORATION ATODE, WASHINGTON BLVD.

LOS ANGELES, CA 90023 U.S.A.

Refer to label on container for **Complete Precautionary Statements**