

READ ENTIRE LABEL BEFORE USING. USE ONLY AS DIRECTED.

89c

Alco 5% Sevin Dust can be applied either by sifting from the shaker top of this can or by means of a dust gun. A dust gun will give a more uniform coverage of the plants to be treated.

DIRECTIONS FOR USE:

FOR BEST RESULTS MAKE APPLICATIONS IN THE MORNING OR EVENING WHEN IT IS COOL AND THE AIR IS STILL. BE SURE TO TREAT BOTH UPPER AND LOWER SURFACES OF LEAVES.

APPLY TO GIVE THOROUGH COVERAGE BUT AVOID APPLYING IN EXCESS.

Applications should be started when insects first appear. Repeat applications as necessary. This would normally be at 7 to 10 day intervals, but in rainy weather applications may have to be made more often. Listed below are the crops with the pests controlled by Alco 5% Sevin Dust followed by the time interval to stop application prior to harvest.

CROP and PESTS CONTROLLED	Interval to Stop Use Before Harvest
BEANS	14 days
CARROTS	14 days
CORN	14 days
POTATOES	14 days
TOMATOES	14 days
EGGPLANT	14 days
PEPPERS	14 days
CUCUMBERS, MELONS, SQUASH, MELONKIN	14 days
LETTUCE	14 days
LEAF LETTUCE	14 days
TABLE BEETS	14 days
CABBAGES, BROCCOLI, BRUSSELS SPOURGE, CABBAGE, CABBAGEFLOWER	14 days
ASPARAGUS	14 days
STRAWBERRIES	14 days
CITRUS	14 days

Ornamental Flowers, Shrubs and Trees:

Apply Alco 5% Sevin Dust to thoroughly cover the plant foliage for control of the following pests: Boxelder bug, Elm leaf beetle, flea beetle, June beetle, Leafhoppers, leaf rollers, apple aphid, mealybugs, mimosa webworm, oak leaf miner, orange tortrix, Periodical Cicada, Psyllids, Rose aphid, Rose slug, Thrips (exposed), blister beetles, and the following scale insects: Soft Brown, European elm, Oak Kermes, Oystershell, Cottony maple, Black.

DO NOT APPLY ALCO 5% SEVIN DUST TO BOSTON IVY AS INJURY WILL RESULT

Turf Pests: Apply one pound Alco 5% Sevin Dust to cover 250 square feet to control the following pests: Earwigs, millipedes, Sod webworms, leafhoppers, ants. Turf should be lightly sprinkled after application to wash dust off foliage. Retreat as necessary.

Dogs and Cats: Control of fleas and Brown dog ticks. Rub into skin and apply in sleeping quarters weekly. Avoid getting into eyes.

DO NOT TREAT KITTENS UNDER FOUR WEEKS OLD.

IMPORTANT USE INFORMATION:

1. For Corn Earworm control treat corn silks every 3 days until silk dries.
2. For scale insect control best results are obtained when crawlers are present.
3. Do not apply to melons or cucumbers when temperatures exceed 80° F or when vines are wet.
4. Do not use Alco 5% Sevin Dust on Dairy animals.

NOTICE: The use of this material being subject to conditions beyond their control Alco Chemical Co. makes no warranty of any kind, express or implied concerning the use of this material except that it conforms to the chemical description on the label. The user assumes all risks of use, handling or storage, whether or not in accordance with directions and accepts and uses this material under these conditions.

*Trade mark Union Carbide Corporation for 1-Naphthyl N-methyl carbamate U. S. Patent No. 2,903,478

ACL 156-666

NET WEIGHT: 1 POUND

5% SEVIN* DUST

FOR CONTROL OF CERTAIN INSECT PESTS OF VEGETABLES, FRUIT, ORNAMENTAL PLANTS, TURF AND ANIMALS

ACTIVE INGREDIENT	% By Weight
Carbaryl (*1-Naphthyl N-Methyl carbamate)	5.0%
INERT INGREDIENTS	95.0%
	<hr/> 100.0%

CAUTION: KEEP OUT OF REACH OF CHILDREN

SEE SIDES AND PANELS FOR ADDITIONAL CAUTIONS.


CAUTIONS: Harmful if inhaled or swallowed. Avoid prolonged or repeated breathing of dust. Avoid unnecessary skin contact. May cause irritation of eyes, nose, throat. Wash thoroughly after use. Store out of reach of children or animals. Toxic to honey-bees. Do not use during periods of bee activity. Avoid treating blooms. **Avoid contamination of Food, Feed, Feeding troughs, water, watering receptacles.** Keep out of reach of children and animals. Remove any residues at harvest by peeling, brushing or washing.

NOTE TO PHYSICIAN: Carbaryl is a moderate, reversible, cholinesterase inhibitor. Atropine is antidotal.

Manufactured for **ALCO CHEMICAL COMPANY** Artesia, California

89c

NET WEIGHT: 1 POUND



5% SEVIN DUST

Flowers, Shrubs and Trees:

Alco 5% Sevin Dust to thoroughly cover the plant foliage for control of the following pests: Boxelder bug, Elm leaf beetle, June beetle, Leafhoppers, Apple aphid, mealybugs, mimosa beetle, oak leaf miner, orange tortrix, Cicada, Psyllids, Rose aphid, Rose thrips (exposed), blister beetles, and following scale insects: Soft Brown, on elm, Oak Kermes, Oystershell, maple, Black.

DO NOT APPLY ALCO 5% SEVIN DUST TO ANY IVY AS INJURY WILL RESULT

Use: Apply one pound Alco 5% Sevin Dust to cover 250 square feet to control the following pests: Earwigs, millipedes, Sod webbers, leafhoppers, ants. Turf should be sprayed after application to wash off foliage. Retreat as necessary.

Use on Cats: Control of fleas and Brown Lice. Rub into skin and apply in sleepers weekly. Avoid getting into eyes.

DO NOT TREAT KITTEN UNDER TWO WEEKS OLD.

IMPORTANT USE INFORMATION:

For Corn Earworm control treat corn plants every 3 days until silk dries. For scale insect control best results are obtained when crawlers are present. Do not apply to melons or cucumbers when temperatures exceed 80° F or when vines are wet. Do not use Alco 5% Sevin Dust on any animals.

Warning: The use of this material being under conditions beyond their control. The Chemical Co. makes no warranty of performance, express or implied concerning the use of this material except that it conforms to the chemical description on the label. The user assumes all risks of use, handling, storage, whether or not in accordance with directions and accepts and uses this material under these conditions.

Mark Union Carbide Corporation for 1-Naphthyl N methyl carbamate U. S. Patent No. 2,903,478

ACL 156-666

FOR CONTROL OF CERTAIN PESTS OF VEGETABLES, FRUIT, ORNAMENTAL PLANTS, TURF AND ANIMALS

ACTIVE INGREDIENT	% By Weight
Carbaryl (*1-Naphthyl N Methyl carbamate)	5.0%
INERT INGREDIENTS	95.0%
	<hr/>
	100.0%

CAUTION: KEEP OUT OF REACH OF CHILDREN

SEE SIDES AND PANELS FOR ADDITIONAL CAUTIONS.

CAUTIONS: Harmful if inhaled or swallowed. Avoid prolonged or repeated breathing of dust. Avoid unnecessary skin contact. May cause irritation of eyes, nose, throat. Wash thoroughly after use. Store out of reach of children or animals. Toxic to honey-bees. Do not use during periods of bee activity. Avoid treating blooms. **Avoid contamination of Food, Feed, Feeding troughs, water, watering receptacles.** Keep out of reach of children and animals. Remove any residues at harvest by peeling, brushing or washing.

NOTE TO PHYSICIAN: Carbaryl is a moderate, reversible, cholinesterase inhibitor. Atropine is antidotal.