ALCO OLIVE STOP

ACC 1969

PREVENTS FRUITING OF ORNAMENTAL OLIVE TREES

5×81-66

6 Oz. Makes Up to 20 Gallons of Spray

ACTIVE INGREDIENT

% By Weight

Alpha Naphthalene Acetic Acid as the Ammonium salt\*

5.68%

INERT INGREDIENT

94.32%

100.00%

\*Equivalent to 5.2% Alpha Naphthalene Acetic Acid or 200 grams per gallon.

CAUTION: KEEP OUT OF REACH OF CHILDREN.

See Back Panel for Additional Cautions.

Net Contents\_\_\_\_

Back Panel

USE ONLY AS DIRECTED.

READ ENTIRE LABEL BEFORE USING.

DIRECTIONS: For best results -- Alco Olive Stop should be applied when the olives are in full bloom but before fruit sets. In Southern California and in certain other areas the olives have an extended blooming period so more than one spraying will be necessary.

When extended bloom occurs, spraying should be started between half and three fourths bloom with a second spraying applied seven to fourteen days later. If necessary a third spray can be applied again at seven to fourteen days after the second.

In certain desert areas, control has been achieved even after fruit has reached pin head to small shot size, but best results are still had prior to fruit set.

Apply Alco Olive Stop so as to achieve full coverage of the tree. Mix 4 ounces of Alco Olive Stop in 10 gallons of water. To insure proper coverage of the spray material add  $1\frac{1}{2}$  to  $2\frac{1}{2}$  teaspoonsful of Alco Spreader Sticker to c ch  $\frac{1}{2}$  gallons of spray mix. The higher rate should be used in areas of hard water.

Alco Olive Stop can be applied through any conventional spraying equipment.

Should any ornamental plants be close to trees to be sprayed, it is suggested they be covered prior to spraying with polyethylene sheeting or other materials and the covering left on until all danger from dripping or spray drift has passed to prevent possible injury to these plants.

When properly applied no injury to olive trees has been observed, however, Alco Olive Stop should not be applied during the heat of the day or when temperatures are over 85°F. as leaf curl may occur.

CAUTION: Harmful if swallowed. Avoid contact of this concentrate with skin, eyes, and clothing. Avoid contamination of feed and foodstuffs. Do not contaminate water by cleaning of equipment, or disposal of wastes.

NOTICE: The use of this material being subject to conditions beyond their control neither ALCO CHEMICAL COMPANY nor the seller shall be responsible in any manner for any personal injury or property damage or other type of loss resulting from the handling, storage or use of this material. The buyer assumes all risk and liability therefrom and accepts and uses this material under these conditions.

Manufactured For ALCO CHEMICAL COMPANY Artesia, California

ACL 164-1166

-----

U.S.D.A. No. 5481-