

ACCEPTED

NOV 22 1988

Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under
EPA Reg. No. 5481-66

PRECAUTIONARY STATEMENTS

Hazards To Humans

CAUTION: May be harmful if swallowed, inhaled or absorbed through the skin. Avoid contact with skin, eyes or clothing. In case of eye contact, immediately flush eyes with plenty of water. Get medical attention if irritation persists. Wash thoroughly after handling. Remove and wash contaminated clothing before reuse.

ENVIRONMENTAL HAZARDS

Do not apply directly to any body of water. Do not contaminate water by cleaning of equipment or when disposing of equipment washwater. Avoid drift of spray vapors.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Do not apply this product through any type of irrigation system.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. **STORAGE:** Store in a cool, dry, locked place out of reach of children. Do not store in direct sunlight. Do not store at temperatures of 32 degrees F or below. **CONTAINER DISPOSAL:** Do not reuse empty container. Wrap and put in trash collection.

ALCO

OLIVE STOP

Prevents Fruiting of Ornamental Olive Trees

ACTIVE INGREDIENT:

1-Naphthaleneacetic acid, Ammonium Salt* 5.68%

INERT INGREDIENTS: 94.32%

Total

100.00%

*Equivalent to 5.2% 1-Naphthaleneacetic acid or
200 grams (0.44 lbs.) per gallon.

KEEP OUT OF REACH OF CHILDREN CAUTION

See Side Panel for Additional Precautionary Statements

8 Fluid Ounces makes up to 20 Gallons of Spray

EPA Reg. No. 5481-66-AA

EPA Est. No. 5481-CA-1

NET CONTENTS 1 GALLON

AMVAC CHEMICAL CORPORATION
4100 EAST WASHINGTON BLVD
LOS ANGELES, CALIFORNIA 90023

USE ONLY AS DIRECTED READ ENTIRE LABEL BEFORE USING

For best results, Alco Olive Stop should be applied when the olives are in full bloom but before fruit set. In southern California and in certain areas the olives have an extended blooming period so more than one spraying will be necessary.

When extended bloom occurs, spraying should be started between half and three fourth bloom with a second spraying applied seven to fourteen days later. If necessary a third spray can be applied again at seven to fourteen days after the second. In certain desert areas control has been achieved even after fruit has reached pin head to small shot size, but best results are still prior to fruit set.

Apply Alco Olive Stop so as to achieve full coverage of the tree. Mix 4 fluid ounces of Alco Olive Stop in 10 gallons of water. To insure proper coverage of the spray material add 1 1/4 to 2 1/2 teaspoons of nonionic wetting agent to each 10 gallons of spray mix. The higher rate should be used in areas of hard water. Alco Olive Stop can be applied through any conventional spraying equipment.

Should any ornamental plants be close to trees to be sprayed, it is suggested they be covered prior to spraying, with polyethylene sheeting or other materials and the covering left on until danger from dripping or spray drift has passed to prevent possible injury to these plants.

When properly applied no injury to Olive Trees has been observed, however, Alco Olive Stop should not be applied during the heat of the day or when temperatures are over 85 degrees F as leaf curl may occur.

NOTICE: This product conforms to its chemical description and is reasonably fit for the purpose stated on the label, when used in accordance with directions under normal conditions of use. Manufacturer is not responsible for the use of this product contrary to the label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to the manufacturer and/or seller and the buyer assumes the risk of any such use.

10-88