

(CENTER PANEL)

Page 1

ALCO

CHLORPYRIFOS 1E
EMULSIFIABLE INSECTICIDE

FOR USE BY PEST CONTROL OPERATORS ONLY TO CONTROL RESISTANT AND NON-RESISTANT COCKROACHES.

ACTIVE INGREDIENTS:

O,O - diethyl O-3,5,6 - trichloro -2 pyridyl phosphorothioate -----	13.88%
Aromatic Petroleum Derivative Solvents -----	44.39%

INERT INGREDIENTS:

	41.73%
	<u>100.0 %</u>

Contains one pound O,O-diethyl O-3,5,6-trichloro -2 pyridyl phosphorothioate per gallon.

NOTIFICATION TO PRINTER
 Please Reference the Front Panel of This EPA Labeling. EPA no longer classifies the Solvent in this product as an Active Ingredient therefore entirely remove the Solvent Name from the Ingredient Statement. Adjust the figures to add the percentage which is now shown for the solventTO.... the total percentage of the INERT INGREDIENT. Proof ASAP.

KEEP OUT OF REACH OF CHILDREN

WARNING

STATEMENT OF PRACTICAL TREATMENT

- IF SWALLOWED: Immediately get medical attention.
- IF ON SKIN: Immediately remove contaminated clothing and flush effected areas with plenty of water.
- IF IN EYES: Immediately flush eyes with plenty of water and see a physician.

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

EPA REG. NO. 5481-68

EPA EST. NO. 5481-CA-1

AMVAC CHEMICAL CORPORATION
4100 E. Washington Blvd.
Los Angeles, CA 90023

NET CONTENTS: _____

Reviewed. For use in California only. See label for restrictions.

CHLORPYRIFOS 1E
(LEFT PANEL)
Page 1

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DO NOT TAKE INTERNALLY
DO NOT GET IN EYES
DO NOT GET ON SKIN

WARNING: May be fatal if swallowed. May be absorbed through skin. May be irritating to eyes and skin. Do not get in eyes or on skin. Do not wear contaminated clothing. Wash thoroughly after handling. Avoid breathing spray particles. Handle concentrate in ventilated area. Keep away from food, feed-stuffs and water supplies. Do not let children or pets contact treated areas until thoroughly dry.

NOTE TO PHYSICIAN: Chlorpyrifos is a cholinesterase inhibitor. Treat symptomatically. Atropine is antidotal.

PHYSICAL AND CHEMICAL HAZARDS

KEEP AWAY FROM HEAT AND OPEN FLAME

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. READ ENTIRE LABEL. USE IN ACCORDANCE WITH PRECAUTIONARY STATEMENTS AND DIRECTIONS, AND WITH APPLICABLE STATE AND FEDERAL REGULATIONS.

STORAGE AND DISPOSAL

PESTICIDE DISPOSAL: Pesticide, spray mixture or rinse water that cannot be used according to label instructions must be disposed of according to Applicable Federal, State or local procedures.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other approved state and local procedures.

STORAGE: KEEP...

MIXING AND USE DIRECTIONS:

CHLORPYRIFOS 1E insecticide mixes readily with water or oil. Dilute the required amount of Chlorpyrifos 1E in water or in a base oil such as deodorized kerosene. Mix according to the following table to obtain the desired concentration of 0.25% or 0.50% Chlorpyrifos insecticide. Use the higher concentration (0.50%) to quickly reduce heavy cockroach infestations and the lower concentration (0.25%) on light infestations.

FOR FOR WATER DILUTION

Amount of Spray Mixture Desired	Amount of Chlorpyrifox 1E to Use	
	for 0.25%	for 0.50%
1 gallon	2 2/3 oz.	5 1/3 oz.
3 gallons	8 ounces	16 ounces
5 gallons	13 1/3 oz.	26 2/3 oz.

FOR OIL DILUTION:

Amount of Spray Mixture Desired	Amount of Chlorpyrifox 1E to Use	
	for 0.25%	for 0.50%
1 gallon	2 1/8 oz.*	4 1/4 oz.
3 gallons	6 3/8 oz.	12 3/4 oz.
5 gallons	10 5/8 oz.	21 1/4 oz.

*1 oz. = 2 Tablespoons = 6 Teaspoons

1/4 oz. = 1 1/2 Teaspoons

FOR USE IN HOMES, APARTMENTS, RESTAURANTS, WAREHOUSES, ETC.

Use as a spot treatment by applying as a coarse spray or with a paint brush, to areas where cockroaches are normally found. These areas include dark corners of rooms and closets, at the base of walls, in cracks in the wall, behind baseboards, behind and beneath sinks, refrigerators, stoves and cabinets and around drainpipes. Apply in a manner to avoid spray or mist contacting food, feedstuff and water supplies. Dishes and food handling utensils should be thoroughly washed in soap and water if they become contaminated by the application of this products. Repeat treatment as needed.

NOTE: A period of 4 to 7 days after treatment is normally required for maximum effect on cockroaches. DO NOT USE IN EDIBLE PRODUCTS AREA OF FOOD PROCESSING PLANTS.

Notice: This product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use. Manufacturer is not responsible for the use of this product contrary to the label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use.