

Manufactured by ALCO CHEMICAL CO., Artesia, California 90701

DO NOT USE THIS PRODUCT FOR ANY USE OTHER THAN THOSE SPECIFIED ON THIS LABEL.  
READ ENTIRE LABEL BEFORE USING. USE ONLY AS DIRECTED.

ALCO FLY FIGHTER LIQUID DOUBLE STRENGTH is an insecticidal concentrate especially formulated for the control of flies, resistant and non-resistant around dairy barns, stables, barns, feed yards, corrals, loafing sheds, battery, poultry establishments, farm buildings, animal hospitals, refuse collection areas, garbage cans. Applied inside garbage cans it keeps yellow jackets under control in local areas.

**DIRECTIONS FOR USE**

**FLY CONTROL ON DAIRY AND BEEF CATTLE:** Mix 1 gallon ALCO FLY FIGHTER LIQUID DOUBLE STRENGTH in 20 gallons of water, 5 lbs. or 2 1/2 fluid oz. per 1 gal. of water. Apply 2-4 fluid ounces daily per animal mist spray using a hand or automatic sprayer. Do not apply more than 4 fluid ounces per animal. Apply as to the hair. Do not apply on young calves less than three months old.

**FEED LOTS, STOCKYARDS, CORRALS, HOLDING PENS:** For control of flies, gnats, mosquitoes. Mix one gallon ALCO FLY FIGHTER LIQUID DOUBLE STRENGTH in fifty gallons of water, one pint to 6 gallons of water or 2 1/2 fluid ounces in one gallon of water to make a 0.5% spray solution. Make application with mist blower or other suitable equipment at an overall application at the rate of 0.2 pounds of Technical DCVP per acre. This is equivalent to approximately 5 gallons of 0.5% spray per acre. Particular attention should be given to areas where feed concentrate, such as fences, spillage areas, around feed bunks, and walls of buildings. Animals may be present during treatment. Avoid direct application to exposed feed and water. A baited spray may be made by dissolving pound of sugar in 5 to 10 gallons of water before adding the concentrate.

**ANIMAL BUILDINGS:** For the control of flies, gnats, mosquitoes, roaches, fleas, ants, sowbugs, and brown dog ticks. Apply a 0.5% spray solution. Mix 1/2 gallon in one gallon of water, one pint in two gallons of water, or one gallon in fifty gallons of water. These dilutions result in a 0.5% spray. A baited spray may be prepared by adding one pound of sugar per one gallon of spray solution. Apply as a general wet spray at the rate of one quart per 1000 square feet. **DO NOT TREAT ANIMALS AT THIS RATE.** Before applying enclosed areas reduce air movements as much as possible by closing doors, windows and other openings. Do not contaminate water, feed or foodstuffs, milk or milking utensils. Repeat application as necessary.

**Dairy Barns, Stables, Livestock Buildings, Loafing Sheds, Pig Pens, and Outdoor Areas:** Spray around tracks, feed storage rooms, alleyways, and window sills. Do not contaminate milk or milking utensils.

**Poultry Houses:** Apply to manure, window sills, outside of penned enclosures, and on floor of feed storage rooms.

**MANURE PILES, GARBAGE DUMPS:** For the control of fly maggots in maggot breeding areas apply at the rate of 1-2 quarts of 0.5% spray for 100 square feet. Baited feeding on treated areas may be used.

**DOG KENNELS:** Apply to outside dog runways, window sills and ledges. For control of fleas and brown dog ticks increase dosage to two quarts of 0.5% per 1000 square feet.

**GARBAGE CANS, REFUSE CANS:** To give local control of yellow jackets apply the 0.5% spray to the inside of the lid inside of the container each time the container is emptied.

**FOGGING ANIMAL BUILDINGS:** Apply at a 0.5% to 1.0% to control flies, gnats, mosquitoes. For a 0.5% fog mix 1 pint of 2 gallons of diesel oil. For a 1.0% fog mix 2 quarts in 2 gallons of diesel oil. Apply at the rate of 1 quart of a 0.5% solution or 1 pint of a 1.0% solution to 6000 sq. feet. Before fogging close all openings as much as possible by closing doors, windows and other openings. Do not contaminate water, feed or foodstuffs, milk or milking utensils. Do not use this solution for fogging purposes in areas where animals have received direct application within 8 hours.

**DANGER:** Poisonous if swallowed, inhaled or absorbed through skin or eyes. Rapidly absorbed through skin. Repeated inhalation of skin contact may, without symptoms, progressively increase susceptibility to DBVP poisoning. Do not swallow or get in eyes, on skin or in mouth. Do not breathe vapors. Avoid eye contact. Keep out of reach of children and domestic animals. Do not contaminate water, feed or foodstuffs. Do not apply to any area not specified on label. Keep away from heat and open flame. Net use in enclosed areas.

**ANTIDOTE AND FIRST AID TREATMENT:** Atropine and 2-PAM are antidotes for 2-PAM poisoning and may be administered in conjunction with atropine. **IN CASE OF POISONING OR SUSPECTED POISONING, CALL A PHYSICIAN IMMEDIATELY. INTERNAL:** If the material has been swallowed, induce vomiting immediately. This may be done by introducing a finger into the throat or by giving warm salt water, 1 Tbs. to 1 cup of water. **NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. EXTERNAL:** If the material has been on the skin, remove all contaminated clothing and wash skin with soap and running water. If the material has gotten in the eyes, wash immediately with running water for at least ten minutes. **CALL A PHYSICIAN.**

Mix the concentrate in a well-ventilated room. Wash any spillage off the outside of the container with running water before storing. Wear clean rubber gloves. Clean clothes before putting on. During mixing, loading or application, wear a mask or respirator approved by the U.S. Department of Agriculture. Do not use with DBVP. Wash thoroughly with soap and running water after handling and get a clean, dry shirt. Do not apply when weather conditions favor drift of spray from the treated area.

This product is toxic to fish and wildlife. Keep out of lakes, streams and ponds.

**DECONTAMINATE AND DESTROY USED CONTAINER.** Never reuse for any purpose. When empty, rinse thoroughly with detergent and water. Break or crush container and bury in an isolated area. Dispose of empty container to decontaminate any water supplies.

ACI 11-10  
R 11

UNDER THE  
EYES  
OF THE  
FEDERAL  
GOVERNMENT

NET CONTENTS

# KILL FLIES FAST

*In Seconds*

**DANGER: KEEP OUT OF REACH OF CHILDREN**  
SEE SIDE PANEL FOR ANTIDOTE STATEMENT AND OTHER WARNINGS

## FLY FIGHTER

### Liquid Double Strength

ACTIVE INGREDIENTS	% BY WEIGHT
2,2-Dichlorovinyl dimethyl phosphate	23.25
Related compounds	1.75
Aromatic Petroleum Derivative Solvents	68.00
<b>INERT INGREDIENTS</b>	<b>7.00</b>
	<b>100.00</b>



© 1977, 1978, 1979, 1980, 1981, 1982, 1983, 1984, 1985, 1986, 1987, 1988, 1989, 1990, 1991, 1992, 1993, 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010, 2011, 2012, 2013, 2014, 2015, 2016, 2017, 2018, 2019, 2020, 2021, 2022, 2023, 2024, 2025

DO NOT USE FOR ANY USE OTHER THAN THAT SPECIFIED ON THIS LABEL  
READ ENTIRE LABEL BEFORE USING. USE ONLY AS DIRECTED  
EFFECTIVE DOUBLE STRENGTH

NET CONTENTS 100.00 FL OZ (3.0 L)

NET WEIGHT 100.00 G

NET VOLUME

NET WEIGHT 100.00 G

NET WEIGHT 100.00 G

NET WEIGHT

NET WEIGHT

NET WEIGHT

NET CONTENTS

# KILL FLIES FAST

*In Seconds*

**DANGER: KEEP OUT OF REACH OF CHILDREN**  
SEE SIDE PANEL FOR ANTIDOTE STATEMENT AND OTHER WARNINGS

## FLY FIGHTER

Liquid Double Strength

ACTIVE INGREDIENTS  
Cyfluthrin (0.000000%)  
Permethrin (0.000000%)  
Aromatic hydrocarbon (0.000000%)  
INERT INGREDIENTS

BY WEIGHT  
100.00

