



DRAFT LABEL

5-18-82
Page 1

CENTER PANEL

FOR AGRICULTURAL/COMMERCIAL USE ONLY
ALCO
FLY FIGHTER
LIQUID DOUBLE STRENGTH

Kill Flies Fast in Seconds

ACTIVE INGREDIENTS:

2,2-Dichlorovinyl dimethyl phosphate	23.25%
Related compounds	1.75%
Aromatic Petroleum Derivative Solvents	68.00%

INERT INGREDIENTS:	7.00%
Total	100.00%

THIS PRODUCT CONTAINS 2 POUNDS OF DDVP PER GALLON

KEEP OUT OF REACH OF CHILDREN

DANGER - POISON



ACCEPTED
with COMMENTS
in EPA Letter Dated:

OCT 29 1982

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.

5981-73

STATEMENT OF PRACTICAL TREATMENT

Atropine is antidotal, 2-PAM is also antidotal and may be administered in conjunction with atropine.

IF SWALLOWED: Call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.

IF INHALED: Remove to fresh air. Call a physician immediately.

IF ON SKIN: Immediately remove contaminated clothing and flush effected areas with plenty of water.

IF IN EYES: Immediately flush eyes with plenty of water. Call a physician immediately.

SEE REVERSE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS



5-18-82

CENTER PANEL

AMVAC CHEMICAL CORPORATION
LOS ANGELES, CALIFORNIA 90023

EPA REG. NO. 5481-73-AA

EPA EST. 5481-CA 1

NET CONTENTS:

100
100
100
100

LEFT PANEL

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: Poisonous if swallowed, inhaled or absorbed through skin or eyes. Rapidly absorbed through skin. Repeated inhalation or skin contact may, without symptoms, progressively increase susceptibility to DDVP poisoning. Do not swallow or get in eyes, on skin, or on clothing. Do not breathe vapors. Avoid exposure to vapors. Keep out of reach of children and domestic animals. Do not contaminate water, feed or foodstuffs.

Mix the concentrate outdoors or in a well ventilated room. Wear clean rubber gloves, waterproof protective clothing and goggles when handling the concentrate to prepare emulsions. Wear a pesticide respirator jointly approved by the Mining Enforcement and Safety Administration (formerly the U. S. Bureau of Mines) and by the National Institute for Occupational Safety and Health under the provisions of 30 CFR Part 11. Keep all unprotected persons out of operational area.

In case of contact, wash immediately with soap and water. Wash thoroughly with soap and water before eating or smoking. Wash all contaminated clothing with soap and hot water before reuse.

ENVIRONMENTAL HAZARDS

This product is toxic to fish and wildlife. Do not apply directly to lakes, streams, or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes.

PHYSICAL OR CHEMICAL HAZARDS

Keep away from heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not apply to any area not specified on label. Not for use or storage in or around the home.

LEFT PANEL

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store in a safe place. Children or animals must not be able to reach or handle the concentrate or spray mixture. Wash any spillage off the outside of the container with running water before storing.

PESTICIDE DISPOSAL: Pesticide, spray mixture, or rinse water that cannot be used according to label instructions must be disposed of according to Federal or approved state procedures under Subtitle C of the Resource Conservation and Recovery Act.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other approved state and local procedures.

5-18-82

RIGHT PANEL

Read entire label before using. Use only as directed.

ALCO FLY FIGHTER DOUBLE STRENGTH is an insecticidal concentrate especially formulated for the control of resistant and non-resistant flies around dairy barns, stables, barns, feed yards, corrals, loafing sheds, battery poultry establishments, farm buildings, animal hospitals, refuse collection areas and garbage cans. Applied inside garbage cans it keeps yellow jackets under control in local areas.

DIRECTIONS:

FLY CONTROL ON DAIRY AND BEEF CATTLE: Mix 1 gallon Alco Fly Fighter Liquid Double Strength in fifty gallons of water (5 Tbs. or 2 1/2 fld. oz per 1 gallon of water). Apply 2 - 4 fluid ounces daily per animal as a mist spray using a hand or automatic sprayer. Do not apply more than 4 fluid ounces per animal. Apply as to wet the hair. Do not apply on young calves less than three months old. Do not treat Brahman or Brahman-cross cattle as they may show hypersensitivity to organophosphate insecticides. Do not apply dermally in conjunction with trichlorphon.

GARBAGE CANS, REFUSE CANS: To give local control of yellow jackets, apply the 0.5% spray to the inside of the lid, inside of the container each time the container is emptied.

FOGGING ANIMAL BUILDINGS: Apply as a 0.5% - 1.0% to control flies, gnats, mosquitoes. For a 0.5% solution, mix 1 pint in 7 gallons of diesel oil. For a 1.0% solution, mix 1 quart in 7 gallons of diesel oil. Apply at the rate of 1 quart of a 0.5% solution or 1 pint of a 1.0% solution to 8000 cu feet. Before applying, reduce air movement as much as possible by closing doors, windows and other openings. Do not contaminate water, feed or foodstuffs, milk or milking utensils. Do not use this solution for fogging purposes in areas where animals have received direct application within 8 hours.

FEED LOTS, STOCKYARDS, CORRALS, HOLDING PENS: For control of flies, gnats and mosquitoes, mix one gallon Alco Fly Fighter Liquid Double Strength in fifty gallons of water (One pint to 6 gallons of water or 2 1/2 fld. ounces in one gallon of water) to make a 0.5% spray solution. Make application with mist blower or other suitable equipment as an overall application at the rate of 0.2 pounds of Technical DDVP per acre. This is equivalent to approximately 5 gallons of 0.5% spray per acre. Particular attention should be given to areas where flies congregate such as fences, spillage areas, around feed bunks and walls of buildings. Animals may be present during treatment. Avoid direct application to exposed feed and water. A baited spray may be made by dissolving 1 pound of sugar in 5 to 10 gallons of water before adding concentrate.

Do not treat sick or convalescing animal.

RIGHT PANEL

ANIMAL BUILDINGS: For the control of flies, gnats, mosquitoes, roaches, fleas, ants, sowbugs and brown dog ticks, apply as a 0.5% spray solution, by mixing 2 1/2 fl. ounces in one gallon of water, one pint in six gallon water, or one gallon in fifty gallons of water. A baited spray can be prepared by adding one pound of sugar per one gallon spray solution. Apply as a coarse, wet spray at the rate of one quart per 1000 square feet. **DO NOT TREAT ANIMALS AT THIS RATE.** Before applying in enclosed areas, reduce air movement as much as possible by closing doors, windows and other openings. Do not contaminate water, feed, or foodstuffs, milk or milking utensils. Repeat application as necessary.


DAIRY BARN, STABLES, LIVESTOCK BUILDINGS, LOAFING SHEDS, PIG PENS AND OUTDOOR AREAS: Spray around doorways, feed storage rooms, alleyways and window sills. Do not contaminate milk or milking utensils.

POULTRY HOUSES: Apply to manure, window sills, outside of penned enclosures and of floor of feed storage rooms.

DOG KENNELS: Apply to outside dog runways, window sills and ledges. For the control of fleas and brown dog ticks increase dosage to two quarts of 0.5% ^{solution} per 1000 square feet.

MANURE PILES, GARBAGE DUMPS: For the control of fly maggots in maggot breeding areas apply at the rate of 1 - 2 quarts of 0.5% spray per 100 square feet. Birds feeding on treated areas may be killed.

NOTICE: This product conforms to its chemical description and is reasonably fit for the purpose stated on the label, when used in accordance with directions under normal conditions of use. Manufacturer is not responsible for the use of this product contrary to the label instructions, or under abnormal conditions, or under conditions not reasonable to seller, and buyer assumes the risk of any such use.



301 / 77105
17 / 4

10/24/82

OCT 29 1982

Steve
10/27/82

AHVAC Chemical Corporation
4100 East Washington Boulevard
Los Angeles, CA 90023

Attention: Mr. Friar

Gentlemen:

Subject: Amendment - Alco Fly Fighter Liquid
Double Strength
EPA Registration No. 5481-73
Application Dated June 29, 1982

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable. A stamped copy is enclosed for your records.

On your final printed labels be certain the skull and crossbones are printed in red and the term "For agricultural/commercial use only" is printed below the name of your product.

Please submit five (5) copies of your final printed labeling before you release the product for shipment.

Sincerely yours,

George T. LaRocca
Product Manager (15)
Insecticide-Rodenticide Branch
Registration Division (TB-767)

Enclosure

TB-767:G.T.LaRocca:DCR-39802:WANG-0806C:lvj:Raven:479-2013:10/22/82