BEST AVAILABLE COPY

DURHAM SEVIN®

GRANULES 5

For Control of Ants, Chinch Bugs, Earwigs, Fleas, Fall Armyworms, Leafhoppers, Millipedes and Sod Webworms(Lawn Moth), in Flower and Ornamental Plantings and in Ornamental Turfs and Lawns.

USE AS A PREMISE TREATMENT AROUND THE OUTSIDES OF BUILDINGS

ACTIVE INGREDIENT: Carbaryl (1-Naphthyl N-Methylcarb)	ımate)	5.0%
INERT INGREDIENTS:		95.0%
	TOTAL	100.0%

*Registered Trademark of Union Carbide Corp. for the active ingredient 1-Naphthyl N-Methylcarbamate. U.S. Pat. No. 2,903,478.

KEEP OUT OF REACH OF CHILDREN CAUTION

See Side Panel For Additional Precautionary Statements

H Swallewed - Cit's physician or Paient Control Center Immediately. Induce vomiting by giving victim 1 of 2 glessos of water and touching back of throat with finger, Never give physician by mouth to an unconscious person.

If the Syear Plank gives with pienty of water. Get madical treatment.

If the State Remove opmeninated slething and wash affected area with seep and wash. Get madical premium.

Get madical premium.

SOTE TO PHYSICIAN - Carboryl ine maderate reversible cholinesterase inhibitor. Atrophia is antidotal. Do not use 2-PAM, apietes, or cholinesterase inhibiting drugs.

EPA Reg. No. 5481-90-AA EPA Est. 5481-CA-1

NET CONTENTS: 50 POUNDS

AMVAC CHEMICAL CORPORATION
4100 E. WASHINGTON BLVD.
LOS ANGELES, CALIFORNIA 90023

7 130 × 6 7 14 × 6 = 1.

PRECAUTIONARY STATEMENTS

Hazards To Humans and Domestic Animals

CAUTION: May be harmful is swallowed. Avoid breathing dust. Avoid contact with eyes, skin or clothing. Wash thoroughly after handling and before eating or smoking. Wear regular long sleeved work clothing. Change to clean clothing daily. Avoid contamination of feed or food stuffs. Keep pets off treated areas until granules have been watered in and grass is dry.

ENVIRONMENTAL HAZARDS

Do not containinate water by cleaning of equipment or disposal of wastes. This product is extremely toxic to aquatic invertebrates. Do not apply directly to water or wetlands. Birds feeding on treated areas may be killed.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. STORAGE: Store product in original container in a cool, dry, locked place out of reach of children. PESTICIDE DISPOSAL: Waste reslting from the use of this product may be disposed of on site or at an approved waste disposal facility. CONTAINER DISPOSAL: Completely empty bag into a plication equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned stay out of smoke.

BUILDING PREMISE TREATMENT-FLOWER AND ORNAMENTAL BED SOIL TREATMENT

This material is a granular pesticide for use in the control of earwigs, millipedes, ants and fleas around the outside of buildings, in flower beds and other soil areas planted to ornamentals. Apply this material at the rate of 4 pounds per 1000 square feet of soil area. Apply to give thorough coverage to all soil area, especially along soil cracks next to building foundations.

PEST CONTROL IN ORNAMENTAL TURFS AND LAWNS

For the control of ants, chinch bugs, earwigs, sow bugs, millipedes, fall armyworm, fleas, leafhoppers, lawn moth apply 4 pounds of this material per 1000 square feet of the turf area. For best results, mow lawn and apply material; then allow sprinklers to run for 15 minutes after application.

NOTICE: This posterior conforms to its chambers description, and is reasonably fit for the purpose stated has the label, when read in accordance with directions under nor and conditions of sea. Manufacturer is not responsible for the use of this procontrary to the label instructions, or under abnormal conditions, or under cond iot reasonably foreseeable to the manufacturer and/or soller, and buyer assumes the risk of may such use.

BEST Area.