### PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS (& DOMESTIC ANIMALS)

## DO NOT TAKE INTERNALLY DO NOT GET IN EYES DO NOT GET ON SKIN

CAUTION: May be harmful if swallowed, inhaled or absorbed through skin. Do not breath dusts, get in eyes, on skin or on clothing. Wash thoroughly with soap and warm water after handling. Wash contaminated clothing with soap and warm water before re-use. If poisoning occurs, obtain prompt medical aid.

Keep granules away from children, dogs and pets. Bait may be attractive to dogs. Confine pets during application to prevent them from believing they are being fed. Use and store under conditions where there will not be a hazard.

#### **ENVIRONMENTAL HAZARDS**

This product is toxic to fish and wildlife. Do not apply directly to lakes, streams or ponds. Birds feeding on treated areas may be killed. Do not contaminate water by cleaning of equipment or disposal of wastes.

#### DIRECTION FOR USE

It is a violation of Federal law to use this product in a nanner inconsistant with its labeling. READ ENTIRE LABEL. USE IN ACCORDANCE WITH PRECAUTIONARY STATEMENTS AND DIRECTIONS, AND WITH APPLICABLE STATE AND FEDERAL REGULATIONS.

### STORAGE AND DISPOSAL

**STORAGE:** Store out of reach of children and domestic animals. Do not store in direct sunlight. Avoid contamination of feed, food stuffs and drinking water.

KEEP PESTICIDE IN ORIGINAL CONTAINER

CONTAINER DISPOSAL: Do not re-use empty container. Wrap container and put in trash collection.

# DURHAM METALDEHYDE GRANULES 3.5

ACTIV	E INGREDIENT:		
	Metaldehyde		3.5
INERT	INGREDIENTS:		96.5
		TOTAL	100.0

## KEEP OUT OF REACH OF CHILDREN CAUTION

STATEMENT OF PRACTICAL TREATMENT

If Swallowed: Call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.

If on Skin: Wash with soap and warm water.

If in Eyes: Flush with flowing water.

This pesticide may be fatal to dogs or other pets if eaten. Keep pets out of treated area.

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

EPA Reg. No. 5481-91-AA EPA Est. No. 5481-CA-1 ACCEPTED

AMVAC CHEMICAL CORPORATION FEB 1 0 1982.
4120 E. WASHINGTON BLVD.
LOS ANGELES, CALIF. 90023

NET WEIGHT 50 POUNDS

#### **USE PRECAUTIONS**

Read entire label before using: Use only on crops and for purposes recommended on this label. Do not allow to drift to adjoining crops. The grower is responsible for residues on his crops, as well as for damages caused by drift from his property to that of others. In order that pesticidal residues on food and forage crops will not exceed tolerances established by the Federal Food and Drug Administration, use only at recommended rates and intervals, and do not apply closer to harvest that specified. Do not allow to drift to areas occupied by unprotected humans or beneficial animals or onto adjoining food, fiber or pasture crops. Durham Metaldehyde Granules is a product specially formulated for the control of snails and slugs. It is a uniform free-flowing product which facilitates easy application through any cyclone type hand seeder. hotte: Burham Metaldehyde Granules should never be applied to dry soil. Application should be made following an irrigation for best results. Application can be made any time of the day but evening applications are preferred. Do not re-water for 48 hours after application.

#### DIRECTION FOR USE:

ORNAMENTALS AND TURF: Broadcast lightly to spread the material upon lawn or ornamental garden area. Water lawn and ornamental garden thoroughly before applying material.

FOR DICHONDRA AND TURF LAWNS: For the control of snails and slugs, water infested area thoroughly, broadcast DURHAM METALDEHYDE GRANULES 3.5 directly on lawn or turf. One pound will cover 1500 square feet. Do not re-water for 48 hours.

FOR ORNAMENTAL GARDENS, PLANTED BORDERS, AND GROUND COVER: For the control of snaits and slugs, water infested area thoroughly, broadcast or sprinkle DURHAM METALDEHYDE GRANULES 3.5 over infested areas and along edges of flower beds adjacent to border or ground cover plants. Also apply on ground at base of fences and walls in shady, protected locations.

CITRUS (ORANGES, LEMONS, GRAPEFRUIT): Broadcast liberally under trees, (CAUTION: DO NOT GET ON FOLIAGE OR FRUIT), around irrigation pipes, buildings and any other place slugs and snails may congregate. Apply at the rate of 40 pounds per acre.

NOTICE: This product conforms to its chemical description and is reasonably fit for the purpose stated on the label, when used in accordance with directions under normal conditions of use.

Manufacturer is not responsible for the use of this product contrary to the label instructions, or under abnormal conditions not reasonably forseeable to seller, and buyer assumes the risk of any such use.

02/10/8.