PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS (& DOMESTIC ANIMALS)

DO NOT TAKE INTERNALLY DO NOT GET IN EYES DO NOT GET ON SKIN

CAUTION: May be harmful if swallowed, inhaled or absorbed through skin. Do not breathe dusts, get in eyes, on skin or on clothing. Wash thoroughly with soap and warm water after handling. Wash contaminated clothing with soap and warm water before re-use. If poisoning occurs, obtain prompt medical

Keep granules away from children, dogs and pets. Bait may be attractive to dogs. Confine pets during application to prevent them from believing they are being fed. Use and store under conditions where there will not be a hazard.

ENVIRONMENTAL HAZARDS

This product is toxic to fish and wildlife, Do not apply directly to lakes, streams or ponds. Birds feeding on treated areas may be killed. Do not contaminate water by cleaning of equipment or disposal of wastes.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling, READ ENTIRE LABEL, USE IN ACCORDANCE WITH PRECAUTIONARY STATE-MENTS AND DIRECTIONS, AND WITH APPLICABLE STATE AND FEDERAL REGULATIONS.

RE-ENTRY AND WORKER SAFETY STATEMENT

Do not apply this product in such a manner as to expose workers or other persons. The area being treated must be vacated and not re-entered by persons without shoes.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or aisposal. Storage: Store product in criainal container in a cool, dry, locked place out of reach of children and domestic animals. Do not store in direct sunlight. Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved wastes disposal facility. Container Disposal: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned stay out of smoke.

The same of the sa

DURHAM METALDEHYDE

GRANULES 3.5

For Control of Snails and Slugs in Ornamental Gardens, Lewis, and Citrus Groves

ACTIVE INGREDIENT: Metaldehyde INERT INGREDIENTS: 96.5% TOTAL 100.0%

KEEP OUT OF REACH OF CHILDREN CAUTION

STATEMENT OF PRACTICAL TREATMENT

If Swallowed: Call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.

If on Skin: Wash with soap and warm water.

If in Eyes: Flush with flowing water.

This pesticide may be fatal to dogs or other pets if eaten. Keep pets out of treated area.

> SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY **STATEMENTS**

AMYAC CHEMICAL CORPORATION

A100 E. WASHINGTON SLVD.

LOS ANGELES, CALIF. 90023

EPA Reg. No. 5481-91-AA

EPA Est. No. 5481-CA-1

NET WEIGHT ! POUNDS

USE PRECAUTIONS:

Read entire label before using. Use only on crops and for purposes recommended on this label. Do not allow to drift to adjoining crops. The grower is responsible for residues on his crops, as well as for damages caused by drift from his property to that of others. In order that pesticidal residues on food and forage crops will not exceed tolerances established by the Federal Food and Drug Administration, use only at recommended rates and intervals. and do not apply closer to harvest than specified. Bo not allow to drift to areas occupied by unprotected humans or beneficial animals or onto adjoining food, fiber or pasture crops. Durham Metaldehyde Granules is a product specially formulated for the control of snails and slugs. It is a uniform free-flowing product which facilitates easy application through any cyclone type hand seeder. NOTE: Durham Metaldehyde Granules should never be applied to dry soil. Application should be made following an irrigation for best results. Application can be made any time of the day but evening applications are preferred. Do not re-water for 48 hours after application.

APPLICATION RATE: For control of snaits and slugs in the following areas, use 1 pound to treat 1,100 sq. ft. to 1,500 sq. ft. of soil surface. This is equivalent to 30 to 40 pounds of product per acre. Repeat as needed for control.

USE DIRECTIONS:

ORNAMENTALS AND TURF: Broadcast lightly to spread the material upon lawn or ornamental garden area. Water lawn and ornamental garden thoroughly before applying material.

FOR BICHONDRA AND TURF LAWNS: For the control of snails and slugs, water infested area thoroughly, broadcast DURHAM METALDEHYDE GRANULES 3.5 directly on lawn or turf. One pound will cover 1500 square feet. Do not re-water for 48 hours.

FOR DRNAMENTAL GARDENS, PLANTED BORDERS, AND GROUND COVER: For the control of snails and slugs, water infested area thoroughly, broadcast or sprinkle DURHAM METALDEHYDE GRANULES 3.5 over infested areas and along edges of flower beds adjacent to border or ground cover plants. Also apply on ground at base of fences and walls in shady, protected locations.

CITRUS (DRANGES, LEMONS, GRAPEFRUIT): Broadcast liberally under trees, (CAUTION: DO NOT GET ON FOLIAGE OR FRUIT), around irrigation pipes, buildings and any other place slugs and snails may congregate. Apply at the rate of 40 pounds per acre.

ACCEPTED

NOV 23 1984

NOTICE: This product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use. Manufacturer is not responsible for the use of this product contrary to the label instructions. or under abnormal conditions not reasonably foreseeable to the manufacturer and/or seller. and buyer assumes the risk of any such use.