

DURHAM END-OF-TRAIL SNAIL - SLUG & INSECT GRANULES

A SOIL SURFACE TREATMENT FOR CONTROL OF SNAILS, SLUGS,
ANTS, EARWIGS, FALL ARMYWORMS,
SOD WEBWORMS (LAWN MOTHS), AND SOWBUGS

IN CITRUS GROVES - APPLE & PEACH ORCHARDS - SMALL FRUITS
VEGETABLE GARDENS - ORNAMENTAL GARDENS - GROUND COVERS
SEED GRASSES - DICHONDRA & TURFGRASS LAWNS
AND IN ORNAMENTAL GREENHOUSES
EXCEPT FOR TURF DO NOT APPLY DIRECTLY ONTO PLANTS

For Snails and Slugs One Pound Treats up to 1,500 Sq. Ft.
For Insect Control Use at the Rate of 1 Pound to Cover 200 Sq. Ft.

***GRANULAR FORMULATION IN CONVENIENT SHAKER APPLICATOR For Faster
More Effective Kill - Blends into Lawns & Ornamental Garden Areas.**

ACTIVE INGREDIENTS

Methaldemeton (2,4,6,8-tetramethyl-1,3,5,7-tetraoxocyclo-octane) — — —	3.0%
Carbaryl (1-naphthyl N-methylcarbamate) — — — — —	4.0%
INERT INGREDIENTS — — — — —	93.0%
Total	100.0%

KEEP OUT OF REACH OF CHILDREN CAUTION

THIS PESTICIDE MAY BE FATAL TO DOGS OR OTHER PETS IF EATEN
KEEP PETS OUT OF TREATED AREA
STATEMENTS OF PRACTICAL TREATMENT

IF SWALLOWED: Call physician or Poison Control Center immediately. Drink 1 or 2 glasses of water and induce vomiting by sticking back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious or convulsing person. **IF IN EYES:** Flush eyes with plenty of water. Get medical attention for treatment. **IF ON SKIN:** Remove contaminated clothing and wash affected area with soap and warm water.

SEE REVERSE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

EPA EST. NO. 6441-CA-1

NET WT. 5 LBS. (2.27 kg) (2.5 lb. Containers)

AMERICAN CHEMICAL CORPORATION
100 EAST WASHINGTON BLVD
LOS ANGELES, CALIFORNIA 90023

ACCEPTED

SEP 12 1983

Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended for use pesticide
registered under
EPA Reg. No. 6441-CA-1

Reg no: 5481-95

PM-12

191

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: May be harmful if swallowed inhaled or absorbed through the skin. Do not breathe dust, get in eyes, on skin or on clothing. Wash thoroughly with soap and warm water after handling. Wash contaminated clothing with soap and warm water before re-use. Keep pets out of treated area. Bait should be spread in such a way that it cannot be consumed by pets or farm animals.

ENVIRONMENTAL HAZARDS

This product is extremely toxic to aquatic and estuarine invertebrates. Do not apply directly to water or wetlands (swamps, bogs, marshes, potholes). Do not contaminate water when disposing of equipment washwater. Do not apply where run-off is likely to occur. Apply this product only as specified on this label.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Do not allow bait to contact the edible portions of any food crop.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.
STORAGE: Store product in original labeled container in a cool, dry, locked place out of reach of children. Keep container tightly closed when not in use. Do not store in direct sunlight. **PESTICIDE DISPOSAL:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. **CONTAINER DISPOSAL:** Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill, or by incineration, or, if allowed by State & local authorities, by burning. If burned stay out of smoke. **HOUSEHOLD:** Do not reuse empty container. Wrap and put in trash.

The package is sold by weight when packed, but due to its granular nature the material is allowed to settle.

USE ONLY AS DIRECTED (READ ENTIRE LABEL BEFORE USING)

When used as directed DURHAM END-OF-TRAIL SNAIL, SLUG & INSECT GRANULES will give good control of SNAILS, SLUGS, ANTS, EARWIGS, FALL ARMYWORMS, SOD WEBWORMS (LAWN MOTHS), AND SOWBUGS. Thoroughly water area prior to application. This product can be applied any time during the day but late afternoon or evening is preferred. May be applied with a fertilizer spreader. Do not water treated area for 48 hours after application. (*When using the 1 lb. Shaker Can, simply shake on the proper amount of material from the convenient shaker top.)

WHERE TO USE AS A SOIL TREATMENT

TREE FRUIT ORCHARDS & GROVES

Includes: Apples, Apricots, Avocados, Cherries, Peaches, and Pears, Citrus such as Oranges, Lemons, Limes, Grapefruit, and their Hybrids and varieties listed on front panel.

AROUND SMALL FRUIT

Includes: Blackberries, Raspberries, Logberries, Raspberries, Grapes & Strawberries at vegetable soil rates

APPLY TO SOIL IN VEGETABLE GARDENS

Includes: Artichokes, Asparagus, Beans, Beets, Black-eyed Peas, Broccoli, Brussels Sprouts, Cabbage, Cantaloupe, Carrots, Cauliflower, Corn, Cucumbers, Eggplant, Green Beans, Green Peas, Greens, Okra, Peas, Peppers, Potatoes, Pumpkins, Radishes, Spinach, Squash, Sweet Potatoes, Swiss Chard, Tomatoes, Turnips, and Watermelons. To control SNAIL and SLUGS use at vegetable soil rates. To control ANTS, EARWIGS, FALL ARMYWORMS, SOD WEBWORMS (LAWN MOTHS) & SOWBUGS use at same rate as for Dichondra & Turf Lawns.

VEGETABLE GARDEN SOILS (Continued)

Withhold watering for 48 hours after treatment. Apply this material over the infested area and around the edges of border plants. Also apply to the bases of fences and walls and in shady, protected areas. **APPLY AT THE RATE OF ONE POUND TO 1500 SQUARE FEET.** Repeat treatment every 3 to 4 weeks during "season" or as needed for control. To control ANTS, EARWIGS, FALL ARMYWORMS, SOD WEBWORMS (LAWN MOTHS) & SOWBUGS **APPLY AT THE RATE OF ONE POUND per 200 SQUARE FEET.** Follow watering practices as outlined above. Repeat treatment every 3 to 4 weeks during "season" or as needed for control.

AROUND ORNAMENTALS OUTDOORS AND IN GREENHOUSES; IN FLOWER GARDENS; BORDER PLANTINGS AND AROUND GROUND COVERS.

Azaleas, Begonias, Camellias, Chrysanthemums, Daffodils, Dahlias, Daisies, Geraniums, Honeysuckle, Hydrangeas, Ice Plants, Impatiens, Iris, Ivy, Marigolds, Pansies, Petunias, Rhododendrons, Roses, Snapdragons, Spathaphyllum, Sweet Peas, Tulips, Do not get granules on Boston Ivy. To control SNAILS and SLUGS, thoroughly water area to be treated. Withhold watering for 48 hours after treatment. Apply this material over the infested area and around the edges of border and ground covers plants. Apply also to the bases of fences and walls and in shady, protected areas. **APPLY AT THE RATE OF ONE POUND per 1500 SQ. FT.** Repeat treatment every 3 to 4 weeks during "season" or as needed for control.

To control ANTS, EARWIGS, FALL ARMYWORMS, SOD WEBWORM (LAWN MOTHS) & SOWBUGS **APPLY AT THE RATE OF ONE POUND per 200 SQUARE FEET.** Follow watering practices as outlined above. Repeat treatment every 3 to 4 weeks during "season" or as needed for control.

FOR DICHONDRA AND TURF LAWNS

To control SNAILS and SLUGS, water area to be treated thoroughly before application. Apply DURHAM END-OF-TRAIL SNAIL, SLUG & INSECT GRANULES at the rate of ONE POUND per 1500 SQUARE FEET. To control ANTS, EARWIGS, FALL ARMYWORMS, SOD WEBWORMS (LAWN MOTHS) & SOWBUGS **APPLY AT THE RATE OF ONE POUND per 200 SQUARE FEET.** Follow watering practices as outlined above. Repeat treatment every 3 to 4 weeks during "season" or as needed for control.

FOR SEED GRASSES

Including: Alfalfa, Hay, Wheat, Oats, Barley. For Snails use 25-30 lbs/acre. For Snails, Slugs & Insects use at same rate as for Dichondra & Turf Lawns.

NOTICE: This product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in the quantities and in the manner and under conditions of use. Manufacturer or distributor is not responsible for any product injury or damage caused by the use of this product in any manner not intended by the manufacturer. The manufacturer is not liable for any damage or injury caused by the use of this product in any manner not intended by the manufacturer.