

DDVP
TECHNICAL
GRADE
ORGANOPHOSPHORUS

ACCEPTED
APR 18 1975
EPA Reg. No. 5481-96

Insecticide

(Organic phosphate compound liquid, U.S.A.)

AN INSECTICIDE FOR FORMULATING USE

POISON
DANGER!

Keep Out of Reach of Children

POISONOUS LIQUID

RAPIDLY ABSORBED THROUGH SKIN AND EYES.

**POISONOUS IF SWALLOWED, INHALED OR
ABSORBED THROUGH SKIN, EYES, OR
THROUGH CONTAMINATED CLOTHING.**

(See side panels for additional pre-
cautions, SYMPTOMS, FIRST AID TREAT-
MENT and information for Physician
and drum handling instructions.)

**CALL A PHYSICIAN IMMEDIATELY IN ALL
CASES OF SUSPECTED POISONING.**

ACTIVE INGREDIENTS:

2,2-Dichlorovinyl dimethyl
phosphate 93.0%
Related Compounds 7.0%

Net Weight 275 Pounds
Manufactured in U.S.A.

EPA Reg. No. 5481-96

WARNINGS AND PRECAUTIONS CONTINUED:

Concentrate is poisonous if swallowed, inhaled or absorbed through skin or eyes. Do not get on skin or in eyes. Do not breathe fumes. Wear natural rubber gloves, water-proof protective clothing and goggles when handling. Wear a mask or respirator of a type passed by the U.S. Bureau of Mines for protection against this material.

In case of contact, wash immediately with soap and water. Wash hands, arms, and face thoroughly with soap and water before eating or smoking. Wash all contaminated clothing with soap and hot water before reuse.

In case of spillage, wash down with large amounts of water. Decontaminate areas and equipment by washing with a concentrate solution of alkali and detergent and rinse with water.

ANTIDOTE AND FIRST AID TREATMENT:

ATROPINE is the emergency antidote. Consult your physician about obtaining an adequate supply of 1/100-grain atropine tablets for emergency use. CALL A PHYSICIAN IMMEDIATELY IN ALL CASES OF SUSPECTED POISONING.

INTERNAL: If the material has been swallowed, induce vomiting immediately. This may be done by introducing a finger into the throat or by giving warm salt water (1 tablespoon of salt to a glass of water). NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON.

EXTERNAL: If the material has been spilled on the skin, immediately remove patient from the vicinity of the insecticide, remove all contaminated clothing, and wash skin with soap and running water. If the material gets into the eyes, wash immediately with running water for at least ten minutes.

IF WARNING SYMPTOMS APPEAR: Administer two 1/100-grain atropine tablets immediately. NEVER ADMINISTER ATROPINE UNLESS WARNING SYMPTOMS APPEAR. (See WARNING SYMPTOMS below).

Keep patient prone and quiet.

Start artificial respiration immediately if patient is not breathing.

Transport the patient immediately to the nearest physician.

NOTE TO PHYSICIAN:

WARNING SYMPTOMS: Symptoms include weakness, headache, tightness in chest, blurred vision, non-reactive pin-point pupils, salivation, sweating, nausea, vomiting, diarrhea and abdominal cramps.

TREATMENT: Atropine is the specific therapeutic antagonist of choice against parasympathetic nervous stimulation. If there are signs of parasympathetic stimulation, atropine sulfate should be injected at 10-minute intervals, in doses of 1 to 2 milligrams until complete atropinization has occurred. 2-PAM is also antidotal and may be administered in conjunction with atropine.

Morphine is contraindicated.

Clear chest by postural drainage.

Observe patient continuously for 48 hours.

Repeated exposure to cholinesterase inhibitors may, without warning cause prolonged susceptibility to very small doses of any cholinesterase inhibitor.

Allow no further exposure until time for cholinesterase regeneration has been allowed as determined by blood test.

CHEMICAL AND PHYSICAL PROPERTIES: Refer to Technical Bulletin (copies available upon request).

Formulators are responsible for providing data to support their registrations.

STORAGE: Keep container closed. Use with adequate ventilation.

DRUM HANDLING: Handle carefully to prevent damage and leakage. Open drums only when set on end and under a ventilated hood. Unscrew bungs slowly to release internal pressure. Then fit both bungs with valves. To empty drums, connect one valve to an open vent pipe and the other to a closed storage impregnation system.

EMPTY DRUM DISPOSAL: Never re-use empty drums. Decontaminate by washing with hot 5% caustic solution and a small amount of household detergent. After washing, perforate top, bottom and two sides to prevent re-use. Discard in a safe place.

ENVIRONMENTAL HAZARD: This product is toxic to fish, birds, and other wildlife. Keep out of lakes, streams, or ponds. Do not contaminate water by cleaning of equipment, or disposal of wastes.

NOTICE: Amvac Chemical Corporation makes no warranty, express or implied, including the warranties of merchantability and/or fitness for any particular purpose, concerning this material, except those which are contained on AMVAC's label.

Cameraman's Note
Poor Copy

AMVAC CHEMICAL CORP.
4100 E. WASHINGTON BLVD.
LOS ANGELES, CALIFORNIA 90023