

# DDVP

## TECHNICAL GRADE ORGANOPHOSPHORUS INSECTICIDE

### FOR MANUFACTURING PURPOSES ONLY


#### ACTIVE INGREDIENTS:

2,2-Dichlorovinyl dimethyl phosphate .....	93.0%
Related compounds .....	7.0%
	<b>TOTAL 100.0%</b>

KEEP OUT OF REACH OF CHILDREN



**DANGER**



**PELIGRO**



"PRECAUCION AL USUARIO: Si usted no lee ingles, porque este producto hasta que la etiqueta haya sido explicado ampliamente."

#### STATEMENTS OF PRACTICAL TREATMENT

**IF SWALLOWED** — Call a physician or Poison Control Center immediately. Induce vomiting by giving victim 1 or 2 glasses of water and touching back of throat with finger. Never induce vomiting or give anything by mouth to an unconscious or convulsing person.

**IF INHALED** — Remove victim to fresh air immediately. Apply artificial respiration if indicated. Get medical attention.

**IF IN EYES** — Flush eyes with plenty of water for at least 10 minutes. Get medical attention immediately.

**IF ON SKIN** — Remove contaminated clothing immediately and wash affected area with soap and water. Call a physician immediately. Wash clothing before re-use.

**NOTE TO PHYSICIAN** — **WARNING SYMPTOMS:** Symptoms include weakness, headache, tightness in chest, blurred vision, non-reactive pin-point pupils, salivation, sweating, nausea, vomiting, diarrhea, and abdominal cramps.

**TREATMENT:** Atropine is the specific therapeutic antagonist of choice against parasympathetic nervous stimulation. If there are signs of parasympathetic stimulation, atropine sulfate should be injected at 10-minute intervals, in doses of 1 to 2 milligrams, until complete atropinization has occurred.

Pralidoxime chloride (2-PAM chloride) may also be used as an effective antidote in addition to and while maintaining full atropinization. In adults, an initial dose of 1 gram of 2-PAM should be injected, preferably as an infusion in 250cc of saline over a 15 to 30 minute period. If this is not practical, 2-PAM may be administered slowly by intravenous injection as a 5 percent solution in water over not less than two minutes. After about an hour, a second dose of 1 gram of 2-PAM will be indicated if muscle weakness has not been relieved. For infants and children the dose of 2-PAM is 0.25 grams.

Morphine is an improper treatment.

Clear chest by postural drainage. Oxygen administration may be necessary. Observe patient continuously for 48 hours. Repeated exposure to cholinesterase inhibitors may, without warning, cause prolonged susceptibility to very small doses of any cholinesterase inhibitor. Allow no further exposure until cholinesterase regeneration has been attained as determined by blood test.

SEE BACK/SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

EPA Reg. No. 5481-96-AA

EPA Est. No. 5481-CA-1

NET CONTENTS 600 POUNDS

**AMVAC CHEMICAL CORPORATION**  
4100 E. WASHINGTON BLVD., LOS ANGELES, CALIF. 90023

Reg. # 5481-96

PA 15

18/1

#### PRECAUTIONARY STATEMENTS

##### HAZARDS TO HUMANS AND DOMESTIC ANIMALS

**DANGER: POISONOUS IF SWALLOWED, INHALED OR ABSORBED THROUGH SKIN AND EYES. RAPIDLY ABSORBED THROUGH SKIN. REPEATED INHALATION OR SKIN CONTACT MAY, WITHOUT SYMPTOMS, PROGRESSIVELY INCREASE SUSCEPTIBILITY TO DICHLORVOS (DDVP) POISONING.**

Do not swallow or get in eyes, on skin or on clothing. Do not breathe vapor. Do not contaminate food or feed products. Keep away from heat or open flame.

Wash thoroughly with soap and water after handling and before eating or smoking. Wear clean natural rubber gloves and waterproof protective clothing, and goggles or face shield. Replace gloves frequently and destroy used gloves. Wear a pesticide respirator jointly approved by the Mine Safety and Health Administration and by the National Institute for Occupational Safety and Health under the provisions of 30 CFR Part 11.

Wash thoroughly with soap and water after handling and before eating or smoking.

##### ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds, and other wildlife. Do not discharge effluent containing this product directly into lakes, streams, ponds, estuaries, oceans or public waters unless this product is specifically identified and addressed in an NPDES permit. Do not discharge effluent containing this product to sewer systems without previously notifying the sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the Environmental Protection Agency.

#### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

#### STORAGE & DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

**STORAGE** — Store product in original container in a cool, dry, locked place out of reach of children.

**PESTICIDE DISPOSAL** — Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

**CONTAINER DISPOSAL** — Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

**CHEMICAL AND PHYSICAL PROPERTIES:** Refer to Technical Bulletin (copies available upon request).

Formulators are responsible for providing data to support their registrations.

**DRUM HANDLING:** Handle carefully to prevent damage and leakage. Open drums only when set on end and under a ventilated hood. Unscrew bungs slowly to release internal pressure.

**NOTICE:** This product conforms to its chemical description and is reasonably fit for the purpose stated on the label, when used in accordance with directions under normal conditions of use. Manufacturer is not responsible for the use of this product contrary to the label instructions, or under abnormal conditions or under conditions not reasonably foreseeable to the manufacturer and/or seller, and buyer assumes the risk of any such use.

DICHLORVOS POISON B  
RQ DICHLORVOS NA 2783  
12/84