



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

September 19, 2012

Ms. Kelly Naujock
Amvac Chemical Corporation
4695 MacArthur Court, Suite 1250
Newport Beach, CA 92660

Subject: Amended Reregistration Label
Product Name: DDVP Technical Grade
EPA Registration Number: 5481-96
EPA Decision Number: 393481

Dear Ms. Naujock:

The Agency, in accordance with the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended, has completed reviewing all the information submitted with your application to support the reregistration of the referenced product in connection with the Dichlorvos RED and has concluded that your submission is acceptable.

NOTE: This product is not being reregistered under sections 3(c)5 and 4(g) of FIFRA at this time.

Please be reminded that 40 CFR Part 156.140(a)(4) requires that a batch code, lot number, or other code identifying the batch of the pesticide distributed and sold be placed on non-refillable containers. The code may appear either on the label or durably marked on the container itself, and can be added by non-notification per PRN 98-10.


Please note that the record for this product currently contains the Confidential Statements of Formulation (CSFs) listed below. Any previously dated CSFs are superseded.

- Basic CSF, dated 10/19/2011
- Alternate CSF, dated 10/3/2011

A copy of your label stamped "Accepted" is enclosed along with copies of the acute toxicity and product chemistry reviews completed for the subject product. Products shipped after 12 months from the date of this amendment or the next printing of the label whichever occurs first, must bear the new revised label. Your release for shipment of the product bearing the amended label constitutes acceptance of these conditions. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e).

If you have any questions about this letter, please contact Dana Pilitt, Ph.D. at (703) 305-7071 or via e-mail at pilitt.dana@epa.gov .

Sincerely,



Mark Suarez
Product Manager (13)
Insecticide Branch
Registration Division (7504P)

*Enclosures: Label stamped "Accepted", dated September 19, 2012
Acute Toxicity Review, dated August 10, 2010
Product Chemistry Review, dated December 13, 2011*

3/11

DDVP TECHNICAL GRADE

AN INSECTICIDE FOR FORMULATING USE ONLY

ACTIVE INGREDIENT:

Dichlorvos [2,2-Dichlorovinyl dimethyl phosphate, DDVP]98.0%

INERT INGREDIENTS:2.0%

Total 100.0%

KEEP OUT OF REACH OF CHILDREN

 **POISON** 
DANGER - PELIGRO

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle.

(If you do not understand the label, find someone to explain it to you in detail.)

FIRST AID	
CONTAINS AN ORGANOPHOSPHATE THAT INHIBITS CHOLINESTERASE	
If on skin or clothing:	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.
If swallowed:	<ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by a poison control center or doctor. • Do not give anything by mouth to an unconscious person.
If inhaled:	<ul style="list-style-type: none"> • Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. • Call a poison control center or doctor for further treatment advice.
If in eyes:	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
EMERGENCY INFORMATION	
Have the product container or label with you when calling a poison control center or doctor, or going for treatment.	
FOR THE FOLLOWING EMERGENCIES, PHONE 24 HOURS A DAY:	
For Medical Emergencies phone:.....	1-888-681-4261
Transportation: CHEMTREC.....	1-800-424-9300
Other: AMVAC.....	1-888-462-6822

SEE SIDE/BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS AND DIRECTIONS FOR USE.

EPA Reg. No. 5481-96
EPA Est. No. 5481-CA-1

Net Weight:
As Marked on Container


4100 E. Washington Blvd.
Los Angeles, CA 90023 U.S.A
1-888-462-6822

ACCEPTED
SEP 19 2012
Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under
EPA Reg. No. 5481-96

4/11

NOTE TO PHYSICIAN

Symptoms include weakness, headache, tightness in chest, blurred vision, non-reactive pinpoint pupils, salivation, sweating, nausea, vomiting, diarrhea, and abdominal cramps.

TREATMENT: Atropine is the specific therapeutic antagonist of choice against parasympathetic nervous stimulation. If there are signs of parasympathetic stimulation, *Atropine sulfate* should be injected at 10-minute intervals in doses of 1 to 2 milligrams until complete atropinization has occurred. *Pralidoxime chloride (2-PAM)* may also be used as an effective antidote in addition to and while maintaining full atropinization. In adults, an initial dose of 1 gram of 2-PAM should be injected, preferably as an infusion in 250 cc of saline over a 15 to 30 minute period. If this is not practical, 2-PAM may be administered slowly by intravenous injection as a 5 percent solution in water over not less than two minutes. After about an hour, a second dose of 1 gram of 2-PAM will be indicated if muscle weakness has not been relieved. For infants and children the dose of 2-PAM is 0.25 gram. Morphine is an improper treatment. Clear chest by postural drainage. Oxygen administration may be necessary. Observe patient continuously for 48 hours. Repeated exposure to cholinesterase inhibitors may without warning cause prolonged susceptibility to very small doses of any cholinesterase inhibitor. Allow no further exposure until cholinesterase regeneration has been attained as determined by blood test.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: Fatal if absorbed through the skin. Rapidly absorbed through skin. May be fatal if swallowed or inhaled. Do not breathe vapors. Repeated inhalation or skin contact may without symptoms, progressively increase the susceptibility to Dichlorvos (DDVP) poisoning. Causes moderate eye irritation. Avoid contact with eyes. Do not get in eyes, on skin or on clothing. Do not contaminate food or feed products.

REQUIRED PROTECTIVE CLOTHING

Persons who handle this product must wear the following protective clothing:

- Protective suit of one or two pieces covering all parts of the body except head, hands, and feet
- Chemical-resistant gloves
- Chemical-resistant shoes (or chemical-resistant shoe coverings or chemical-resistant boots)
- Respirator with either an organic vapor removing cartridge with a pre-filter approved for pesticides (MSHA/NIOSH approval number prefix TC-23C) or a canister approved for pesticides (MSHA/NIOSH approval number prefix TC-14G) or a NIOSH approved respirator with an organic vapor (OV) cartridge or canister with any R, P or HE prefilter.
- Chemical-resistant apron.

USER SAFETY RECOMMENDATIONS

- Users should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.
- Users should remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

This product is toxic to birds, fish, and aquatic invertebrates. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this

product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

PHYSICAL AND CHEMICAL PROPERTIES

Do not use or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. **READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH PRECAUTIONARY STATEMENTS AND DIRECTIONS FOR USE, AND WITH APPLICABLE STATE AND FEDERAL REGULATIONS. FOR FORMULATION OF DICHLORVOS INSECTICIDE PRODUCTS ONLY.**

This product is intended only for use in the formulation of other Dichlorvos insecticide products. Products formulated using Amvac DDVP Technical Grade will require registration with the U.S. Environmental Protection Agency.

This product is for formulation into end-use products intended only for use on the following sites.

The use sites for which Dichlorvos products may be used are formulation specific.

Any limitations, cautions, restrictions or instructions stated below for any particular use site or formulation must be incorporated in the "end-use" label language.

Formulators using this product are responsible for obtaining EPA registration of their formulated products and to provide data to support their registrations.

This product may be used to formulate products for any additional use(s) not listed on this label if the formulator, user group, or grower has complied with U.S. EPA submission requirements regarding support of such use(s).

DRY FORMULATIONS

1. IMPREGNATED RESIN PEST STRIPS:

- Do **not** use in hospitals or clinical rooms, such as patient rooms, wards, nurseries, operating or emergency areas. Do **not** use in any areas where infants, children, and the sick or aged are or will be for any extended period of confinement. Do **not** use in kitchens, restaurants, or areas where food/feed are prepared or processed. Not to be taken internally by humans and animals. Do not use in food/feed processing or food/feed manufacturing areas of food/feed processing and food/feed manufacturing plants.
- It is strongly recommended that all resin pest strips for use by homeowners or in homes be packaged in a cage that allows application (dispensing) with minimal contact with the strip, is difficult to open and be approved by Amvac Chemical Corporation prior to sale.

ONLY FOR FORMULATION INTO 80 gram, 65 gram, 16 gram, 10.5 gram AND 5.25 gram PEST STRIP SIZES

1.(a) IMPREGNATED RESIN PEST STRIPS FORMULATED INTO 80 gram AND 65 gram SIZES:

For use in unoccupied areas; not for use in homes except garages, attics, crawl spaces, and sheds occupied for less than 4 hours per day.

Also for use in boathouses, museum collections, animal buildings, reptile houses, and milk rooms, or enclosed areas thereof, occupied for less than 4 hours per day.

For use in unoccupied areas such as trash dumpsters, catch basins, bulk raw grain bins, storage bins, insect traps, enclosed utility boxes, and storage units. Also for use in areas where non-perishable packaged and bagged and bulk stored processed and raw agricultural commodities (such as soybeans, corn, grains, cocoa beans and peanuts) are stored.

Also for use in the following unoccupied structures, provided they are unoccupied for more than 4 months immediately following placement of a pest strip: vacation homes, cabins, mobile homes, boats, farm houses, and ranch houses.

1.(b) IMPREGNATED RESIN PEST STRIPS FORMULATED INTO 16 gram, 10.5 gram AND 5.25 gram SIZES:

Within homes, use only in closets, wardrobes, and cupboards. Also for use in storage units, garages, attics, crawl spaces, boathouses, museum collections, garbage cans, trash dumpsters, animal buildings, terrariums, milk rooms, catch basins, bulk raw grain, insect traps, enclosed utility boxes, and storage bins. Do not use in closets and wardrobes of rooms where infants, children, and the sick or aged are or will be present for any extended period of confinement.

2. IMPREGNATED DISPENSER:

Enclosed outdoor utility equipment such as communications, electric, gas, water and cable television.

- FOR INDUSTRIAL COMMERCIAL USE ONLY, NOT FOR INDOOR USE OR WHERE PERSONS ARE PERMANENTLY ASSIGNED OR RESIDING.

3. IMPREGNATED STRIP FOR INSECT TRAPS

AEROSOL/FOGGER FORMULATIONS

1. AEROSOL SPRAY CAN

1.(a) AEROSOL SPRAY CAN – NOT TOTAL RELEASE (FOR RESIDENTIAL CONSUMER USE)

Percentage of DDVP A.I. 0.5% or less for residential consumer use. For localized surface application in homes, cabins, garages, and basements.

- Do not use as an indoor space spray or for crack and crevice use.
- Cover all food processing surfaces or thoroughly wash before reuse. Cover or remove exposed food before application.
- Do not apply more frequently than once a month.

1.(b) AEROSOL SPRAY CAN – TOTAL RELEASE (NOT FOR USE IN/AROUND RESIDENTIAL SITES)

For use in hotels/motels, animal buildings, dairy milk rooms, commercial premises, warehouses and industrial plants.

- Do not use to treat non-perishable packaged or bagged and/or bulk stored raw or processed agricultural commodities.
- Do not use in food/feed areas of food/feed handling establishments, restaurants, or other areas where food/feed is commercially prepared or processed, in serving areas while food/feed is exposed or facility is in operation.

- 7/11
- Non food/feed areas where the product can be applied are areas such as garbage rooms, lavatories, floor drains (to sewage), entries and vestibules, offices, locker rooms, boiler rooms, garages, mop closets and storage after canning and bottling.
 - After application do not reoccupy premises for at least 2 hours. Before reoccupying open all doors and windows and ventilate thoroughly for at least 1 hour.
- 2. COMMERCIAL AEROSOL/FOGGERS (NOT TOTAL RELEASE) (NOT FOR USE IN/AROUND RESIDENTIAL SITES) (NOT FOR USE WITH HAND HELD FOGGERS IN WAREHOUSES, GREENHOUSES, OR MUSHROOM HOUSES)**
- For use in warehouses, silos, bulk bins and food/feed processing, food/feed manufacturing, handling and storage plants containing non-perishable, packaged or bagged raw or processed food/feed commodities or bulk raw or processed food/feed commodities and non-food/feed areas of processing/manufacturing plants, at 2.0 grams A.I./1,000 cubic feet maximum. Non-food/feed processing and manufacturing plant use areas include garbage rooms, lavatories, floor drains (to sewer entries and vestibules), offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage (after canning or bottling).
 - Keep a minimum of a 7-day interval between applications except on cocoa beans and raw (unshelled) peanuts where daily applications do not exceed 0.5 grams A.I. per 1,000 cubic feet of head space.
 - Do not make applications when temperatures are below 60°F.
 - All treatments must be made during the hours when buildings are unoccupied. Buildings treated must be closed and ventilation kept at a minimum during application. Lock all entrances and do not allow unprotected workers to enter building during treatment.
 - NOTIFICATION: Before the start of the application, post fumigant warning signs at all entrances to the building. The signs must bear the skull and crossbones symbol and state: (1) "DANGER/PELIGRO," (2) "Building under fumigation, DO NOT ENTER/NO ENTREE," (3) the date and time of fumigation, (4) "DDVP {or use brand name} Fumigant in use," and name, address, and telephone number of the applicator. The signs must be located prominently at each entrance, using a sign size and letter size that makes the sign clearly legible. All signs must be removed after the ventilation is complete and before routine entry by unprotected persons is permitted.
 - Entry by any person -- other than a correctly trained and equipped handler who is performing a task related to ventilation or air concentration monitoring and who is wearing the personal protective equipment required for handlers -- is PROHIBITED in the entire enclosed structure/building from the start of application until ventilation is complete. Ventilation is complete either when 24 hours have elapsed following application and the building has been opened and aired or when a direct-indication short-term concentration monitoring device (e.g. Draeger tube) indicates that the DDVP air concentration is equal to, or less than 0.050 ppm (50% of the OSHA PEL).
 - FOR USE AND STORAGE BY COMMERCIAL, INDUSTRIAL AND INSTITUTIONAL APPLICATORS ONLY. The term "non-perishable" means any raw or processed food/feed not subjected to rapid decay or deterioration that would render it unfit for consumption. Raw commodities would include: Animal feed, cocoa beans, dried beans, grain crops, peanuts, soybeans and nut crops. Raw commodities do not include: eggs, milk, meat, poultry, fish, fresh fruits and vegetables. Processed food/feed would include: flour, sugar, cereals, packaged goods and crackers. Processed food/feed do not include: hermetically sealed food/feed or manufactured dairy products and other processed food/feed requiring freezing or refrigeration.
 - When using in food feed processing, food/feed manufacturing, handling and storage areas:

- Apply only during times when plant is not in operation and no food/feed products are exposed. If bulk, unpackaged food/feed are exposed, remove or cover before treatment begins.
- All food/feed processing surfaces must be covered during treatment or thoroughly cleaned before using.

NOTE: USE IS PROHIBITED IN:

- Food/feed manufacturing establishments: bottling plants (including wineries, breweries, soft drinks), frozen food/feed (including pizza plants and ice cream plants) excluding non-food/feed manufacturing areas.
- Food/feed processing establishments: meat, poultry and seafood slaughtering and/or packing plants (including edible fats and oils), frozen food/feed plants (including fruit and vegetables), dairy product plants (including milk processing plants) excluding non-food/feed processing areas.

LIQUID FORMULATIONS

1. LIQUID FORMULATIONS FOR AGRICULTURAL/COMMERCIAL USE ONLY (NOT FOR USE WITH HAND HELD FOGGERS IN WAREHOUSES, GREENHOUSES, OR MUSHROOM HOUSES):

Liquid Formulations (General Category of Farms); for use in farm buildings, (farm yards); manure treatments on farm premises; dairy and farm premises; feed lots, including around feed lots, stockyards, corrals, holding pens, fences and etc.; animal buildings, including barns, feeding areas, shelters and stables; dairy barns (including milk rooms, equipment and barnyards); livestock feeding areas; pens, poultry droppings, poultry houses (equipment and yards); beef cattle, poultry, dairy cattle, goats, horses (including ponies), sheep, and turkeys.

- All formulations for the above uses must read: NOT FOR USE IN OR AROUND RESIDENTIAL SITES
- Do not make direct application to livestock more frequently than once per day.

Liquid Formulations (Outdoor Uses) (Not for Use on Lawns or Ornamentals) (Not for Use In or Around Residential Sites): for outdoor use including patios, kennels, including outside runways, window sills and ledges; outside surfaces of buildings, including porches, screens, window frames, eaves, patios, garages; refuse dumps; refuse and solid waste containers; wine cellars, but not for lawns, turf, or ornamentals.

- FOR USE AND STORAGE BY LICENSED PEST CONTROL OPERATORS ONLY.
- Do not use on lawns, turf, or ornamentals.
- Do not treat more than 5 application sites per day and do not make DDVP applications more than once per week.

Liquid Formulations (Indoor Industrial/Commercial Indoor Use) (Not for Use In or Around Residential Sites): for industrial/commercial indoor use for spraying non-food surface areas of industrial plants, commercial buildings, food processing plants, warehouses, railcars and trucks.

- FOR USE AND STORAGE BY LICENSED PEST CONTROL OPERATORS ONLY.
- Crack and crevice treatments and space spray use are prohibited.
- Do not use in hospitals or clinical rooms, such as patient rooms, wards, nurseries, operating or emergency areas.
- Do not use in the food/feed areas of food/feed handling establishments, restaurants, or areas where food/feed is prepared or processed. Do not use to treat non-perishable bagged and/or bulk stored raw or processed agricultural commodities.

- 9/11
- Non food/feed areas where the product can be applied are areas such as garbage rooms, lavatories, floor drains (to sewage), entries and vestibules, offices, locker rooms, boiler rooms, garages, mop closets and storage after canning and bottling.

Liquid Formulations (Mushroom House and Greenhouses):

For use in mushroom houses and greenhouses (non food crops) at 2.0 grams A.I./1,000 cubic feet maximum.

- **FOR USE AND STORAGE BY LICENSED PEST CONTROL OPERATORS OR CERTIFIED APPLICATORS ONLY.**
- Keep a minimum of a 7 day interval between applications.
 - For Mushroom Houses: If ventilation is complete before 18 hours have elapsed following application (e.g., Draeger tube reading), then a restricted-entry interval of 18 hours is in effect. Do not enter or allow workers to enter during the restricted-entry interval of 18 hours. Early entry as permitted by the Worker Protection standard is permitted provided:
 - o The fumigant warning sign is removed, and
 - o The following personal protective equipment is worn: coveralls, shoes and socks, and waterproof gloves.
 - For Greenhouses: If ventilation is complete before 12 hours have elapsed following application (e.g., Draeger tube reading), then a restricted-entry interval of 12 hours is in effect. Do not enter or allow workers to enter during the restricted-entry interval of 12 hours. Early entry as permitted by the Worker Protection Standard is permitted provided:
 - o The fumigant warning sign is removed, and
 - o The following personal protective equipment is worn: coveralls, shoes and socks, and waterproof gloves.
- Coveralls must be worn when applying in mushroom houses.
- Application by hand held fogger in mushroom houses and greenhouses is prohibited.

2. LIQUID FORMULATIONS FOR USE ONLY IN COMMERCIAL APPLICATION EQUIPMENT SUCH AS CONVENTIONAL OR ULV FOGGING EQUIPMENT (SPACE TREATMENT) (NOT FOR USE WITH HAND HELD FOGGERS IN WAREHOUSES, GREENHOUSES, OR MUSHROOM HOUSES):

- For use in warehouses, silos, bulk bins and food/feed processing, food/feed manufacturing, handling and storage plants containing non-perishable, packaged or bagged raw or processed food/feed commodities or bulk raw or processed food commodities and non-food/feed areas of processing/manufacturing plants, at 2.0 grams A.I./1,000 cubic feet maximum. Non-food/feed processing and manufacturing plant use areas include garbage rooms, lavatories, floor drains (to sewer entries and vestibules), offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage (after canning or bottling).
 - o Keep a minimum of a 7-day interval between applications except on cocoa beans and raw (unshelled) peanuts where daily applications do not exceed 0.5 grams A.I. per 1,000 cubic feet of head space.
 - o Do not make applications when temperatures are below 60°F.
- All treatments must be made during the hours when buildings are unoccupied. Buildings treated must be closed and ventilation kept at a minimum during application. Lock all entrances and do not allow unprotected workers to enter building during treatment.
- **NOTIFICATION:** Before the start of the application, post fumigant warning signs at all entrances to the building. The signs must bear the skull and crossbones symbol and state: (1) "DANGER/PELIGRO," (2) "Building under fumigation, DO NOT ENTER/NO ENTRE," (3) the date and time of fumigation, (4) "DDVP {or use brand name} Fumigant in use," and name, address, and telephone number of the applicator. The signs must be located prominently at each

entrance, using a sign size and letter size that makes the sign clearly legible. All signs must be removed after the ventilation is complete and before routine entry by unprotected persons is permitted.

- Entry by any person -- other than a correctly trained and equipped handler who is performing a task related to ventilation or air concentration monitoring and who is wearing the personal protective equipment required for handlers -- is PROHIBITED in the entire enclosed structure/building from the start of application until ventilation is complete. Ventilation is complete either when 24 hours have elapsed following application and the building has been opened and aired or when a direct-indication short-term concentration monitoring device (e.g. Draeger tube) indicates that the DDVP air concentration is equal to, or less than 0.050 ppm (50% of the OSHA PEL).
- FOR USE AND STORAGE BY COMMERCIAL, INDUSTRIAL AND INSTITUTIONAL APPLICATORS ONLY. The term "non-perishable" means any raw or processed food not subject to rapid decay or deterioration that would render it unfit for consumption. Raw commodities would include: Animal feed, cocoa beans, dried beans, grain crops, peanuts, soybeans and nut crops. Raw commodities do not include: eggs, milk, meat, poultry, fish, fresh fruits and vegetables. Processed food/feed would include: flour, sugar, cereals, packaged goods and crackers. Processed food/feed do not include: hermetically sealed foods or manufactured dairy products and other processed food/feed requiring freezing or refrigeration.
- When using in food/feed processing, food/feed manufacturing, handling and storage areas:
 - Apply only during times when plant is not in operation and no food/feed products are exposed. If bulk, unpackaged food/feed are exposed, remove or cover before treatment begins.
 - All food/feed processing surfaces must be covered during treatment or thoroughly cleaned before using.

NOTE: USE IS PROHIBITED IN:

- **Food/feed manufacturing establishments:** bottling plants (including wineries, breweries, soft drinks), frozen food/feed (including pizza plants and ice cream plants) excluding non-food/feed manufacturing areas.
- **Food/feed processing establishments:** meat, poultry and seafood slaughtering and/or packing plants (including edible fats and oils), frozen food/feed plants (including fruit and vegetables), dairy product plants (including milk processing plants) excluding non-food/feed processing areas.

STORAGE AND DISPOSAL

Do not contaminate water, food/feed by storage or disposal.

DRUM HANDLING: Handle carefully to prevent damage and leakage. Open drums only when set on end and under a ventilated hood. Unscrew bungs slowly to release internal pressure.

STORAGE: Store product in original container in a cool, dry, locked place out of reach of children.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Nonrefillable container. Do not reuse or refill this container. Offer for recycling if available. Triple rinse container (or equivalent) promptly after emptying. Triple rinse as

11/11

follows: Empty the remaining contents into application equipment or a mix tank. Fill the container ¼ full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times.

LIMITED WARRANTY AND DISCLAIMER

The manufacturer warrants (a) that this product conforms to the chemical description on the label; (b) that this product is reasonably fit for the purposes set forth in the directions for use, subject to the inherent risks referred to herein, when it is used in accordance with such directions; and (c) that the directions, warnings, and other statements on this label are based upon responsible experts' evaluations of reasonable tests of effectiveness, of toxicity to laboratory animals and to plants and residues on food crops, and upon reports of field experience. Tests have not been made on all varieties of food crops and plants, or in all states or under all conditions.

THERE ARE NO EXPRESS WARRANTIES OTHER THAN THOSE SET FORTH HEREIN. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THE MANUFACTURER NEITHER MAKES NOR INTENDS, NOR DOES IT AUTHORIZE ANY AGENT OR REPRESENTATIVE, TO MAKE ANY OTHER WARRANTIES, EXPRESS OR IMPLIED, AND IT EXPRESSLY EXCLUDES AND DISCLAIMS ALL IMPLIED WARRANTIES OF MERCHANTABILITY OF FITNESS FOR A PARTICULAR PURPOSE, OR ANY WARRANTY OF QUALITY OR PERFORMANCE. THIS WARRANTY DOES NOT EXTEND TO, AND THE BUYER SHALL BE SOLELY RESPONSIBLE FOR, ANY AND ALL LOSS OR DAMAGE WHICH RESULTS FROM THE USE OF THIS PRODUCT IN ANY MANNER WHICH IS INCONSISTENT WITH THE LABEL DIRECTIONS, WARNINGS OR CAUTIONS.

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BUYER'S EXCLUSIVE REMEDY AND MANUFACTURER'S OR SELLER'S EXCLUSIVE LIABILITY FOR ANY AND ALL CLAIMS, LOSSES, DAMAGES, OR INJURIES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, WHETHER OR NOT BASED IN CONTRACT, NEGLIGENCE, STRICT LIABILITY IN TORT OR OTHERWISE, SHALL BE LIMITED, AT THE MANUFACTURER'S OPTION, TO REPLACEMENT OF, OR THE REPAYMENT OF THE PURCHASE PRICE FOR, THE QUANTITY OF PRODUCT WITH RESPECT TO WHICH DAMAGES ARE CLAIMED. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, MANUFACTURER OR SELLER SHALL NOT BE LIABLE FOR SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT.

AMVAC offers this product, and Buyer accepts it, subject to the foregoing Limited Warranty which may be varied only by agreement in writing signed by an authorized representative of AMVAC.

Amyac Chemical Corporation
4100 E. Washington Blvd.
Los Angeles, CA 90023 U.S.A.
1-323-264-3910