

# DURHAM DURATEX GRANULES

(CONTAINS 2% BAYTEX®)

**ACTIVE INGREDIENT:**

\*FENTHION O,O-DIMETHYL O - [4-(METHYLTHIO) - M - TOLYL] PHOSPHOROTHIOATE . . . . . 2.0%

INERT INGREDIENTS: . . . . . 98.0%  
100.0%

\*REG. U.S. AND CANADIAN PAT. OFFS. BY FARBENFABRIKEN BAYER A.G. CHEMAGRO CORPORATION LICENCEE.

FOR USE BY TRAINED PERSONNEL OF MOSQUITO ABATEMENT DISTRICTS, PUBLIC HEALTH OFFICIALS, AND OTHER PUBLIC MOSQUITO CONTROL PROGRAMS.

FOR THE CONTROL OF MOSQUITO LARVAE, APPLY AT THE RATE OF 5 LBS. (0.1 LBS. ACTIVE) PER ACRE. APPLY WITH MECHANICAL BROADCASTERS OR BY AIRPLANE. COVER TREATED AREAS EVENLY. DO NOT REPEAT APPLICATION WITHIN 21 DAYS.

**CALIFORNIA ONLY:** TO BE USED BY MOSQUITO CONTROL AGENCIES AS PROVIDED UNDER THE CONTRACTUAL AGREEMENT WITH THE CALIFORNIA DEPARTMENT OF PUBLIC HEALTH RELATING TO PESTICIDE USAGE.

**CAUTION:** MAY BE FATAL IF SWALLOWED, INHALED, OR ABSORBED THROUGH THE SKIN. DO NOT GET IN EYES, ON SKIN, OR ON CLOTHING. DO NOT BREATHE VAPOR OR DUST. IF SPILLED ON SKIN, WASH WITH SOAP AND WARM WATER IMMEDIATELY. WASH THOROUGHLY WITH SOAP AND WATER AFTER HANDLING. WASH CONTAMINATED CLOTHING WITH SOAP AND HOT WATER BEFORE RE-USE.

KEEP OUT OF REACH OF CHILDREN.

LARGE DOSES OF THIS COMPOUND WILL INHIBIT CHOLINESTERASE. IF POISONING OCCURS OBTAIN PROMPT MEDICAL AID.

THIS PRODUCT IS TOXIC TO FISH AND WILDLIFE. KEEP OUT OF LAKES, STREAMS OR PONDS. BIRDS FEEDING ON TREATED AREAS MAY BE KILLED. SHRIMP AND CRAB MAY BE KILLED AT APPLICATION RATES RECOMMENDED ON THIS LABEL. DO NOT APPLY WHERE THESE ARE IMPORTANT RESOURCES.

**TO PHYSICIAN:** COMPOUND INHIBITS CHOLINESTERASE IN STIMULATION OF THE CENTRAL NERVOUS SYSTEM, THE PARASYMPATHETIC NERVOUS SYSTEM AND SOMATIC NERVES.

**DO NOT GIVE MORPHINE.**

WATCH FOR PULMONARY EDEMA WHICH MAY DEVELOP IN SERIOUS CASES OF POISONING EVEN AFTER 12 HOURS. AT FIRST SIGN OF PULMONARY EDEMA, THE PATIENT SHOULD BE PLACED IN AN OXYGEN TENT AND TREATED SYMPTOMATICALLY.

**SYMPTOMS OF POISONING:** A SENSE OF "TIGHTNESS" IN THE CHEST. SWEATING, CONTRACTED PUPILS, STOMACH PAINS, VOMITING AND DIARRHEA.

**TREATMENT:** IN CASE OF POISONING, CALL A PHYSICIAN IMMEDIATELY. HAVE PATIENT LIE DOWN AND KEEP QUIET. IF SWALLOWED, INDUCE VOMITING BY GIVING 1 TABLESPOONFUL OF SALT IN A GLASS OF WARM WATER. ADMINISTER MILK OR WATER FREELY AND AGAIN INDUCE VOMITING UNTIL VOMIT FLUID IS CLEAR. IF ON SKIN, REMOVE CONTAMINATED CLOTHING AND WASH SKIN IMMEDIATELY WITH SOAP AND WARM WATER. IF EYES ARE CONTAMINATED, WASH WITH FLOWING WATER FOR AT LEAST 15 MINUTES.

**ANTIDOTE:** ADMINISTER ATROPINE SULFATE IN LARGE THERAPEUTIC DOSES. REPEAT AS NECESSARY TO THE POINT OF TOLERANCE. LIBERAL DOSES OF GLUCOSE APPEARS TO ENHANCE THE ANTIDOTAL PROPERTIES OF ATROPINE. 2-PAM IS ALSO ANTIDOTAL AND MAY BE ADMINISTERED IN CONJUNCTION WITH ATROPINE.

143

NET WEIGHT 50 POUNDS

USDA REG. NO. 1422-425

**DURHAM CHEMICAL COMPANY**

4124 E. PACIFIC WAY

LOS ANGELES, CALIFORNIA 90023

**CAUTION!**

**KEEP OUT OF REACH OF CHILDREN**

NOTICE: Durham Chemical Company makes no warranty, express or implied, including the warranties of merchantability and/or fitness for any particular purpose, concerning this material, except those which are contained on Durham's label.