

DURHAM

METALDEHYDE GRANULES

A SOIL SURFACE TREATMENT FOR CONTROL OF SNAILS & SLUGS IN CITRUS GROVES - AP
ORCHARDS - SMALL FRUITS AND BERRIES - VEGETABLE GARDENS - ORNAMENTAL GAR
CROPS - FIELD CROPS - DICHONDRA and TURFGRASS LAWNS - FOR USE IN ORNAMENTAL

AGRICULTURAL USE REQUIREMENTS (Continued): Do not enter or allow worker entry into treated areas during the restricted-entry interval (REI) of 12 hours. PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is: Coveralls, waterproof gloves and shoes plus socks.

NON-AGRICULTURAL USE REQUIREMENTS

The requirements of this box apply to uses of this product that are NOT within the scope of the Worker Protection Standard for agricultural pesticides (40 CFR Part 170). The WPS applies when this product is used to produce agricultural plants on farms, forests, nurseries, or greenhouses. Confine pets during application to prevent them from believing they are being fed.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. **STORAGE:** Store product in original labeled container in a cool, dry, locked place out of reach of children. Keep container tightly closed when not in use. Do not store in direct sunlight. **PESTICIDE DISPOSAL:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. **CONTAINER DISPOSAL:** Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill, or by incineration, or, if allowed by State & local authorities, by burning. If burned stay out of smoke.

IMPORTANT

Read entire label. Use in accordance with precautionary statements and directions, and with applicable Federal and State regulations. **DO NOT APPLY DIRECTLY ONTO PLANTS.** Do not allow bait to contact the edible portions of any food crop.

USE PRECAUTIONS

Read entire label before using. Use only as a baiting treatment to be applied directly to the soil area beneath plants as listed on this label. Do not allow bait granules to come in contact with parts of plant that may be used for food or feed purposes. The grower is responsible for residues on his crops, as well as for damages caused by drift from his property to that of others. Do not allow to drift to adjoining food, fiber or pasture crops. NOTE Durham Metaldehyde Granules 7.5 should never be applied to dry soil. Applications should be made following an irrigation for best results. Apply any time of the day but evening applications are preferred. Do not re-water for 48 hours after application.

APPLICATION RATE

For control of SNAILS and SLUGS in the following areas, use 1 lb. to treat 2,200 to 2,500 sq. ft. of soil surface equivalent to 17 1/2 to 20 pounds granules per acre. Apply when first plant damage appears or is anticipated and repeat as needed for control.

FIELD CROPS

Cereal Grains (Barley, Oats, Wheat), Corn, Legumes (Alfalfa, Beans, Clover, Cowpeas, Peas), Mint. Apply up to 20 pounds per acre.

DICHONDRA AND/OR TURFGRASS LAWNS

Water infested area thoroughly before application. Broadcast Durham Metaldehyde Granules 7.5 directly on lawn or turf. Spread evenly. One pound will cover up to 2,500 sq. ft. Do not re-water for 48 hours.

ORNAMENTAL PLANTS

ORNAMENTAL GARDENS, PLANTED BORDERS AND GROUND COVERS: Including Azaleas, Bantonia, Camellias, Chrysanthemums, Daffodils, Daisies, Geraniums, Honeysuckle, Hydrangeas, Ice Plant, Impatiens, Iris, Marigolds, Parsies, Petunias, Rhododendron, Rose, Sweet Peas, Snapdragon, Spatiophyllum, Tulips. Water the infested area thoroughly before application. Broadcast or sprinkle Durham Metaldehyde Granules 7.5 evenly over the infested areas and along edges of flower beds adjacent to border or ground cover plants. Also apply on ground at base of fences and walls in shady, protected locations. One pound will cover up to 2,500 Sq. Ft. Do not re-water for 48 hours.

ACTIVE INGREDIENT:

Metaldehyde (2,4,6,8-tetramethyl -1,3,5,7-tetraoxocyclo-octane) 7.5%

INERT INGREDIENTS:

Total 92.5%
100.0%



ORNAMENTAL (

Water or irrigate greenhouse soil to be treated before Granules liberally around greenhouse, under place where SNAILS and SLUGS might congregat experience has shown the plant to be tolerant to Metaldehyde Granules 7.5 however some slight orchids. One pound will cover up to 2,500 sq. Metaldehyde Granules 7.5 has proven to have a infested greenhouses a second application is application to bring the house under control.

SEED (

Flowers, Grasses, Legumes (Alfalfa, Beans, Clo Cabbage, Carrots, Collards, Kale, Kohlrabi, Let Tobacco, Turnips); Apply up to 20 pounds p

SMALL FRUITS

Blackberries, Blueberries, Cranberries, Loganbe up to 20 lbs. per acre.

TREE (

Apples, Apricots, Avocados, Cherries, Peaches etc.); Broadcast liberally under trees, around irri where slugs and snails may congregate. Apply

VEGETABLE CROF

Asparagus, Beans, Beets, Blackeyed Peas, Bro Cucumbers, Eggplant, Endive, Garlic, Ginseng Melons, Mustard Greens, Okra, Onions, Par Pumpkins, Radishes, Rhubarb, Rutabagas, Sai toes, Swiss Chard, Tomatoes, Turnips, Waterm 1 pound per 2,500 sq.ft.

For Arichoke: Apply by air or ground applicatio per acre. After tight bud stage, apply by ground

IMPORTANT: PLEASE

By using this product, the user accepts: AMVAC warrants that (a) this product conforms to the reasonably fit for the purposes stated on its label, sube in accordance with its directions; and (c) that the direc this label are based upon responsible experts' evaluati to laboratory animals and plants, of residues on food c has not been performed on all varieties of food crops, weather and crop conditions. There are no express w neither makes nor intends, nor does it authorize any ac express or implied. Amvac expressly excludes and c fitness for particular purpose, or any other warranty of. This warranty does not extend to, and the user shall b results from the use of this product in any manner wh or caution. User's exclusive remedy and Amvac's or se or injury resulting from the use or handling of this prod strict liability in tort, or otherwise shall be limited, at Am purchase price for the quantity of product with respec Amvac or Seller be liable for special, indirect, or conseq of this product. (54-103AM.PMS06-19-95EPA rev.09-

KEEP OUT OF REACH OF CHILDREN CAUTION

STATEMENTS OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or Poison Control Center immediately. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious or convulsing person. **IF ON SKIN:** Wash with soap and warm water. **IF IN EYES:** Flush with flowing water. Get medical attention if irritation persists.

THIS PESTICIDE MAY BE FATAL TO DOGS OR OTHER PETS IF EATEN. KEEP PETS OUT OF TREATED AREA.

SEE SIDE/BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DO NOT TAKE INTERNALLY. DO NOT GET IN EYES. DO NOT GET ON SKIN.

CAUTION: May be harmful if swallowed inhaled or absorbed through the skin. Do not breathe dust, get in eyes, on skin or on clothing. If poisoning occurs, obtain prompt medical aid. Keep granules away from dogs and pets. Bait may be attractive to dogs. Confine pets during application to prevent them from believing they are being feed.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Applicators and other handlers must wear long-sleeved shirt and long pants; waterproof gloves; and shoes plus socks. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

User Safety Recommendations

Users should: Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

Do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

EPA REG. NO. 5481-103

NET WEIGHT 50 POUND

EPA EST. NO. 5481-CA-1

AMVAC CHEMICAL CORPORATION

4100 EAST WASHINGTON BLVD. - LOS ANGELES, CA 90023 U.S.A.

FOR THE FOLLOWING EMERGEN
TRANSPORTATION: CHEMICAL
MEDICAL: HAZARD INFORMATION

2 of 2

ACCEPTED
FEB 29 1996
Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under
EPA Reg. No. 5481-103

ENH

W3

07.15.00

08.27.00

BEST AVAILABLE COPY