

DURHAM KLOORO 40W

ACTIVE INGREDIENT:

Technical Chlordane* 40.0%

INERT INGREDIENTS: 60.0%

*Equivalent to 24% Octachloro-4, 7-Methanotetrahydroindane and 16% related compounds

CAUTION!

Keep Out of Reach of Children

HARMFUL IF SWALLOWED.

AVOID BREATHING DUST OR SPRAY MIST.

CONTACT WITH SKIN CAUSES TOXIC SYMPTOMS. IN CASE OF CONTACT WITH SKIN, WASH WITH SOAP AND WATER.

USE PRECAUTIONS:

Observe use limitations given on label for specific crops. In order that pesticidal residues on food and forage crops will not exceed tolerances established by the Federal Food and Drug Administration, use only at recommended rates and intervals. Do not apply closer to harvest than specified. Do not allow to drift or apply to areas occupied by unprotected humans or beneficial animals or onto adjoining food, fiber or pasture crops. The grower is responsible for residues on his crop as well as for damages caused by drift from his property to that of others.

This product is toxic to fish and wildlife. Keep out of any body of water. Do not contaminate water by cleaning equipment, or disposal of wastes.

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

Do not use this product on feed or forage to be fed to dairy animals or to livestock being finished for slaughter.

Do not reuse empty container. Destroy by burying with waste.

DIRECTIONS FOR USE:

Measure the specified amount of this product, then wash through filler screen in nearly filled spray tank or pre-mix in a bucket before pouring into spray tank. Add balance of water to fill tank. Keep agitator running during filling and spraying operations. Do not allow mixture to stand. Do not use low volume gear pump spray equipment. Do not combine with emulsifiable liquids unless previous use of the mixture has proven physically compatible and safe to plants. Emulsifiable concentrates should always be thoroughly emulsified with at least half of total water before adding this product.

(SEE OTHER SIDE)

DISTRIBUTED BY

AMVAC CHEMICAL CORPORATION

LOS ANGELES, CALIF. 90023

NET WEIGHT

EPA Reg. No. 5481-128-AA

EPA Est. 5481-CA-1

ACCEPTED

APR 9 1976

Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under
EPA Reg. No. 5481-128

SUBTERRANEAN TERMITES DIRECTIONS FOR PROFESSIONAL USE

Mix 25 lbs. in 100 gals. water to make a 1% suspension.

PRECONSTRUCTION TREATMENT

Slab-on-ground Construction: (1) Apply an over-all treatment under entire surface of floor slab. Apply at the rate of 1 gallon per 10 square feet, except that if fill under slab is gravel or other coarse absorbent material, apply at the rate of 1½ gallons per 10 square feet.

(2) Under slab-on-ground porch floors and entrance platforms, apply an over-all treatment at the rate of 1 gallon per 10 square feet.

(3) Along both sides of foundation wall, along interior foundation walls, and around plumbing dig a narrow trench to a depth of 1 foot, but not below the top of the footing. Apply at the rate of 2 gallons per 5 linear feet of trench. The chemical should be mixed with the soil as it is being replaced in the trench.

(4) Treat all voids in hollow masonry units of the foundation at the rate of at least 1 gallon per 5 linear feet of wall. Apply the emulsion so as to reach the footing.

Buildings with Crawl Spaces: (1) Dig a narrow trench to the top of the footing along the inside of foundation walls, around piers, sewer pipes and conduits. Apply two gallons of emulsion per 5 linear feet of trench. The chemical should be mixed with the soil as it is being replaced in the trench.

(2) Dig a narrow trench to the top of the footing along the outside of the foundation wall. Apply 2 gallons of emulsion per 5 linear feet of trench per each foot of depth. A trench 3 feet deep would require 6 gallons per 5 linear feet. The chemical should be mixed with the soil as it is being replaced in the trench.

(3) Under attached porches, entrance platforms, utility entrances, and similar situations where slab or fill is at the same grade level apply 1 gallon per 10 square feet of soil surface.

(4) Treat all voids in hollow masonry units of the foundation at the rate of at least 1 gallon per 5 linear feet of wall. Apply the emulsion so as to reach the footing.

Buildings with Basements: (1) Apply an over-all treatment under the basement floorings, as well as under attached porches, entrance platforms, utility entrances, and similar situations where slab fill is at the grade level. Apply at the rate of 1 gallon per 10 square feet, except that if fill under slab is of washed gravel, cinders, or similar coarse material, increase the dosage by at least one-half. Where crawl spaces exist, treat as described in part (2) below.

(2) Dig a narrow trench to the top of the footing along the inside of foundation walls, around piers, sewer pipes and conduits. Apply 2 gallons of emulsion per 5 linear feet of trench. The chemical should be mixed with the soil as it is being replaced in the trench.

(3) Along the outside of foundation walls, dig a narrow trench, such trench to be dug no deeper than the top of the footings. If the trench is less than 15 inches in depth to the top of the footings, apply 1 gallon per 5 linear feet. Replace the soil and apply another 1 gallon per 5 linear feet to the back fill. Cover the back fill with a thin layer of soil. If the trench is more than 15 inches in depth to the top of the footings, apply 2 gallons per 5 linear feet. Replace the soil and apply another 2 gallons per 5 linear feet to the back fill. Cover the back fill with a thin layer of soil. A trench 30 inches deep is a maximum depth required alongside foundations where the top of the footings is greater than 30 inches deep. In lieu of trenching to a 30" depth, make the trench 12 to 15" deep and rod to footing, spacing the holes about 1 foot apart.

(4) Treat all voids in hollow masonry units of the foundation at the rate of 1 gallon per 5 linear feet of wall. Apply the emulsion so as to reach the footing.

solution May be fatal if swallowed. Contact with skin can cause toxic symptoms. In case of contact, wash with soap and water. Avoid breathing spray mist. Avoid contamination of feed or food stuffs. Keep children and pets off treated areas until this material is dry.

This product is toxic to fish, shrimp, crab, birds and other wildlife. Birds and other wildlife in treated areas may be killed. Keep out of lakes, streams, ponds, tidal marshes and estuaries. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

• FOR SPOT APPLICATION ONLY •

NOTICE: AMVAC Chemical Corporation makes no warranty, express or implied, including the warranties of merchantability and or fitness for any particular purpose, concerning this material, except those which are contained on AMVAC's label.

C674