

PM 25
5481-129

15/2

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS
CAUTION

May be harmful if swallowed, inhaled or absorbed through the skin. Avoid contact with skin, eyes or clothing. In case of eye contact, immediately flush eyes with plenty of water. Get medical attention if irritation persists. Wash thoroughly after handling. Remove and wash contaminated clothing before reuse.

RE-ENTRY AND WORKER SAFETY

Do not apply this product in such a manner as to directly or through dust expose workers or other persons. The area being treated must be vacated by unprotected persons. Do not enter treated areas without protective clothing until sprays have dried. (Check certain states may require more restrictive re-entry intervals for various crops treated with this product, consult your State Department of Agriculture for further information.)

Written or oral warnings must be given to workers who are expected to be in treated areas or in an area about to be treated with this product. When oral warnings are given, warnings shall be given in a language customarily understood by workers. Written and oral warnings must include the following information:

CAUTION — Area treated with FRUIT FIX CONCENTRATE or label. Do not enter without appropriate protective clothing until sprays have dried. In case of accidental exposure, refer to the Precautionary Statements found on this product label.

Oral warnings must be given if there is reason to believe that written warnings cannot be understood by workers.

ENVIRONMENTAL HAZARDS

Do not apply directly to any body of water. Do not contaminate water by cleaning of equipment or disposal of wastes. Avoid drift of spray waves. Treatment found on this product label.

Fruit Fix Concentrate 200

A hormone type product for control of preharvest drop of apples and pears.

ACTIVE INGREDIENT:
 1-Naphtholacetic Acid, Ammonium Salt 5.00%
INERT INGREDIENTS: 94.92%
Total Solids:

*Equivalent to 5.2% 1-Naphtholacetic Acid or 200 grams (6.4 lbs) per gallon.

KEEP OUT OF REACH OF CHILDREN
CAUTION
 SEE CASE PANEL FOR ADDITIONAL
 PRECAUTIONARY STATEMENTS

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
 Do not apply this product through any type of irrigation system.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store product in original container in a cool, dry, well-ventilated place out of reach of children. Do not allow product to freeze.

PESTICIDE DISPOSAL: Residue resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Triple rinse for equipment. Then either for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by State and local authorities.

EPA REG. NO. 5481-129-AA EPA EST. NO. 5481-CA-1

NET CONTENTS 1 GALLON

AMVAC CHEMICAL CORPORATION
 Los Angeles, California

ACCEPTED

OCT 23 1987

Under the Federal Insecticide,
 Fungicide, and Rodenticide Act,
 as amended, for the pesticide
 registered under
 EPA Reg. No. 5481-129

BEST AVAILABLE COPY

2 of 2

NOTE FOR CONCENTRATE 200 is used to control prevalent stage of apple and pear, leading to harvest and reducing losses due to scab and leafhopper. **NOTE FOR CONCENTRATE 200** is also of in thinning crop of olive trees when an excessively heavy fruit set is expected. In addition, **NOTE FOR CONCENTRATE 200** may be used to prevent budding of ornamental olive trees.

DIRECTIONS FOR APPLES AND PEARS

Spray trees thoroughly, wetting all fruit stems and adjacent leaves. Apply 7 to 14 days before harvest and repeat 3 to 7 days before harvest for pears. Do not spray within 3 days of harvest. This is however suitable in 2 to 3 days after application and control stage for 14 days for 4 weeks for Michigan variety depending on weather conditions. Do not make more than 2 applications and delay picking beyond optimum maturity.

GROWER SPRAY—For apples, thoroughly mix 12 fl. oz. with 250 gallons of water (4.2 fl. oz. per gallon water) to prepare a 20ppm spray. For pears, use a 10ppm spray obtained by mixing 12 fl. oz. with 500 gallons of water. Spruce the trees with the appropriate spray, using up to 0.70 gallon acre of this 10ppm spray, which provides an equivalent of 25 grams of 1-Naphthoacetic Acid per acre. Apply to fruit 5 to 7 days before harvest. Do not make more than 2 applications. Do not make 7 days of harvest. For an "oil-type" spray, add 1 pint of kerosene per acre for each gallon of spray solution.

AIRPLANE SPRAY—Mix 22 fl. oz. with 3 gallons of water and combine with 2 gallons of kerosene per acre by thorough agitation. Apply 5 gallons of mixture per acre of apples. For pears, use 11 fl. oz. of this product in 5 gallons of mixture per acre.

DIRECTIONS FOR THINNING OLIVE TREES

THINNING BY CONTACT—Spray when young fruits are 1/8" to 3/8" in diameter, which is from 1 1/2 weeks following full bloom. Thinning is effective on all varieties except Sevillano.

WITHOUT OIL—Apply a solution of 10ppm 1-Naphthoacetic Acid equivalent obtained by adding 12 fl. oz. and a wetting agent (e.g. Surf 14 to 16 oz.) to 100 gallons of water.

WITH OIL—Apply a solution of 10ppm 1-Naphthoacetic Acid equivalent obtained by mixing roughly 24 fl. oz. with 100 gallons of water. Combine by agitation with 1 1/2 gallons of light or medium oil.

Spray only the heavily loaded trees with the leaves are thoroughly wet. This will require 10 gallons per tree.

CAUTION: Before you wish to remove all your fruit, do not apply during bloom.

DIRECTIONS TO PREVENT FRUITING OF ORNAMENTAL OLIVE TREES

For best results, apply when the olive trees are in full bloom but before fruit sets. When or bloom ceases, spray between 1/2 and 3-4 times, with a second spraying 7 to 14 days later.

Mix 22 fl. oz. **NOTE FOR CONCENTRATE 200** and a wetting agent (e.g. Surf 12 oz. liquid) to 50 gallons of water. Spray trees until leaves are thoroughly wet.

Applications should not be made when temperatures are over 95°F, as leaf curl may occur. A plant should be covered with a polyethylene sheet while spraying and the cover left on until the drying and spray have passed, to prevent possible injury to these plants.

NOTE: This product conforms to its chemical description and is necessary for the purpose of the label when used in accordance with directions under normal conditions of use. Manufacturer not responsible for the use of this product contrary to the label directions, or under abnormal uses, or under conditions not reasonably foreseeable to manufacturer and/or seller, and buyer is the user of any such use.

BEST AVAILABLE COPY