

Reg # 5481-129

PM - 22

file
196



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

MAY 17 1994

OFFICE OF
PREVENTION, PESTICIDES AND
TOXIC SUBSTANCES

H. R. McLane
AMVAC CHEMICAL CORP.
4100 EAST WASHINGTON BLVD
LOS ANGELES, CA 90023

Subject: Label Amendment Submission of 04/07/94 in Response to PR Notice 93-7
EPA Reg. No. 5481-129
FRUIT FIX CONCENTRATE 200

Dear Registrant:

The labeling cited above and submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended, is **accepted**. A copy of your proposed labeling stamped "ACCEPTED WITH COMMENTS" is enclosed.

WHAT THIS ACCEPTANCE MEANS:

Based on your certification, the Agency has accepted the labeling changes that are necessary to comply with the Worker Protection Standard (WPS) labeling requirements of 40 CFR part 156, subpart K, described in PR Notices 93-7 and 93-11. Any other labeling changes submitted in connection with this amendment application but not directly related to compliance with the WPS have not been reviewed or accepted by the Agency. If you wish to make such changes, you must submit a separate amendment application proposing them. If your product is currently suspended, the acceptance of this labeling amendment does not affect the suspension in any way.

WHAT YOU NEED TO DO NEXT:

Send to EPA one (1) copy of the final printed labeling:

- BEFORE selling or distributing any product bearing the final printed labeling
- AND
- WITHIN one year from date of this acceptance.



Recycled/Recyclable
Printed with Soy/Canola Ink on paper that
contains at least 50% recycled fiber

296


Submit the final printed labeling via the U.S. Postal Service to:

Document Processing Desk (FIN-LABEL)
Office of Pesticide Programs (7505C)
U.S. Environmental Protection Agency
401 M Street, SW
Washington, D.C. 20460-0001

Hand or courier deliveries of final printed labeling may be made to:

Document Processing Desk (FIN-LABEL)
Office of Pesticide Programs
Room 266A, Crystal Mall 2
1921 Jefferson Davis Highway
Arlington, VA 22202

Sincerely,



Jim Tompkins, Deputy Chief
Registration Support Branch
Registration Division (7505W)

Attachment

396

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard. Do not enter or allow worker entry into treated areas during the restricted-entry interval (REI) of 24 hours. PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is: coveralls, waterproof gloves and shoes plus socks.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. **STORAGE:** Store product in original container in a cool, (not in direct sunlight), dry, locked place, out of reach of children. Do not allow product to freeze. **PESTICIDE DISPOSAL:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. **CONTAINER DISPOSAL:** Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by State and local authorities.

IMPORTANT: PLEASE READ BEFORE USE

By using this product, the user accepts the following: **LIMITED WARRANTY:** AMVAC warrants that (a) this product conforms to the chemical description on its label; (b) this product is reasonably fit for the purposes stated on its label, subject to the inherent risks referred to herein, when used in accordance with its directions; and (c) that the directions, warnings, cautions, and other statements on this label are based upon responsible experts' evaluations of reasonable tests of effectiveness, of toxicity to laboratory animals and plants, of residues on food crops, and upon reports of field experience. Testing has not been performed on all varieties of food crops, and plants, in all states, or under all application, weather and crop conditions. There are no express warranties other than those set forth herein. Amvac neither makes nor intends, nor does it authorize any agent or representative to make, any other warranty, express or implied. Amvac expressly excludes and disclaims all implied warranties of merchantability, fitness for particular purpose, or any other warranty of quality or performance. This warranty does not extend to, and the user shall be solely responsible for, any loss or damage which results from the use of this product in any manner which is inconsistent with this label's directions, warnings or cautions. User's exclusive remedy and Amvac's or seller's exclusive liability for any claim, loss, damage, or injury resulting from the use or handling of this product, whether or not based in contract, negligence, strict liability in tort, or otherwise shall be limited, at Amvac's option, to replacement of, or repayment of the purchase prices for, the quantity of product with respect to which damages are claimed. In no event shall Amvac or Seller be liable for special, indirect, or consequential damages resulting from the use or handling of this product. (129 WPS PMS) (inclds 10-28-92 amdmt to (1) remove "May be" (2) Environmt Hzd stnt amdmt (3) to include ornamt gloves.) (04-07-94)

FRUIT FIX CONCENTRATE 20

A HORMONE TYPE PRODUCT FOR CONTROL OF PREHARVEST DROP OF APPLES AND PEARS

ACTIVE INGREDIENT:		
1-Naphthaleneacetic Acid, Ammonium Salt	5.68%
INERT INGREDIENTS:	94.32%
	Total	100.00%

Equivalent to 5.2% 1-Naphthaleneacetic Acid or 200 grams (0.44 lbs.) per gallon.

KEEP OUT OF REACH OF CHILDREN

CAUTION

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed, inhaled or absorbed through the skin. Avoid contact with skin or clothing. In case of eye contact, immediately flush eyes with plenty of water. Get medical attention if irritation persists.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Applicators and other handlers must wear: long-sleeved shirt and long pants; waterproof gloves plus socks. Follow manufacturer's instructions for cleaning/maintaining PPE. If required, instructions for washables, use detergent and hot water. Keep and wash PPE separately from laundry.

User Safety Recommendations

Users should: Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothes. Remove PPE immediately after handling this product. Wash the outside of gloves before reuse. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

Do not apply directly to water, or to areas where surface water is present or to intertidal areas where the mean high water mark. Do not contaminate water when disposing of equipment wash solutions. Avoid drift of spray mist.

See Side Panel For Additional Precautionary statements.

EPA Reg. No. 5481-129

EPA Est. No. 5481-CA

NET CONTENTS 1 GALLON

AMVAC CHEMICAL CORPORATION

4100 EAST WASHINGTON BLVD. - LOS ANGELES, CA 90023 U.S.A.

BEST AVAILABLE COPY

MAY 17 1994

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.

5481-129

FRUIT FIX CONCENTRATE 200

A HORMONE TYPE PRODUCT FOR CONTROL OF PREHARVEST DROP OF APPLES AND PEARS

ACTIVE INGREDIENT:	
1-Naphthaleneacetic Acid, Ammonium Salt	5.68%
INERT INGREDIENTS:	94.32%
	Total 100.00%

Equivalent to 5.2% 1-Naphthaleneacetic Acid or 200 grams (0.44 lbs.) per gallon.

KEEP OUT OF REACH OF CHILDREN

CAUTION

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed, inhaled or absorbed through the skin. Avoid contact with skin, eyes or clothing. In case of eye contact, immediately flush eyes with plenty of water. Get medical attention if irritation persists.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Applicators and other handlers must wear, long-sleeved shirt and long pants; waterproof gloves and shoes plus socks. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

User Safety Recommendations

Users should: Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters. Avoid drift of spray mist.

See Side Panel For Additional Precautionary statements.

EPA Reg. No. 5481-129

EPA Est. No. 5481-CA-1

NET CONTENTS 1 GALLON

AMVAC CHEMICAL CORPORATION

4100 EAST WASHINGTON BLVD. - LOS ANGELES, CA 90023 U.S.A.

DIRECTIONS FOR APPLES AND PEARS

FRUIT FIX CONCENTRATE 200 serves to control preharvest drop of apples and pears, leading to larger harvest and reducing losses from windfall and knockdown. Spray trees thoroughly, wetting all fruit stems and adjacent leaves. Apply 7 to 14 days before harvest for apples and 5 to 7 days before harvest for pears. Do not spray within 2 days of harvest. This product becomes effective in 2 to 3 days after application and controls drop for 10 days to 4 weeks (less for McIntosh variety) depending on weather conditions. Do not make more than 2 applications and do not delay picking beyond optimum maturity.

GROUND SPRAY - FOR APPLES, thoroughly mix 12 ounces with 250 gallons of water (4.8 fl. oz./100 gals. water) to prepare a 20 ppm spray. **FOR PEARS**, use a 10 ppm spray obtained by mixing 12 fl. oz. with 500 gals. water. Drench the trees with the appropriate spray, using up to 670 gallons per acre of this 10 ppm spray, which provides an equivalent of 25 grams of 1-Naphthaleneacetic acid per acre. Apply to fruit 5 to 7 days before harvest. Do not make more than 2 applications. Do not apply within 2 days of harvest. (For an "oil-type" spray, add 1 pint of flowable summer oil for each 100 gallons of spray solution).

AIRPLANE SPRAY - APPLES AND PEARS - Mix 22 fl. oz. in 3 gallons of water and emulsify with 2 gallons of flowable summer oil by thorough agitation. Apply 5 gallons of emulsion per acre of **APPLES**. For **PEARS**, use 11 fl. oz. of this product in 5 gallons of emulsion per acre

DIRECTIONS FOR THINNING OLIVE TREES

FRUIT FIX CONCENTRATE 200 is also effective in thinning the crop of olive trees when an excessively heavy fruit set is expected.

TIMING IS CRITICAL: Spray when young fruits are 1/8" to 3/16" in diameter, which is from 1 1/2 to 2 1/2 weeks following full bloom. Thinning is effective on all varieties except *Sevillano*, **WITHOUT OIL** - Apply a solution of 150 ppm 1-Naphthaleneacetic acid equivalent obtained by adding 36 fl. oz. and a wetting agent (e.g. "Dreft" 14 to 16 oz.) to 100 gallons of water.

WITH OIL - Apply a solution of 100 ppm 1-Naphthaleneacetic acid equivalent obtained by mixing thoroughly 24 fl. oz. with 100 gallons of water. Emulsify by agitation with 1 1/2 gallon of light or medium summer oil. Spray only the heavily loaded trees until the leaves are thoroughly wet. This will require 10 to 30 gallons per tree.

PRECAUTION- Unless you wish to remove all your fruit, do not apply during bloom.

DIRECTIONS TO PREVENT FRUITING OF ORNAMENTAL OLIVE TREES

For best result, apply when the olive trees are in full bloom but before fruit sets. When extended bloom occurs, spray between 1/2 to 3/4 bloom, with a second spraying 7 to 14 days later. Mix 32 fl. oz. **FRUIT FIX CONCENTRATE 200** and a wetting agent (e.g. 12 oz. liquid detergent) to 80 gallons of water. Spray trees until leaves are thoroughly wet. **PRECAUTIONS:** Applications should not be made when temperatures are over 85° F. as leaf curl may occur. Adjacent plants should be covered with polyethylene sheet while spraying and the cover left on until danger of dripping and spray drift has passed, to prevent possible injury to these plants.

FOR THE FOLLOWING EMERGENCIES, PHONE 24 HOURS A DAY
TRANSPORTATION: CHEMTREC 1-800-424-9300
MEDICAL: HAZARD INFORMATION SERVICES (H.I.S.) 1-800-228-5635; Ext 169

BEST AVAILABLE COPY

E
manner inconsistent with its
act workers or other persons,
s may be in the area during
or Tribe, consult the agency

REMENTS

d with the Worker Protection
quirements for the protection
d greenhouses, and handlers
r training, decontamination,
ns specific instructions and
l about personal protective
rements in this box only apply
Protection Standard.
g the restricted-entry interval
areas that is permitted under
t with anything that has been
proof gloves and shoes plus

DISAL

disposal **STORAGE:** Store
ght), dry, locked place, out of
ICIDE DISPOSAL: Wastes
of on site or at an approved
e rinse (or equivalent). Then
pose of in a sanitary landfill,
horities.

ORE USE

LIMITED WARRANTY.
chemical description on its
stated on its label, subject to
lance with its directions; and
statements on this label are
ble tests of effectiveness, of
ood crops, and upon reports
il varieties of food crops, and
d crop conditions
forth herein. Amvac neither
esentative to make, any other
es and disclaims all implied
se, or any other warranty of
, and the user shall be solely
he use of this product in any
t, warnings or cautions.

re liability for any claim, loss,
this product, whether or not
therwise shall be limited, at
e purchase prices for, the
e claimed. In no event shall
quential damages resulting
ds 10-28-92 amdmt to (1) remove
1 (04-07-94)

516

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal

STORAGE Store product in original container in a cool, (not in direct sunlight), dry, locked place out of reach of children. Do not allow product to freeze

PESTICIDE DISPOSAL Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility

CONTAINER DISPOSAL Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by State and local authorities

NOTICE: This product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use. Manufacturer is not responsible for the use of this product contrary to the label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to the manufacturer and/or seller and the buyer assumes the risk of any such use

FRUIT FIX CONCENTRATE 200

A HORMONE TYPE PRODUCT FOR CONTROL OF PREHARVEST DROP OF APPLES AND PEARS

ACTIVE INGREDIENT:

1-Naphthaleneacetic Acid, Ammonium Salt 5.68%

INERT INGREDIENTS:

94.32%

Total 100.00%

Equivalent to 5.2% 1-Naphthaleneacetic Acid or 200 grams (44 lbs.) per gallon.

KEEP OUT OF REACH OF CHILDREN CAUTION

PRECAUCION AL USUARIO: Si usted no lee ingles, no use este producto hasta que la etiqueta le haya sido explicado ampliamente.

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

EPA Reg No 5481-129

EPA Est. No. 5481-CA-1

AMVAC CHEMICAL CORPORATION

4100 EAST WASHINGTON BLVD.
LOS ANGELES, CALIFORNIA 90023

NET CONTENTS 1 GALLON

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed, inhaled or absorbed through the skin. Avoid contact with skin, eyes or clothing in case of eye contact, immediately flush eyes with plenty of water. Get medical attention if irritation persists. Wash thoroughly after handling. Remove and wash contaminated clothing before reuse.

REENTRY AND WORKER SAFETY STATEMENT

Do not apply this product in such a manner as to directly or through drift, expose workers or other persons. The area being treated must be vacated by unprotected persons. Do not enter treated areas without protective clothing until sprays have dried. Because certain states may require more restrictive reentry intervals for various crops treated with this product, consult your State Department of Agriculture for further information. Written or oral warnings must be given to workers who are expected to be in treated areas or in an area about to be treated with this product. When oral warnings are given, warnings shall be given in a language customarily understood by workers. Written and oral warnings must include the following information:
CAUTION: Area treated with Fruit Fix Concentrate 200 on (Date) Do not enter without appropriate protective clothing until sprays have dried. In case of accidental exposure refer to the Precautionary Statements found on this product label. Oral warnings must be given if there is reason to believe that written warnings cannot be understood by workers.

ENVIRONMENTAL HAZARDS

Do not apply directly to water, to areas where surface water is present, or to flooded areas below the mean high water mark. Do not contaminate water when disposing of equipment wash-water. Avoid drift of spray mist.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Do not apply this product through any type of irrigation system.

DIRECTIONS
Fruit Fix CONCENTRATE 200 is used to increase larger harvest and reducing stems and adjacent leaves for pears. Do not spray with application and control dry conditions. Do not make mo

GROUND SPRAY - FOR (Add 1 pt. water) to prepare a 20 pt. 500 gal. water. Dranch the tr spray, which provides an eq. 7 days before harvest. Do not an "o-type" spray, add 1 pt. **AIRPLANE SPRAY - APPLY** of Rowable summer oil by the For PEARS use 11 fl. oz. of

DIRECTIONS
Fruit Fix CONCENTRATE 200 heavy fruit set is expected. **TIMING IS CRITICAL:** Spray 2 1/2 weeks following full bloom. **WITHOUT OIL -** Apply a 36 fl. oz. and a waiting agent. **WITH OIL -** Apply a 36 fl. oz. thoroughly 24 fl. oz. with 100 summer oil. Spray only the 30 gallons per tree. **PRECAUTION -** Unless you

DIRECTIONS
OF
For best result, apply when it occurs, spray between 1/2 to CONCENTRATE 200 and a v until leaves are thoroughly w

PRECAUTIONS: Application occur. Adhere to this product's danger of mixing and spray to oral for safety.

BEST AVAILABLE COPY

959

FRUIT FIX CONCENTRATE 200

A HORMONE TYPE PRODUCT FOR CONTROL OF PREHARVEST DROP
OF APPLES AND PEARS

ACTIVE INGREDIENT:	
1-Naphthaleneacetic Acid, Ammonium Salt	5.68%
INERT INGREDIENTS:	94.32%
	Total 100.00%

Equivalent to 5.2% 1-Naphthaleneacetic Acid or 200 grams (.44 lbs.) per gallon.

KEEP OUT OF REACH OF CHILDREN
CAUTION

PRECAUCION AL USUARIO: Si usted no lee ingles, no use este producto hasta que la etiqueta haya sido explicado ampliamente.

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

EPA Reg. No. 5481-129

EPA Est. No. 5481-CA-1

AMVAC CHEMICAL CORPORATION

4100 EAST WASHINGTON BLVD.
LOS ANGELES, CALIFORNIA 90023

NET CONTENTS 1 GALLON

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed, inhaled or absorbed through the skin. Avoid contact with skin, eyes or clothing. In case of eye contact, immediately flush eyes with plenty of water. Get medical attention if irritation persists. Wash thoroughly after handling. Remove and wash contaminated clothing before reuse.

REENTRY AND WORKER SAFETY STATEMENT

Do not apply this product in such a manner as to directly or through drift, expose workers or other persons. The area being treated must be vacated by unprotected persons. Do not enter treated areas without protective clothing until sprays have dried. Because certain states may require more restrictive reentry intervals for various crops treated with this product, consult your State Department of Agriculture for further information. Written or oral warnings must be given to workers who are expected to be in treated areas or in an area about to be treated with this product. When oral warnings are given, warnings shall be given in a language customarily understood by workers. Written and oral warnings must include the following information:

CAUTION: Area treated with Fruit Fix Concentrate 200 on (Date) _____ Do not enter without appropriate protective clothing until sprays have dried. In case of accidental exposure, refer to the Precautionary Statements found on this product label. Oral warnings must be given if there is reason to believe that written warnings cannot be understood by workers.

ENVIRONMENTAL HAZARDS

Do not apply directly to water, to areas where surface water is present or to treated areas below the mean high water mark. Do not concentrate water when disposing of equipment washwater. Avoid drift of spray mist.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Do not apply this product through any type of irrigation system.

DIRECTIONS FOR APPLES AND PEARS

Fruit Fix CONCENTRATE 200 serves to control preharvest drop of apples and pears, leading to larger harvest and reducing losses from windfall and knockdown. Spray trees thoroughly, wetting all fruit stems and adjacent leaves. Apply 7 to 14 days before harvest for apples and 5 to 7 days before harvest for pears. Do not spray within 2 days of harvest. This product becomes effective in 2 to 3 days after application and controls drop for 16 days to 4 weeks (less for McIntosh variety) depending on weather conditions. Do not make more than 2 applications and do not delay picking beyond optimum maturity.

GROUND SPRAY - FOR APPLES: thoroughly mix 12 ounces with 250 gallons of water (4 8 fl. oz./100 gals. water) to prepare a 20 ppm spray. **FOR PEARS:** use a 10 ppm spray obtained by mixing 12 fl. oz. with 500 gals. water. Drench the trees with the appropriate spray, using up to 670 gallons per acre of this 10 ppm spray, which provides an equivalent of 25 grams of 1-Naphthaleneacetic acid per acre. Apply to fruit 5 to 7 days before harvest. Do not make more than 2 applications. Do not apply within 2 days of harvest. For an "oil-type" spray, add 1 part of flowable summer oil for each 100 gallons of spray solution.

AIRPLANE SPRAY - APPLES AND PEARS: Mix 22 fl. oz. in 3 gallons of water and emulsify with 2 gallons of flowable summer oil by thorough agitation. Apply 5 gallons of emulsion per acre of APPLES. For PEARS, use 11 fl. oz. of this product in 5 gallons of emulsion per acre.

DIRECTIONS FOR THINNING OLIVE TREES

Fruit Fix CONCENTRATE 200 is also effective in thinning the crop of olive trees when an excessive heavy fruit set is expected.

TIMING IS CRITICAL: Spray when young fruits are 1/8" to 3/16" in diameter, which is from 1 1/2 to 2 1/2 weeks following full bloom. Thinning is effective on all varieties except Syringio.

WITHOUT OIL: Apply a solution of 150 ppm 1-Naphthaleneacetic acid equivalent obtained by adding 36 fl. oz. and a wetting agent (e.g. "Dreft" 14 to 16 oz.) to 100 gallons of water.

WITH OIL: Apply a solution of 100 ppm 1-Naphthaleneacetic acid equivalent obtained by mixing thoroughly 24 fl. oz. with 100 gallons of water. Emulsify by agitation with 1 1/2 gallon of light or medium summer oil. Spray only the heavily loaded trees until the leaves are thoroughly wet. This will require 10 to 30 gallons per tree.

PRECAUTION: Unless you wish to remove all your fruit, do not apply during bloom.

DIRECTIONS TO PREVENT FRUITING OF ORNAMENTAL OLIVE TREES

For best result, apply when the olive trees are in full bloom but before fruit sets. When extended bloom occurs, spray between 1/2 to 3/4 bloom, with a second spraying 7 to 14 days later. Mix 32 fl. oz. Fruit Fix CONCENTRATE 200 and a wetting agent (e.g. 12 oz. liquid detergent) to 80 gallons of water. Spray trees until leaves are thoroughly wet.

PRECAUTIONS: Applications should not be made when temperatures are over 85° F. as leaf curl may occur. Adjacent plants should be covered with polyethylene sheet while spraying and the cover left on until danger of dropping and soil erosion has passed, to prevent possible injury to these plants (11-28-91 and to oral for slabs).

BEST AVAILABLE COPY