


# CRYOLITE 93

(Contains 93% Sodium Fluoroaluminate)

ACTIVE INGREDIENT:		
Sodium Fluoroaluminate	.....	93.0%
INERT INGREDIENTS	.....	7.0%
TOTAL		100.0%

FLUORINE — not less than 50%



## CAUTION KEEP OUT OF REACH OF CHILDREN

### USE PRECAUTIONS

Read entire label before using

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

Do not contaminate any body of water, by direct application, cleaning of equipment or disposal of wastes and containers.

In order that pesticidal residues on Food and Forage crops will not exceed tolerances established by the Federal Food and Drug Administration, use only at recommended rates and intervals, and do not apply closer to harvest than specified. Do not apply or allow to drift to areas occupied by unprotected humans or beneficial animals or onto adjoining food, fiber or pasture crops. The grower is responsible for residues on his crops as well as for damages caused by drift from his property to that of others.

Do not apply to corn as injury to the crop may occur. Do not use in combination with lime or compounds containing free lime. Do not apply immediately before harvest. Do not reuse empty containers. Destroy by burning or burying. Stay out of smoke.

### DIRECTIONS FOR USE

CRYOLITE 93 is a fine powder suitable for spray or dust applications by ground or aircraft. Apply CRYOLITE 93 at 25 to 50 lbs. per acre to control the insects on the crops listed below. Always make a thorough coverage application, covering the underside of the leaves as well as the top. Observe the use limitations given for specific crops.

### CROP USE

**BEANS:** For the control of Mexican bean beetle, bean leaf beetle, bean leaf roller, corn earworm, cucumber beetles. REMOVE EXCESS RESIDUES BY WASHING, BRUSHING OR OTHER EFFECTIVE MEANS.

**CABBAGE, COLLARDS, MUSTARD GREENS, TURNIPS, BROCCOLI, BRUSSELS SPROUTS, RADISHES, CAULIFLOWER:** For the control of Imported cabbage worm, cabbage looper, diamond-back moth caterpillar, yellow striped armyworm, climbing cut worms, corn earworm, flea beetles. DO NOT APPLY AFTER SEEDLING STAGE ON COLLARDS, MUSTARD GREENS, TURNIPS (if tops are to be used for food; otherwise remove residues by washing, brushing, or other effective means.) and CAULIFLOWER. DO NOT APPLY AFTER HEADS START TO FORM ON CABBAGE OR AFTER EDIBLE PARTS START TO FORM ON BROCCOLI AND BRUSSELS SPROUTS.

**CANTALOUPE, WATERMELON, CUCUMBER, SQUASH:** For the control of Melon worms, pickleworm, cucumber beetles. REMOVE EXCESS RESIDUES BY WASHING, BRUSHING OR OTHER EFFECTIVE MEANS.

**TOMATO:** For the control of Hornworm, fruitworm, pinworm, blister beetle. REMOVE EXCESS RESIDUES BY WASHING, BRUSHING OR OTHER EFFECTIVE MEANS.

**CITRUS (Grapefruit, Lemons, Limes, Oranges, Tangelos, Tangerines):** For the control of Citrus cutworm, variegated cutworm, orange dog, fruit tree leaf roller, orange tortrix, garden tortrix, H. lococera, Fuller's rose weevil, and katydid.

**APPLES, PEACHES, PEARS, SHADE TREES AND ORNAMENTALS:** For the control of flea weevil, codling moth, gypsy moth caterpillar, Fuller's rose weevil, and katydid. FOR APPLES, PEACHES AND PEARS REMOVE EXCESS RESIDUES BY WASHING, BRUSHING OR OTHER EFFECTIVE MEANS.

**CRANBERRIES:** For the control of cranberry weevil, gypsy moth caterpillar, false army worm. REMOVE EXCESS RESIDUES BY WASHING, BRUSHING OR OTHER EFFECTIVE MEANS.

**LETTUCE:** For control of cabbage looper. DO NOT APPLY AFTER SEEDLING STAGE.

**GRAPES:** For the control of Grape leaf roller and Omnivorous leaf roller. DO NOT APPLY AFTER FRUIT STARTS TO FORM.

**STRAWBERRIES:** For control of omnivorous leaf roller. REMOVE EXCESS RESIDUES BY WASHING, BRUSHING OR OTHER EFFECTIVE MEANS.

**PEPPERS:** For control of pepper weevil. REMOVE EXCESS RESIDUES BY WASHING, BRUSHING OR OTHER EFFECTIVE MEANS.

EPA REG. NO. 5481-132-AA-50824

NET WEIGHT — 50 POUNDS

1073

Made in Mexico

Distributed by  
**AMVAC CHEMICAL CORP.**  
LOS ANGELES, CALIFORNIA 9002.

**NOTICE:** Amvac Chemical Corporation makes no warranty, express or implied, including the warranties of merchantability and/or fitness or any particular purpose, concerning this material, except those which are contained on Amvac's label.

# CRYOLITE 93

(Contains 93% Sodium Fluoroaluminate)

ACTIVE INGREDIENT:  
Sodium Fluoroaluminate

INERT INGREDIENTS

93.0%

7.0%

TOTAL

100.0%

FLUORINE — not less than 50%

ACCEPTED

**CAUTION**  
**KEEP OUT OF REACH OF CHILDREN**

**USE PRECAUTIONS**  
Read entire label before using

This product is highly toxic to fish, aquatic insects, and other aquatic life. Do not use in or near streams, rivers, lakes, or other bodies of water. Do not use in or near areas where water is used for drinking water or disposal of waste and containers.

In order that pesticide residues on food and feed crops will not exceed the limits established by the Federal Food and Drug Administration, only at the recommended rates and intervals and do not apply it in a manner that is specified. Do not apply or allow to drift to areas occupied by unprotected humans or beneficial animals or onto adjoining feed, fiber, or pasture lands. The grower is responsible for residues on his crops as well as for damages caused by drift from his property to that of others.

Do not apply to corn as injury to the crop may occur. Do not use in combination with other compounds containing free lime. Do not apply in the vicinity of water. Do not reuse empty containers. Destroy by burning or burying. Stay out of water.

## DIRECTIONS FOR USE

CRYOLITE 93 is a fine powder suitable for spray or dust applications by ground or aircraft. Apply CRYOLITE 93 at 25 to 50 lbs per acre to control the insects on the crops listed below. Always make at least one or two applications, covering the underside of the leaves as well as the top. Observe the use limitations given for specific crops.

## CROP USE

**BEANS** For the control of Mexican bean beetle, bean leaf beetle, corn earworm, cucumber beetle. REMOVE EXCESS RESIDUES BY WASHING, BRUSHING OR OTHER EFFECTIVE MEANS.

**CABBAGE, COLLARDS, MUSTARD GREENS, TURNIPS, BROCCOLI, BRUSSELS SPROUTS, RADISHES, CAULIFLOWER** For the control of imported cabbage worm, cabbage looper, diamond borer, root fly, turnip fly, striped army worm, clubmole, cutworm, corn earworm, flea beetle. **DO NOT APPLY AFTER SEEDLING STAGE ON COLLARDS, MUSTARD GREENS, TURNIPS.** If tops are to be used for food, otherwise by washing, brushing or other effective means. **CAULIFLOWER** **DO NOT APPLY AFTER HEADS START TO FORM ON CABBAGE OR AFTER EDIBLE PARTS START TO FORM ON BROCCOLI AND BRUSSELS SPROUTS.**

**CANTALOUPE, WATERMELON, CUCUMBER, SQUASH** For the control of Mexican cucumber beetle, squash vine borer. REMOVE EXCESS RESIDUES BY WASHING, BRUSHING OR OTHER EFFECTIVE MEANS.

**TOMATO** For the control of Pinworm, fruitworm, pinworm, blister beetle. REMOVE EXCESS RESIDUES BY WASHING, BRUSHING OR OTHER EFFECTIVE MEANS.

**CITRUS (Grapefruit, Lemons, Limes, Oranges, Tangelos, Tangerines)** For the control of Citrus thrips, variegated cutworm, orange dog, fruit tree leaf roller, ring borer, garden tortrix, Melonworm, Fuller's rose weevil, and katydid.

**APPLES, PEACHES, PEARS, SHADE TREES AND ORNAMENTALS** For the control of Red weevil, codling moth, apple moth caterpillar, Fuller's rose weevil, and katydid. **FOR APPLES, PEACHES AND PEARS REMOVE EXCESS RESIDUES BY WASHING, BRUSHING OR OTHER EFFECTIVE MEANS.**

**CRANBERRIES** For the control of cranberry weevil, apply moth caterpillar, false army worm. REMOVE EXCESS RESIDUES BY WASHING, BRUSHING OR OTHER EFFECTIVE MEANS.

**LETTUCE** For control of cabbage looper. **DO NOT APPLY AFTER SETTLING STAGE.**

**GRAPES** For the control of grape leaf miner and Omnivorous leaf roller. **DO NOT APPLY AFTER FRUIT STARTS TO FORM.**

**STRAWBERRIES** For control of Omnivorous leaf roller. REMOVE EXCESS RESIDUES BY WASHING, BRUSHING OR OTHER EFFECTIVE MEANS.

**PEPPERS** For control of pepper weevil. REMOVE EXCESS RESIDUES BY WASHING, BRUSHING OR OTHER EFFECTIVE MEANS.

EPA REG. NO. 5481-132-AA-50824

NET WEIGHT — 50 POUNDS

1073

Made in Mexico

Distributed by  
**AMVAC CHEMICAL CORP**  
LOS ANGELES, CALIFORNIA 9002.

**NOTICE:** Amvac Chemical Corporation makes no warranty, express or implied, including the warranties of merchantability and/or fitness or any particular purpose, concerning this material, except those which are contained on Amvac's label.