

**USE AND DIRECTIONS
FOR APPLICATION**

**Lactating Dairy and Beef Animals:
Flies (Horn Fly, Stable Fly,
Face Fly, House Fly)**

Make a light application of VAPODRIN RTU daily as a fine mist to thoroughly cover all parts of the animal including the legs.

**Lactating Dairy and Beef Animals:
Lice**

Make 1-2 applications of 3-3½ ounces of VAPODRIN RTU at 14-day intervals as a fine mist to thoroughly cover all parts of the animal. If VAPODRIN RTU is applied by misting or fogging machine, maximum treatment time per animal is 20 seconds.


Back and Face Rubbers:

For control of horn flies and face flies on lactating dairy and beef animals, use VAPODRIN RTU in back and face rubbers. Use one gallon for each 20 linear feet of burlap back rubber. Recharge the reservoir as needed in automatic rubbers. Animals must rub face on rubbers for best fly control.

CAUTION

Harmful if swallowed. Avoid inhalation of mist and contact with skin. In case of contact with skin or eyes, flush with plenty of water. Get medical attention for eyes. Keep away from open flame. Wash thoroughly with soap and water after handling and before eating or smoking. Do not contaminate feed, water or food stuffs. If swallowed induce vomiting immediately and get medical attention. Atropine is antidotal.

Do not reuse container. Destroy when empty.



VAPODRIN RTU

(READY TO USE)
INSECTICIDE

A Vapona and Ciodrin ready to use fly spray for dairy and beef cattle.
Controls horn flies, face flies, house flies and lice.

ACTIVE INGREDIENTS	% By Weight
Dimethyl Phosphate of Alpha-Methylbenzyl	
3-Hydroxy-cis-crotonate*	1.00
2, 2-Dichlorovinyl Dimethyl Phosphate	0.23**
Related compounds	0.02**
Mineral Oil	2.00
Petroleum Hydrocarbons	96.52
INERT INGREDIENTS	0.23
Total	100.00

* Ciodrin - Insecticide
** Equivalent to 0.25% Vapona - Insecticide

Ciodrin and Vapona are Registered Trademarks of Shell Oil Company

CAUTION!
KEEP OUR OF REACH OF CHILDREN
(SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONS)

NET CONTENTS: _____


GENERAL DIRECTIONS

VAPODRIN RTU Insecticide is a ready-to-use formulation suitable for use in conventional hand, power or automatic spray equipment and in back rubbers.

VAPODRIN RTU is approved for lactating dairy animals. No feed-off period is necessary when used on beef animals. Apply to moisten the hair only and not in excess of 2 fluid ounces daily per animal. Do not wet the skin because of possible skin irritation. Do not apply regularly to calves under 6 months of age. Brahman cattle should not be treated as they may show hypersensitivity to organic phosphates.

Apply in accordance with state and federal recommendations for control of certain insects attacking the animals.

NOTICE: AMVAC Chemical Corporation makes no warranty, express or implied, including the warranties of merchantability and/or fitness or any particular purpose, concerning this material, except those which are contained on AMVAC's label.



Manufactured By

AMVAC CHEMICAL CORPORATION
Los Angeles, California 90023

EPA Reg. No 5481 146 AA
EPA Est. 5481 CA 1

0874