

**USE ONLY AS DIRECTED
READ ENTIRE LABEL BEFORE USING**

One Pint Makes Up to 50 Gallons of Spray

ALCO ALL PURPOSE ORNAMENTAL SPRAY is a concentrated spray material designed to be diluted in water, particularly those harder waters found in the western United States. It is a balanced combination of several highly effective insecticidal and miticidal materials which when properly applied will give excellent control of many of the common pests of ornamental plants, trees, shrubs, turf and dichondra.


Be sure to read all directions, cautions and warnings. Use of more spray concentrate than is recommended can cause injury to some susceptible plants, and will not necessarily give better pest control.

DIRECTIONS FOR USE:

Rates given are for 100 gallons unless otherwise specified. By using the following table equivalent rates for lesser amounts of spray can be determined.

| Per 100 gals. | 50 gals. | 25 gals. | 15 gals. | 5 gals. | 3 gals. | 1 gal. |
|---------------|-----------|-----------|-----------|---------|---------|--------|
| 1 Pint | 8 fl. oz. | 4 fl. oz. | 5 Tbs. | 5 Tsp. | 1 Tbs. | 1 Tsp. |
| 1 Quart | 1 Pint | 8 fl. oz. | 5 fl. oz. | 3 Tbs. | 2 Tbs. | 1 Tsp. |

Shrub and Tree Pests: Looper, Leaf Tiers - 1 Qt. (per 100 gals.); Spiny Elm Caterpillar - 3 pints; Spidermites, Aphids, Whiteflies, Mealy Bugs, Thrips, Cuban Laurel Thrips, Leaf Hoppers, Gylstershell Scale, European Elm Scale, False Privet Mite and certain other plant feeding caterpillars and beetles - 3-4 pints. Treatment may have to be repeated in 10-14 days for best result. Salt marsh caterpillars (Woolly Bears), Leaf Miner, Sycamore Scale, Cut Worms (especially on turf and dichondra) - 2 Qts.; Soft Brown Scale, Black Scale, Red Scale, Monterey Pine Scale, Jumper Scale - 5 fl. pints. Best scale control is obtained if the material is applied after the eggs have



DIRECTIONS continued

hatched and the scale crawlers are active. Turf, Dichondra, Cut Worms, certain weevils and caterpillars, also, Fungus Gnats, Springtails - 1 1/2 Qts., apply 1 gallon spray per 1000 sq. ft.

NOTE: Under some conditions treatment may be injurious to certain sensitive plants such as ferns and certain varieties of azaleas and crassulas. Injury from any spray is more apt to occur if the spray is applied when temperatures are over 90° F. Do not apply to edible portions of food or feed plants.

WARNING: May be fatal if swallowed. Do not breathe spray mist. Do not get on skin, eyes or clothing. Wash thoroughly after using. Avoid contamination of feed or food stuffs. Keep away from children and domestic animals.

Keep children and animals off treated areas until dry.

This product is toxic to fish, birds and other wildlife. Birds feeding on treated areas may be killed. Keep out of lakes, streams or ponds. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes.


Apply this product only as specified on this label.

CONTAINER DISPOSAL: Do not reuse empty container. Destroy by crushing and burying with wastes.

Do not use, pour, spill or store near heat or open flame.

NOTICE: Amvac Chemical Corporation makes no warranty, express or implied, including the warranties of merchantability and or fitness for any particular purpose, concerning this material, except those which are contained on Amvac's label.

Manufactured by
AMVAC CHEMICAL CORPORATION
Los Angeles, California 90023



**USE ONLY AS DIRECTED
READ ENTIRE LABEL BEFORE USING**

Net Makes Up to 50 Gallons of Spray

HOUSE ORNAMENTAL SPRAY is a concentrated spray designed to be diluted in water, particularly those used in the western United States. It is a balanced formula of highly effective insecticidal and miticidal ingredients. When properly applied will give excellent control of common pests of ornamental plants, trees, shrubs, turf

and lawns. Follow directions, cautions and warnings. Use of more than recommended can cause injury to some plants and will not necessarily give better pest control.

DIRECTIONS FOR USE:

100 gallons unless otherwise specified. By using equivalent rates for lesser amounts of spray can

| | | | | |
|-----------|-----------|---------|---------|--------|
| 25 gals. | 15 gals. | 5 gals. | 3 gals. | 1 gal. |
| 4 fl. oz. | 5 Tbs. | 5 Tsp. | 1 Tsp. | 1 Tsp. |
| 8 fl. oz. | 1 fl. oz. | 3 Tbs. | 2 Tbs. | 2 Tsp. |

Pests: Loopers, Leaf Tiers - 1 Qt. (per 100 gals.), Spidermites, Aphids, Whiteflies, Cuban Laurel Thrips, Leaf Hoppers, Oystershell Scale, False Privet Mite and certain other plant beetles - 3-4 pints. Treatment may have to be repeated every 7-14 days for best results. Salt marsh caterpillars, Sycamore Scale, Cut Worms (especially the black and white) - 2 Qts., Soft Brown Scale, Black Scale, Red Scale, Juniper Scale - 5-6 pints. Best scale control if the material is applied after the eggs have

DIRECTIONS continued

hatched and the scale crawlers are active. Turf, Dichondra, Cut Worms, certain weevils and caterpillars, also, Fungus Gnats, Springtails - 1/2 Qt., apply 1 gallon spray per 1000 sq. ft.

NOTE: Under some conditions treatment may be injurious to certain sensitive plants such as ferns and certain varieties of azaleas and crassulas. Injury from any spray is more apt to occur if the spray is applied when temperatures are over 90° F. Do not apply to edible portions of food or feed plants.

WARNING: May be fatal if swallowed. Do not breathe spray mist. Do not get on skin, eyes or clothing. Wash thoroughly after using. Avoid contamination of feed or food stuffs. Keep away from children and domestic animals.

Keep children and animals off treated areas until dry.

This product is toxic to fish, birds and other wildlife. Birds feeding on treated areas may be killed. Keep out of lakes, streams or ponds. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes.

Apply this product only as specified on this label.

CONTAINER DISPOSAL: Do not reuse empty container. Destroy by crushing and burying with wastes.

Do not use, pour, spill or store near heat or open flame

NOTICE: Amvac Chemical Corporation makes no warranty, express or implied, including the warranties of merchantability and fitness for any particular purpose, concerning this material, except those which are contained on Amvac's label.

AMVAC CHEMICAL CORPORATION
Los Angeles, California 90023

ALCO

**ALL PURPOSE
ORNAMENTAL SPRAY**

**CONTROLS INSECTS - SPIDERMITES AND
OTHER PESTS ON ORNAMENTALS, SHRUBS,
SHADE TREES, TURF AND DICHONDRA.**

ACTIVE INGREDIENTS

| | |
|-----------------------------------|--------|
| D-phenothrin (0.25% D-phenothrin) | 0.25% |
| Permethrin (0.75% Permethrin) | 0.75% |
| Methidathion | 20.20% |
| Fenitrothion | 40.00% |
| Inert ingredients | 4.96% |

INERT INGREDIENTS 4.96%

**WARNING: KEEP OUT OF REACH OF CHILDREN
SEE BACK PANEL FOR ADDITIONAL CAUTIONS**

NET CONTENTS: ONE GALLON

FOR THE
 BY THE
 UNDER N
 TO ATTACHE

**USE ONLY AS DIRECTED
 READ ENTIRE LABEL BEFORE USING**

One Pint Makes Up to 50 Gallons of Spray

ALCO ALL PURPOSE ORNAMENTAL SPRAY is a concentrated spray material designed to be diluted in water, particularly those harder waters found in the western United States. It is a balanced combination of several highly effective insecticidal and miticidal materials which when properly applied will give excellent control of many of the common pests of ornamental plants, trees, shrubs, turf and dichondra.

Be sure to read all directions, cautions and warnings. Use of more spray concentrate than is recommended can cause injury to some susceptible plants, and will not necessarily give better pest control.

DIRECTIONS FOR USE:

Rates given are for 100 gallons unless otherwise specified. By using the following table equivalent rates for lesser amounts of spray can be determined.

| Per 100 gals. | 50 gals. | 25 gals. | 15 gals. | 5 gals. | 3 gals. | 1 gal. |
|---------------|-----------|-----------|-----------|------------|---------|--------|
| 1 Pint | 8 fl. oz. | 4 fl. oz. | 5 Tbs. | 5 Tsp. | 1 Tbs. | 1 Tsp. |
| 1 Quart | 1 Pint | 8 fl. oz. | 5 fl. oz. | 3 1/2 Tbs. | 2 Tbs. | 2 Tsp. |

Shrub and Tree Pests: Loopers, Leaf Tiers - 1 Qt. (per 100 gals.); Spiny Elm Caterpillar - 3 pints; Spidermites, Aphids, Whiteflies, Mealy Bugs, Thrips, Cuban Laurel Thrips, Leaf Hoppers, Oystershell Scale, European Elm Scale, False Privet Mite and certain other plant feeding caterpillars and beetles - 3-4 pints. Treatment may have to be repeated in 10-14 days for best results. Salt marsh caterpillars (Woolly Bears), Leaf Miner, Sycamore Scale, Cut Worms (especially on turf and dichondra) - 2 Qts.; Soft Brown Scale, Black Scale, Red Scale, Monterey Pine Scale, Juniper Scale - 5-6 pints. Best scale control is obtained if the material is applied after the eggs have

hatched
 Worms,
 Springta

NOTE:
 certain s
 and cras
 spray is
 edible po

WARNI
 Do not
 Avoid c
 children
 Keep chi

This pro
 on treat
 Do not
 weather
 contami

Apply f
CONTA
 by crus

NOTI
 or ii
 fitne
 thos

EP.