



KERB GRANULES 1

ACCEPTED
APR 28 1987
Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under
EPA Reg. No. 5481-170

For Control of Poa Annua
In Bermudagrass Golf Courses, Lawns and Playing Fields

P125
5481-170
P. 2042

ACTIVE INGREDIENT:

Pronamide, 3,5-dichloro-N-(1,1-dimethyl-
2-propynyl) benzamide. 1.0%

INERT INGREDIENTS: 99.0%
100.0%

KEEP OUT OF REACH OF CHILDREN

C A U T I O N

STATEMENTS OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or Poison Control Center immediately. Induce vomiting by giving victim 1 or 2 glasses of water and touching back of throat with finger. ~~Do not induce vomiting or give anything by mouth to an unconscious or convulsing person.~~

IF IN EYES: Flush eyes with plenty of water. Get medical attention if irritation persists.

IF ON SKIN: Remove contaminated clothing and wash affected area with soap and water. Get medical attention if irritation persists.

IF INHALED: Remove victim to fresh air. Apply artificial respiration if indicated. Get medical attention.

SEE SIDE/BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

EPA REG. NO. 5481-170-AA

EPA EST. NO. 5481-CA-1

NET WEIGHT 50 POUNDS

AMVAC CHEMICAL CORPORATION
4100 EAST WASHINGTON BLVD.
LOS ANGELES CA 90023

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: May be harmful if swallowed, inhaled or absorbed through the skin. Do not breathe dust. Avoid contact with eyes, skin or clothing. Wash thoroughly with soap and water after handling and before eating or smoking. Wash contaminated clothing with soap and hot water before re-use.

NOTE TO PHYSICIAN: Emergency information (213) 264-3910.

ENVIRONMENTAL HAZARDS

Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Sites treated with this product must be thoroughly watered after application. **READ ENTIRE LABEL.**

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store product in original labeled container in a cool, dry, locked place out of reach of children.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, in if allowed by State & local authorities, by burning. If burned stay out of smoke.

PROTECTIVE CLOTHING

When mixing, loading or applying this product, wear midforearm, waterproof gloves, long-sleeved shirts and long pants, preferably one piece (coveralls). Hand spreaders also require the use of waterproof boots or shoe coverings.

Wash nondisposable gloves, boots and shoe coverings thoroughly with soap and water before removing. Protective clothing is not needed during application

if an enclosed tractor cab with filtered air supply or enclosed cockpit is used. Any article of clothing worn while handling product must be cleaned before reusing. Clothing should be laundered separately from household articles. Clothing which has been heavily contaminated should be disposed of in accordance with state and local regulations.

DIRECTIONS FOR USE (Cont.)

KERB is a selective herbicide that is especially effective for the pre- and post-emergent control of Annual Bluegrass (*Poa Annua*) in ornamental Bermuda Grass. The following plants are sensitive and may be damaged by pre-emergent and post-emergent applications of KERB: Dichondra, Bluegrass, Annual and Perennial Ryegrass, Fescues and Bentgrass.

When "watering-in" after application avoid heavy irrigation of more than 1 inch to reduce the possibility of excess washing or leaching of the chemical from the area of application. Care should be taken to avoid treating areas on fairways or approaches that may drain onto bentgrass greens or to areas that have been overseeded with sensitive cool season grasses.

BEST AVAILABLE COPY

DIRECTIONS FOR USE

BERMUDAGRASS GOLF COURSES, LAWNS AND PLAYING FIELDS

For pre-emergence and early post-emergence control of Poa Annua, use 50 to 100 lbs. per acre. Apply in the fall or late winter when Poa Annua normally begins to germinate or is in the one or two leaf stage. Use the higher rate where longer residual control is desired. For post-emergence control of Poa Annua in the early tillering to heading stage use 75 to 100 lbs. per acre. For Poa Annua in seed forming stages use 100 to 150 lbs. per acre.

Do not overseed with susceptible cool season grasses within 90 days of treatment.

NOTICE: This product conforms to its chemical description and is reasonably fit for the purpose stated on the label, when used in accordance with directions under normal conditions of use. Manufacturer is not responsible for the use of this product contrary to the label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to the manufacturer and/or seller and the buyer assumes the risk of any such use.